

NIST SPECIAL PUBLICATION 1800-35B

Implementing a Zero Trust Architecture

Volume B: Approach, Architecture, and Security Characteristics

Oliver Borchert
Gema Howell
Alper Kerman
Scott Rose
Murugiah Souppaya
National Institute of Standards
and Technology
Rockville, MD

Jason Ajmo
Yemi Fashina
Dr. Parisa Grayeli
Joseph Hunt
Jason Hurlburt
Nedu Irrechukwu
Joshua Klosterman
Kenneth Sandlin
Oksana Slivina
Susan Symington
Allen Tan
The MITRE Corporation
McLean, VA

Karen Scarfone
Scarfone Cybersecurity
Clifton, VA

Michael Friedrich
Peter Gallagher
Appgate
Coral Gables, FL

Adam Cerini
Conrad Fernandes
AWS (Amazon Web Services)
Arlington, VA

Kyle Black
Sunjeet Randhawa
Broadcom Software
San Jose, CA

Peter Romness
Steve Vetter
Cisco
Herndon, VA

Corey Bonnell
Dean Coclin
DigiCert
Lehi, UT

Ryan Johnson
Dung Lam
F5
Seattle, WA

Tim Jones
Tom May
ForeScout
San Jose, CA

Tim Knudson
Google Cloud
Mill Valley, CA

Mike Spisak
Harmeet Singh
IBM
Armonk, NY

Corey Lund
Farhan Saifudin
Ivanti
South Jordan, UT

Hashim Khan
Tim LeMaster
Lookout
Reston, VA

Ken Durbin
Earl Matthews
Mandiant
Reston, VA

Clay Taylor
Tarek Dawoud
Microsoft
Redmond, WA

Vinu Panicker
Okta
San Francisco, CA

Sean Morgan
Palo Alto Networks
Santa Clara, CA

Zack Austin
PC Matic
Myrtle Beach, SC

Bryan Rosensteel
Ivan Anderson
Ping Identity
Denver, CO

Wade Ellery
Deborah McGinn
Radiant Logic
Novato, CA

Frank Briguglio
Ryan Tighe
SailPoint
Austin, TX

Chris Jensen
Joshua Moll
Tenable
Columbia, MD

Jason White
Trellix, Public Sector
Reston, VA

Jacob Rapp
Paul Mancuso
VMware
Palo Alto, CA

Joe Brown
Jim Kovach
Zimperium
Dallas, TX

Bob Smith
Syed Ali
Zscaler
San Jose, CA

July 2022

PRELIMINARY DRAFT

This publication is available free of charge from
<https://www.nccoe.nist.gov/projects/implementing-zero-trust-architecture>



DISCLAIMER

Certain commercial entities, equipment, products, or materials may be identified by name or company logo or other insignia in order to acknowledge their participation in this collaboration or to describe an experimental procedure or concept adequately. Such identification is not intended to imply special status or relationship with NIST or recommendation or endorsement by NIST or NCCoE; neither is it intended to imply that the entities, equipment, products, or materials are necessarily the best available for the purpose.

While NIST and the NCCoE address goals of improving management of cybersecurity and privacy risk through outreach and application of standards and best practices, it is the stakeholder's responsibility to fully perform a risk assessment to include the current threat, vulnerabilities, likelihood of a compromise, and the impact should the threat be realized before adopting cybersecurity measures such as this recommendation.

National Institute of Standards and Technology Special Publication 1800-35B, Natl. Inst. Stand. Technol. Spec. Publ. 1800-35B, 113 pages, (July 2022), CODEN: NSPUE2

FEEDBACK

You can improve this guide by contributing feedback. As you review and adopt this solution for your own organization, we ask you and your colleagues to share your experience and advice with us.

Comments on this publication may be submitted to: nccoe-zta-project@list.nist.gov.

Public comment period: July 7, 2022 through August 8, 2022

All comments are subject to release under the Freedom of Information Act.

National Cybersecurity Center of Excellence
National Institute of Standards and Technology
100 Bureau Drive
Mailstop 2002
Gaithersburg, MD 20899
Email: nccoe@nist.gov

NATIONAL CYBERSECURITY CENTER OF EXCELLENCE

The National Cybersecurity Center of Excellence (NCCoE), a part of the National Institute of Standards and Technology (NIST), is a collaborative hub where industry organizations, government agencies, and academic institutions work together to address businesses' most pressing cybersecurity issues. This public-private partnership enables the creation of practical cybersecurity solutions for specific industries, as well as for broad, cross-sector technology challenges. Through consortia under Cooperative Research and Development Agreements (CRADAs), including technology partners—from Fortune 50 market leaders to smaller companies specializing in information technology security—the NCCoE applies standards and best practices to develop modular, adaptable example cybersecurity solutions using commercially available technology. The NCCoE documents these example solutions in the NIST Special Publication 1800 series, which maps capabilities to the NIST Cybersecurity Framework and details the steps needed for another entity to re-create the example solution. The NCCoE was established in 2012 by NIST in partnership with the State of Maryland and Montgomery County, Maryland.

To learn more about the NCCoE, visit <https://www.nccoe.nist.gov/>. To learn more about NIST, visit <https://www.nist.gov>.

NIST CYBERSECURITY PRACTICE GUIDES

NIST Cybersecurity Practice Guides (Special Publication 1800 series) target specific cybersecurity challenges in the public and private sectors. They are practical, user-friendly guides that facilitate the adoption of standards-based approaches to cybersecurity. They show members of the information security community how to implement example solutions that help them align with relevant standards and best practices, and provide users with the materials lists, configuration files, and other information they need to implement a similar approach.

The documents in this series describe example implementations of cybersecurity practices that businesses and other organizations may voluntarily adopt. These documents do not describe regulations or mandatory practices, nor do they carry statutory authority.

ABSTRACT

A zero trust architecture (ZTA) focuses on protecting data and resources. It enables secure authorized access to enterprise resources that are distributed across on-premises and multiple cloud environments, while enabling a hybrid workforce and partners to access resources from anywhere, at any time, from any device in support of the organization's mission. Each access request is evaluated by verifying the context available at access time, including the requester's identity and role, the requesting device's health and credentials, and the sensitivity of the resource. If the enterprise's defined access policy is met, a secure session is created to protect all information transferred to and from the resource. A real-time and continuous policy-driven, risk-based assessment is performed to establish and maintain the

access. In this project, the NCCoE and its collaborators use commercially available technology to build interoperable, open, standards-based ZTA implementations that align to the concepts and principles in NIST Special Publication (SP) 800-207, *Zero Trust Architecture*. This NIST Cybersecurity Practice Guide explains how commercially available technology can be integrated and used to build various ZTAs.

KEYWORDS

enhanced identity governance (EIG); identity, credential, and access management (ICAM); zero trust; zero trust architecture (ZTA).

ACKNOWLEDGMENTS

We are grateful to the following individuals for their generous contributions of expertise and time.

Name	Organization
Quint Van Deman	Amazon Web Services
Daniel Natale	Appgate
Aaron Palermo	Appgate
Adam Rose	Appgate
Jonathan Roy	Appgate
Eric Michael	Broadcom Software
Ken Andrews	Cisco
Matthew Hyatt	Cisco
Leo Lebel	Cisco
Tom Oast	Cisco
Aaron Rodriguez	Cisco
Micah Wilson	Cisco

Name	Organization
Daniel Cayer	F5
David Clark	F5
Jay Kelley	F5
Jamie Lozan	F5
Jason Wilburn	F5
Neal Lucier	Forescout
Yejin Jang	Forescout
Andrew Campagna	IBM
Adam Frank	IBM
Nalini Kannan	IBM
Priti Patil	IBM
Nikhil Shah	IBM
Krishna Yellepeddy	IBM
Vahid Esfahani	IT Coalition
Ebadullah Siddiqui	IT Coalition
Musumani Woods	IT Coalition
Madhu Dodda	Lookout
Eileen Division	MITRE*

Name	Organization
Spike E. Dog	MITRE
Ayayidjin Gabiam	MITRE
Karri Meldorf	MITRE
Jessica Walton	MITRE
Mike Bartock	NIST
Gini Khalsa	NIST
Douglas Montgomery	NIST
Kevin Stine	NIST
Sean Frazier	Okta
Kelsey Nelson	Okta
Shankar Chandrasekhar	Palo Alto Networks
Andrew Keffalas	Palo Alto Networks
Seetal Patel	Palo Alto Networks
Norman Wong	Palo Alto Networks
Shawn Higgins	PC Matic
Andy Tuch	PC Matic
Rob Woodworth	PC Matic
Bill Baz	Radiant Logic

Name	Organization
Rusty Deaton	Radiant Logic
John Ross Petrutiu	Radiant Logic
Lauren Selby	Radiant Logic
Peter Amaral	SailPoint
Jim Russell	SailPoint
Esteban Soto	SailPoint
Jeremiah Stallcup	Tenable
Andrew Babakian	VMware
Dennis Moreau	VMware
Jeffrey Adorno	Zscaler
Jeremy James	Zscaler
Lisa Lorenzin	Zscaler
Matt Moulton	Zscaler
Patrick Perry	Zscaler

71 ** Former employee; all work for this publication was done while at MITRE*

72 The Technology Partners/Collaborators who have or will participate in this project's current or upcoming
73 builds submitted their capabilities in response to a notice in the Federal Register. Respondents with
74 relevant capabilities or product components were invited to sign a Cooperative Research and
75 Development Agreement (CRADA) with NIST, allowing them to participate in a consortium to build this
76 example solution. We are working with the following list of collaborators.

Technology Collaborators		
<u>Appgate</u>	<u>IBM</u>	<u>Ping Identity</u>
<u>AWS</u>	<u>Ivanti</u>	<u>Radiant Logic</u>
<u>Broadcom Software</u>	<u>Lookout</u>	<u>SailPoint</u>
<u>Cisco</u>	<u>Mandiant</u>	<u>Tenable</u>
<u>DigiCert</u>	<u>Microsoft</u>	<u>Trellix</u>
<u>F5</u>	<u>Okta</u>	<u>VMware</u>
<u>Forescout</u>	<u>Palo Alto Networks</u>	<u>Zimperium</u>
<u>Google Cloud</u>	<u>PC Matic</u>	<u>Zscaler</u>

DOCUMENT CONVENTIONS

The terms “shall” and “shall not” indicate requirements to be followed strictly to conform to the publication and from which no deviation is permitted. The terms “should” and “should not” indicate that among several possibilities, one is recommended as particularly suitable without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is discouraged but not prohibited. The terms “may” and “need not” indicate a course of action permissible within the limits of the publication. The terms “can” and “cannot” indicate a possibility and capability, whether material, physical, or causal.

CALL FOR PATENT CLAIMS

This public review includes a call for information on essential patent claims (claims whose use would be required for compliance with the guidance or requirements in this Information Technology Laboratory (ITL) draft publication). Such guidance and/or requirements may be directly stated in this ITL Publication or by reference to another publication. This call also includes disclosure, where known, of the existence of pending U.S. or foreign patent applications relating to this ITL draft publication and of any relevant unexpired U.S. or foreign patents.

ITL may require from the patent holder, or a party authorized to make assurances on its behalf, in written or electronic form, either:

a) assurance in the form of a general disclaimer to the effect that such party does not hold and does not currently intend holding any essential patent claim(s); or

b) assurance that a license to such essential patent claim(s) will be made available to applicants desiring to utilize the license for the purpose of complying with the guidance or requirements in this ITL draft publication either:

1. under reasonable terms and conditions that are demonstrably free of any unfair discrimination; or

101 2. without compensation and under reasonable terms and conditions that are demonstrably free
102 of any unfair discrimination.

103 Such assurance shall indicate that the patent holder (or third party authorized to make assurances on its
104 behalf) will include in any documents transferring ownership of patents subject to the assurance,
105 provisions sufficient to ensure that the commitments in the assurance are binding on the transferee,
106 and that the transferee will similarly include appropriate provisions in the event of future transfers with
107 the goal of binding each successor-in-interest.

108 The assurance shall also indicate that it is intended to be binding on successors-in-interest regardless of
109 whether such provisions are included in the relevant transfer documents.

110 Such statements should be addressed to: nccoe-zta-project@list.nist.gov

111	Contents	
112	1 Summary	1
113	1.1 Challenge	1
114	1.2 Solution.....	2
115	1.3 Benefits.....	3
116	2 How to Use This Guide	4
117	2.1 Typographic Conventions.....	5
118	3 Approach	6
119	3.1 Audience	8
120	3.2 Scope	8
121	3.3 Assumptions	9
122	3.4 Collaborators and Their Contributions.....	10
123	3.4.1 Appgate.....	10
124	3.4.2 AWS.....	11
125	3.4.3 Broadcom Software	13
126	3.4.4 Cisco	15
127	3.4.5 DigiCert	18
128	3.4.6 F5.....	18
129	3.4.7 Forescout	20
130	3.4.8 Google Cloud.....	21
131	3.4.9 IBM.....	23
132	3.4.10 Ivanti	24
133	3.4.11 Lookout	26
134	3.4.12 Mandiant.....	26
135	3.4.13 Microsoft.....	27
136	3.4.14 Okta.....	31
137	3.4.15 Palo Alto Networks	33
138	3.4.16 PC Matic	35
139	3.4.17 Ping Identity	36

140	3.4.18 Radiant Logic.....	36
141	3.4.19 SailPoint	37
142	3.4.20 Tenable	39
143	3.4.21 Trellix.....	40
144	3.4.22 VMware.....	42
145	3.4.23 Zimperium.....	42
146	3.4.24 Zscaler	43
147	4 Architecture.....	45
148	4.1 General ZTA Reference Architecture	45
149	4.1.1 ZTA Core Components	46
150	4.1.2 ZTA Supporting Components	47
151	4.1.3 ZTA in Operation	50
152	4.2 EIG Crawl Phase Reference Architecture	55
153	4.2.1 EIG Crawl Phase Build-Specific Features.....	56
154	4.3 ZTA Laboratory Physical Architecture	56
155	4.3.1 Enterprise 1.....	59
156	4.3.2 Enterprise 1 Branch Office	64
157	4.3.3 Enterprise 2.....	66
158	4.3.4 Enterprise 3.....	66
159	4.3.5 Enterprise 4.....	66
160	4.3.6 Coffee Shop.....	66
161	4.3.7 Management and Orchestration Domain.....	66
162	4.3.8 Emulated WAN Service Provider	67
163	4.3.9 Cloud Services	67
164	5 Functional Demonstration.....	70
165	6 General Findings	71
166	7 Future Build Considerations	72
167	Appendix A List of Acronyms.....	73
168	Appendix B Glossary	78

169	Appendix C	References	80
170	Appendix D	EIG Enterprise 1 Build 1 (E1B1)	81
171	D.1	Technologies.....	81
172	D.2	Build Architecture.....	85
173	D.2.1	Logical Architecture	85
174	D.2.2	ICAM Information Architecture	86
175	D.2.3	Physical Architecture	98
176	D.2.4	Message Flow for a Successful Resource Access Request.....	98
177	Appendix E	EIG Enterprise 2 Build 1 (E2B1)	102
178	Appendix F	EIG Enterprise 3 Build 1 (E3B1)	103
179	F.1	Technologies.....	103
180	F.2	Build Architecture.....	106
181	F.2.1	Logical Architecture	107
182	F.2.2	Physical Architecture	108
183	F.2.3	Message Flows for a Successful Resource Access Request	108
184	Appendix G	EIG Enterprise 4 Build 1 (EB1)	113
185	List of Figures		
186	Figure 4-1 General ZTA Reference Architecture		46
187	Figure 4-2 Crawl Phase EIG ZTA Reference Architecture		56
188	Figure 4-3 Physical Architecture of ZTA Lab		58
189	Figure 4-4 Physical Architecture of Enterprise 1		60
190	Figure 4-5 Shared Services Domain of Enterprise 1		62
191	Figure 4-6 Physical Architecture of the Enterprise 1 Branch Office.....		65
192	Figure 4-7 Physical Architecture of the Coffee Shop		66
193	Figure 4-8 Physical Architecture of the Management and Orchestration Domain		67
194	Figure 4-9 Physical Architecture of the AWS Infrastructure Used by Enterprise 1		69

195	Figure D-1 Logical Architecture of E1B1.....	86
196	Figure D-2 E1B1 ICAM Information Architecture – Identity Correlation	89
197	Figure D-3 E1B1 ICAM Information Architecture – New User Onboarding.....	92
198	Figure D-4 E1B1 ICAM Information Architecture - User Changes Roles	95
199	Figure D-5 E1B1 ICAM Information Architecture - User Termination.....	97
200	Figure D-6 Successful Access Request Enforced by Okta, Ivanti, and Zimperium Components	99
201	Figure F-1 Logical Architecture of E3B1.....	108
202	Figure F-2 Use Case—E1B1 – Access Enforced by Azure AD.....	110
203	Figure F-3 Use Case—E1B1 – Access Enforced by F5 BIG-IP	111

204 List of Tables

205	Table 3-1 Technology Partners/Collaborators	10
206	Table D-1 E1B1 Products and Technologies	81
207	Table F-1 E3B1 Products and Technologies	103

1 Summary

1.1 Challenge

Protecting enterprise resources, particularly data, has become increasingly challenging as resources have become distributed across both on-premises environments and multiple clouds. Many users need access from anywhere, at any time, from any device to support the organization's mission. Data is programmatically stored, transmitted, and processed across different boundaries under the control of different organizations to meet ever-evolving business use cases. It is no longer feasible to simply enforce access controls at the perimeter of the enterprise environment and assume that all subjects¹ (i.e., end users, applications, and other non-human entities that request information from resources) within it can be trusted. A zero-trust architecture (ZTA) addresses this challenge by enforcing granular, secure authorized access near the resources, whether located on-premises or in the cloud, for a remote workforce and partners based on an organization's defined access policy.

Many organizations would like to address these challenges by migrating to a ZTA, but they have been hindered by several factors, such as the following:

- No single ZTA solution exists; ZTA deployment requires leveraging integration of many deployed existing technologies that are of varying maturity and may not all have been designed to interoperate with each other. It also requires organizations to identify technology gaps to build a complete ZTA.
- Organizations may lack the time and resources to sort out what combination of ZTA technologies would work best for them.
- ZTA requires organizations to identify and prioritize their resources and develop explicit policies for determining the conditions that must be met in order for a subject to be granted access to each resource. These conditions can depend on many factors beyond the traditional ones of subject identity and role; they may involve attributes such as subject and resource location, time of day, and the device being used and its health status. Some organizations may find the need to develop and manage such policies daunting.
- Often organizations do not have a complete inventory of their assets or a clear understanding of the criticality of their data. They also do not fully understand the transactions that occur between subjects, resources, applications, and services.

¹ As with NIST Special Publication (SP) 800-207 [\[1\]](#), throughout this document *subject* will be used unless the section relates directly to a human end user, in which case *user* will be used instead of the more generic *subject*.

- 237 ▪ Many organizations have a heavy investment in legacy enterprise and cloud technologies and
238 don't have a clear understanding of how they can continue to leverage existing investments and
239 balance priorities while also gradually integrating new technologies to make progress toward
240 ZTA.
- 241 ▪ Organizations may not understand what interoperability issues may be involved or what
242 additional skills and training network administrators may require, and they may lack the
243 resources to develop a pilot or proof-of-concept implementation needed to inform a transition
244 plan.
- 245 ▪ Organizations also have concerns that use of ZTA might negatively impact the operation of the
246 environment or the end-user experience. Ideally, ZTA should enhance security in a way that is
247 transparent to the user, but there is some possibility that users could be negatively impacted,
248 for example, by having to repeatedly re-authenticate themselves depending on the resources
249 they are accessing and the strictness of enterprise security policies.
- 250 ▪ There may be a lack of common understanding across the organization regarding what ZTA is
251 and how to gauge the organization's ZTA maturity, determine which ZTA approach is most
252 suitable for the business, and develop an implementation plan.

253 1.2 Solution

254 This project is designed to help address the challenges discussed above by building, demonstrating, and
255 documenting several example ZTAs using products and technologies from a variety of different vendors.
256 The example solutions are designed to provide secure authorized access to individual resources by
257 enforcing enterprise security policy dynamically and in near-real-time. They restrict access to
258 authenticated, authorized users and devices while flexibly supporting a complex set of diverse business
259 cases. These use cases involve legacy enterprise networks; remote workforces; use of the cloud; use of
260 corporate-provided, bring your own device (BYOD), and guest endpoints; collaboration with partners;
261 guest users; and support for contractors and other authorized third parties. The example solutions are
262 also designed to demonstrate having visibility within the environment and recognizing attacks and
263 malicious insiders. They showcase the ability of ZTA products to interoperate with legacy enterprise and
264 cloud technologies to protect resources with minimal impact on end-user experience.

265 The concepts and principles in [NIST SP 800-207, Zero Trust Architecture](#) are applied to enterprise
266 networks that are composed of pre-established devices and components and that store critical
267 corporate resources both on-premises and in the cloud. For each access request, ZTA verifies the
268 requester's identity and role, the requesting device's health and credentials, and possibly other
269 information. If defined policy is met, ZTA dynamically creates a secure connection to protect all
270 information transferred to and from the accessed resource. ZTA performs real-time, continuous
271 behavioral analysis and risk-based assessment of the access transaction or session.

272 The example solutions are built starting with a baseline designed to resemble a typical existing
273 enterprise environment that is assumed to have an identity store and other security components in

place. This enables the project to represent how we believe most enterprises will evolve toward ZTA, i.e., by starting with their already-existing legacy enterprise environment and gradually adding capabilities. A limited version of the enhanced identity governance (EIG) deployment approach described in NIST SP 800-207 is being implemented first, during what we call the EIG crawl phase of the project. We chose to base our first implementations on the EIG approach because EIG is seen as the foundational component of the other deployment approaches utilized in today's hybrid environments. The EIG approach uses the identity of subjects and device health as the main determinants of policy decisions. However, instead of using a separate, dedicated component to serve as a policy decision point (PDP), our crawl phase leverages the identity, credential, and access management (ICAM) component to serve as the PDP.

Once the remaining example implementations of the EIG crawl phase of the project are complete, an EIG approach that is not limited to using an ICAM component as the PDP (i.e., an EIG *run phase*) will be implemented. After that, additional supporting components and features will be deployed to address an increasing number of the ZTA requirements, progressing the project toward eventual demonstration of the micro-segmentation and software-defined perimeter deployment options as well.

1.3 Benefits

The demonstrated approach documented in this practice guide can provide organizations wanting to migrate to ZTA with information and confidence that will help them develop transition plans for integrating ZTA into their own legacy environments, based on the example solutions and using a risk-based approach. Executive Order 14028, *Improving the Nation's Cybersecurity* [2], requires all federal agencies to develop plans to implement ZTA. This practice guide can inform the agencies in developing their ZTA implementation plans. When integrated into their enterprise environments, ZTA will enable organizations to:

- **Support teleworkers** by enabling them to access corporate resources regardless of their location—on-premises, at home, or on public Wi-Fi at a neighborhood coffee shop.
- **Protect resources** regardless of their location—on-premises or in the cloud.
- **Limit the insider threat** by rejecting the outdated assumption that any user located within the network boundary should be automatically trusted.
- **Limit breaches** by reducing an attacker's ability to move laterally in the network. Access controls can be enforced on an individual resource basis, so an attacker who has access to one resource won't be able to use it as a springboard for reaching other resources.
- **Improve incident detection, response, and recovery** to minimize impact when breaches occur. Limiting breaches reduces the footprint of any compromise and the time to recovery.
- **Protect sensitive corporate data** by using strong encryption both while data is in transit and while it is at rest. Grant subjects access to a resource only after enforcing consistent

identification, authentication, and authorization procedures, verifying device health, and performing all other checks specified by enterprise policy.

- **Improve visibility** into which users are accessing which resources, when, how, and from where by monitoring and logging every access request within every access session.
- **Perform dynamic, risk-based assessment** of resource access through continuous reassessment of all access transactions and sessions, gathering information from periodic reauthentication and reauthorization, ongoing device health verification, behavior analysis, ongoing resource health verification, anomaly detection, and other security analytics.

2 How to Use This Guide

This NIST Cybersecurity Practice Guide will help users develop a plan for migrating to ZTA. It demonstrates a standards-based ZTA reference design and provides users with the information they need to replicate one or more standards-based ZTA implementations that align to the concepts and principles in NIST SP 800-207, *Zero Trust Architecture*. This reference design is modular and can be deployed in whole or in part, enabling organizations to incorporate ZTA into their legacy environments gradually, in a process of continuous improvement that brings them closer and closer to achieving the ZTA goals that they have prioritized based on risk, cost, and resources.

NIST is adopting an agile process to publish this content. Each volume is being made available as soon as possible rather than delaying release until all volumes are completed. Work continues on implementing the example solutions and developing other parts of the content. As a preliminary draft, we will publish at least one additional draft of this volume for public comment before it is finalized.

When complete, this guide will contain four volumes:

- NIST SP 1800-35A: *Executive Summary* – why we wrote this guide, the challenge we address, why it could be important to your organization, and our approach to solving this challenge
- NIST SP 1800-35B: *Approach, Architecture, and Security Characteristics* – what we built and why **(you are here)**
- NIST SP 1800-35C: *How-To Guides* – instructions for building the example implementations, including all the security-relevant details that would allow you to replicate all or parts of this project
- NIST SP 1800-35D: *Functional Demonstrations* – use cases that have been defined to showcase ZTA security capabilities and the results of demonstrating them with each of the example implementations

Depending on your role in your organization, you might use this guide in different ways:

Business decision makers, including chief security and technology officers, will be interested in the *Executive Summary, NIST SP 1800-35A*, which describes the following topics:

- challenges that enterprises face in migrating to the use of ZTA
- example solution built at the NCCoE
- benefits of adopting the example solution

Technology or security program managers who are concerned with how to identify, understand, assess, and mitigate risk will be interested in this part of the guide, *NIST SP 1800-35B*, which describes what we did and why.

You might share the *Executive Summary*, *NIST SP 1800-35A*, with your leadership team members to help them understand the importance of migrating toward standards-based ZTA implementations that align to the concepts and principles in NIST SP 800-207, *Zero Trust Architecture*.

IT professionals who want to implement similar solutions will find the whole practice guide useful. You can use the how-to portion of the guide, *NIST SP 1800-35C*, to replicate all or parts of the builds created in our lab. The how-to portion of the guide provides specific product installation, configuration, and integration instructions for implementing the example solution. We do not re-create the product manufacturers' documentation, which is generally widely available. Rather, we show how we incorporated the products together in our environment to create an example solution. Also, you can use *Functional Demonstrations*, *NIST SP 1800-35D*, which provides the use cases that have been defined to showcase ZTA security capabilities and the results of demonstrating them with each of the example implementations.

This guide assumes that IT professionals have experience implementing security products within the enterprise. While we have used a suite of commercial products to address this challenge, this guide does not endorse these particular products. Your organization can adopt this solution or one that adheres to these guidelines in whole, or you can use this guide as a starting point for tailoring and implementing parts of a ZTA. Your organization's security experts should identify the products that will best integrate with your existing tools and IT system infrastructure. We hope that you will seek products that are congruent with applicable standards and best practices.

A NIST Cybersecurity Practice Guide does not describe "the" solution, but example solutions. This is a preliminary draft guide. As the project progresses, the preliminary draft will be updated, and additional volumes will also be released for comment. We seek feedback on the publication's contents and welcome your input. Comments, suggestions, and success stories will improve subsequent versions of this guide. Please contribute your thoughts to nccoe-zta-project@list.nist.gov.

2.1 Typographic Conventions

The following table presents typographic conventions used in this volume.

Typeface/Symbol	Meaning	Example
<i>Italics</i>	file names and path names; references to documents that are not hyperlinks; new terms; and placeholders	For language use and style guidance, see the <i>NCCoE Style Guide</i> .
Bold	names of menus, options, command buttons, and fields	Choose File > Edit .
Monospace	command-line input, onscreen computer output, sample code examples, and status codes	<code>mkdir</code>
Monospace Bold	command-line user input contrasted with computer output	service sshd start
blue text	link to other parts of the document, a web URL, or an email address	All publications from NIST's NCCoE are available at https://www.nccoe.nist.gov .

3 Approach

The NCCoE issued an open invitation to technology providers to participate in demonstrating approaches to deploying ZTA in a typical enterprise network environment. The objective was to use commercially available technology to produce example ZTA implementations that manage secure access to corporate resources hosted on-premises or in the cloud while supporting access from anywhere, at any time, using any device.

The NCCoE prepared a Federal Register Notice [3] inviting technology providers to provide products and/or expertise to compose prototype ZTAs. Core components sought included ZTA policy engines, policy administrators, and policy enforcement points. Supporting components supporting data security, endpoint security, identity and access management, and security analytics were also requested. In addition, device and network infrastructure components such as laptops, tablets, and other devices that connect to the enterprise were sought, as were data and compute resources, applications, and services that are hosted and managed on-premises, in the cloud, at the edge, or some combination of these. The NCCoE provided a network infrastructure that was designed to encompass the existing (non-ZTA) network resources that a medium or large enterprise might typically have deployed, and the ZTA core and supporting components and devices were integrated into this.

Cooperative Research and Development Agreements (CRADAs) were established with qualified respondents, and build teams were assembled. The build teams fleshed out the initial architectures, and the collaborators' components were composed into two example implementations, i.e., builds. With twenty-four collaborators participating in the project, the build teams that were assembled sometimes included vendors that offer overlapping capabilities. We made an effort to showcase capabilities from each vendor when possible. In other cases, we worked with the collaborators to have them work out a

solution. Each build team documented the architecture and design of its build. As each build progressed, its team documented the steps taken to install and configure each component of the build. The teams then conducted functional demonstrations of the builds, including the ability to securely manage access to resources across a set of use cases that were defined to exercise a wide variety of typical enterprise situations. Use cases for the project include the following:

- access by employees, privileged third parties, and guests
- access requested by users who are located at headquarters, a branch office, or teleworking via public Wi-Fi and the internet
- inter-server access
- protection of resources that are located both on-premises and in the cloud
- use of enterprise-managed devices, contractor-managed devices, and personal devices
- access of both corporate resources and publicly available internet services
- the ability to automatically and dynamically calculate fine-grained confidence levels for resource access requests

In the next update of Volume B, the NCCoE team will conduct a risk assessment and a security characteristic analysis of the ZTA elements and document the results, including mapping the security contributions of the demonstrated approach to the *Framework for Improving Critical Infrastructure Cybersecurity* (NIST [Cybersecurity Framework](#)) and other relevant standards.

This project began with a clean laboratory environment that we populated with various applications and services that would be expected in a typical enterprise to create several baseline enterprise architectures. Then we designed and built two implementations of the EIG crawl phase deployment approach using a variety of commercial products.

Given the importance of discovery to the successful implementation of a ZTA, as part of the baseline environment we deployed tools that could be run to continuously observe the environment and use those observations to audit and validate the documented baseline map on an ongoing basis. Because we had instantiated the baseline environment ourselves, we already had a good initial understanding of it. However, we were able to use the discovery tools to audit and validate what we deployed and provisioned, correlate known data with information reported by the tools, and use the tool outputs to formulate initial ZT policy, ultimately ensuring that observed network flows correlate to static policies.

EIG uses the identity of subjects and device health as the main determinants of policy decisions. Depending on the current state of identity management in the enterprise, deploying EIG solutions is an initial key step that will be leveraged to support the micro-segmentation and software-defined perimeter (SDP) deployment approaches, which will be covered in the later phases of the project. Our strategy is to follow an agile implementation methodology to build everything iteratively and incrementally while adding more capabilities to evolve to a complete ZTA. We are starting with the

minimum viable EIG solution that allows us to achieve some level of ZTA and then we will gradually deploy additional supporting components and features to address an increasing number of the ZTA requirements, progressing the project toward eventual demonstration of more robust micro-segmentation and SDP deployment options.

3.1 Audience

The focus of this project is on medium and large enterprises. Its solution is targeted to address the needs of these enterprises, which are assumed to have a legacy network environment and trained operators and network administrators. These operators and administrators are assumed to have the skills to deploy ZTA components as well as related supporting components for data security, endpoint security, identity and access management, and security analytics. The enterprises are also assumed to have critical resources that require protection, some of which are located on-premises and others of which are in the cloud; and a requirement to provide partners, contractors, guests, and employees, both local and remote, with secure access to these critical resources. The reader is assumed to be familiar with [NIST SP 800-207, Zero Trust Architecture](#).

3.2 Scope

The scope of this project is initially limited to implementing a ZTA for a conventional, general-purpose enterprise information technology (IT) infrastructure that combines users (including employees, partners, contractors, guests, and non-person entities [NPEs]), devices, and enterprise resources. Resources could be hosted and managed—by the corporation itself or a third-party provider—either on-premises or in the cloud, or some combination of these. There may also be branch or partner offices, teleworkers, and support for fully managed BYOD and non-managed (i.e., guest) device usage. While mobile device management (MDM) is used to support these device types, demonstrating the full spectrum of MDM capabilities is beyond the scope of this project. Initially, support for traditional IT resources such as laptops, desktops, servers, and other systems with credentials is within scope. In future phases, the scope may expand to include ZTA support for Internet of Things (IoT) devices. ZTA support for both IPv4 and IPv6 is in scope, as are the three deployment approaches of EIG, micro-segmentation, and SDP, and both agent and agentless implementations.

This project focuses primarily on various types of user access to enterprise resources sprinkled across a hybrid network environment. More specifically, the focus is on behaviors of enterprise employees, partners, contractors, and guests accessing enterprise resources while connected from the corporate (or enterprise headquarters) network, a branch office, or the public internet. Access requests can occur over both the enterprise-owned part of the infrastructure and the public/non-enterprise-owned part. This requires that all access requests be secure, authorized, and verified before access is enforced, regardless of where the request is initiated or where the resources are located, i.e., whether on-premises or in the cloud. Discovery of resources, assets, communication flows, and other elements is also within scope.

ZTAs for industrial control systems and operational technology (OT) environments are explicitly out of scope for this project. However, the project seeks to provide an approach and security principles for a ZTA that could potentially be extended to OT environments. Please refer to other related NCCoE projects [\[4\]\[5\]\[6\]\[7\]](#). The project is not concerned with addressing Federal Risk and Authorization Management Program (FedRAMP) or other federal requirements at this time, although doing so could potentially be a follow-on exercise.

Only implementations of the EIG crawl phase deployment approach are within scope at this time. Builds of more complex ZTAs will be undertaken in later phases of the project.

3.3 Assumptions

This project is guided by the following assumptions:

- [NIST SP 800-207, Zero Trust Architecture](#) is a definitive source of ZTA concepts and principles.
- Enterprises that want to migrate gradually to an increasing use of ZTA concepts and principles in their network environments will need to integrate ZTA with their legacy enterprise and cloud systems.
- To prepare for a migration to ZTA, enterprises will need to inventory and prioritize all resources that require protection based on risk. They will also need to define policies that determine under what set of conditions subjects will be given access to each resource based on attributes of both the subject and the resource (e.g., location, type of authentication used, user role), as well as other variables such as day and time.
- Enterprises should use a risk-based approach to set and prioritize milestones for their gradual adoption and integration of ZTA across their enterprise environment.
- There is no single approach for migrating to ZTA that is best for all enterprises.
- There is not necessarily a clear point at which an organization can be said to have achieved a state of “full” or 100% ZTA compliance. Continuous improvement is the objective.
- Devices, applications, and other non-human entities can have different levels of capability:
 - Neither host-based firewalls nor host-based intrusion prevention systems (IPS) are mandatory components; they are, however, capabilities that can be added when a device is capable of supporting them.
 - Some limited functionality devices that are not able to host firewall, IPS, and other capabilities on their own may be associated with services that provide these capabilities for them. In this case, both the device and its supporting services can be considered the subject in the ZTA access interaction.
 - Some devices are bound to users (e.g., desktop, laptop, smart phone); other devices are not bound to users (e.g., servers, applications, services). Both types of devices can be subjects and request access to enterprise resources.

3.4 Collaborators and Their Contributions

Organizations participating in this project submitted their capabilities in response to an open call in the Federal Register for all sources of relevant security capabilities from academia and industry (vendors and integrators). The following respondents with relevant capabilities or product components (identified as “Technology Partners/Collaborators” herein) signed a CRADA to collaborate with NIST in a consortium to build example ZTA solutions:

Table 3-1 Technology Partners/Collaborators

Technology Collaborators		
<u>Appgate</u>	<u>IBM</u>	<u>Ping Identity</u>
<u>AWS</u>	<u>Ivanti</u>	<u>Radiant Logic</u>
<u>Broadcom Software</u>	<u>Lookout</u>	<u>SailPoint</u>
<u>Cisco</u>	<u>Mandiant</u>	<u>Tenable</u>
<u>DigiCert</u>	<u>Microsoft</u>	<u>Trellix</u>
<u>F5</u>	<u>Okta</u>	<u>VMware</u>
<u>Forescout</u>	<u>Palo Alto Networks</u>	<u>Zimperium</u>
<u>Google Cloud</u>	<u>PC Matic</u>	<u>Zscaler</u>

Each of these technology partners and collaborators, as well as the relevant products and capabilities they bring to this ZTA effort, are described in the following subsections.

3.4.1 Appgate

Appgate is the secure access company. It empowers how people work and connect by providing solutions purpose-built on zero trust security principles. This security approach enables fast, simple, and secure connections from any device and location to workloads across any IT infrastructure in cloud, on-premises, and hybrid environments.

3.4.1.1 Appgate SDP

The Appgate SDP solution has been designed with the intent to provide all the critical elements of NIST SP 800-207. The Appgate SDP has a controller that offers policy administrator (PA) and policy engine (PE) functionality and gateways that offer policy enforcement point (PEP) functionality. Appgate SDP natively integrates with components via representational state transfer (REST) application programming interfaces (APIs) and metadata. By providing highly performant, scalable, secure, integrated, and cloaked zero trust access, Appgate SDP is able to ensure that the correct device and user (under the appropriate conditions at that moment in time) are connected. For more information about Appgate SDP, see <https://www.appgate.com/zero-trust-network-access/how-it-works>.

3.4.2 AWS

AWS provides a platform in the cloud that hosts private and public sector agencies in most countries around the world. AWS offers more than 200 services which include compute, storage, networking, database, analytics, application services, deployment, management, developer, mobile, IoT, artificial intelligence (AI), security, and hybrid and enterprise applications. Additionally, AWS provides several security-related services and features such as Identity and Access Management (IAM), Virtual Private Cloud (VPC), PrivateLink, and Security Hub, allowing AWS customers to build and deliver their services worldwide with a high degree of confidence and assurance. AWS's array of third-party applications provides complementary functionality that further extends the capabilities of the AWS environment. To learn more about security services and compliance on AWS, please visit: <https://aws.amazon.com/products/security>.

The following subsections briefly list some AWS services relevant to ZTA that are being provided in support of this project, organized by category of service.

3.4.2.1 Identity

IAM: AWS Identity and Access Management (IAM) provides fine-grained access control across all of AWS. With IAM, organizations can specify who can access which services and resources, and under which conditions. With IAM policies, organizations manage permissions to their workforce and systems to ensure least-privilege permissions.

Cognito: Amazon Cognito lets organizations add user sign-up, sign-in, and access control to web and mobile apps quickly and easily. Cognito scales to millions of users and supports sign-in with social identity providers, such as Apple, Facebook, Google, and Amazon, and enterprise identity providers via Security Assertion Markup Language (SAML) 2.0 and OpenID Connect.

3.4.2.2 Network/Network Security

VPC: Amazon Virtual Private Cloud (Amazon VPC) gives organizations full control over their virtual networking environment, including resource placement, connectivity, and security. A couple of key security features found in VPCs are network access control lists (ACLs) that act as firewalls for controlling traffic in and out of subnets, and security groups that act as host-based firewalls for controlling traffic to individual Amazon Elastic Compute Cloud (Amazon EC2) instances.

PrivateLink: AWS PrivateLink provides private connectivity between VPCs, AWS services, and on-premises networks without exposing traffic to the public internet. AWS PrivateLink makes it easy to connect services across different accounts and VPCs to significantly simplify network architecture.

Network Firewall: AWS Network Firewall is a managed service that makes it easy to deploy essential network protections for all of an organization's Amazon VPCs.

Web Application Firewall: AWS WAF is a web application firewall (WAF) that helps protect web applications and APIs against common web exploits and bots that may affect availability, compromise security, or consume excessive resources.

Route 53: Amazon Route 53 is a highly available and scalable cloud Domain Name System (DNS) web service. It is designed to give developers and businesses an extremely reliable and cost-effective way to route end users to internet applications. Amazon Route 53 is fully compliant with IPv6 as well. With Route 53 Resolver an organization can filter and regulate outbound DNS traffic for its VPC.

3.4.2.3 Compute

EC2: Amazon EC2 is a web service that provides secure, resizable compute capacity in the cloud. It is designed to make web-scale cloud computing easier for developers.

ECS: Amazon Elastic Container Service (Amazon ECS) is a fully managed container orchestration service that makes it easy to deploy, manage, and scale containerized applications.

EKS: Amazon Elastic Kubernetes Service (Amazon EKS) is a managed container service to run and scale Kubernetes applications in the cloud or on-premises.

3.4.2.4 Storage

EBS: Amazon Elastic Block Store (Amazon EBS) is an easy-to-use, scalable, high-performance block-storage service designed for Amazon EC2.

S3: Amazon Simple Storage Service (Amazon S3) is an object storage service that offers scalability, data availability, security, and performance.

3.4.2.5 Management/Monitoring

Systems Manager: AWS Systems Manager is the operations hub for AWS applications and resources, and it is broken into four core feature groups: Operations Management, Application Management, Change Management, and Node Management.

Security Hub: AWS Security Hub is a cloud security posture management service that performs security best practice checks, aggregates alerts, and enables automated remediation.

CloudWatch: Amazon CloudWatch is a monitoring and observability service built for DevOps engineers, developers, site reliability engineers (SREs), IT managers, and product owners. CloudWatch provides data and actionable insights to monitor applications, respond to system-wide performance changes, and optimize resource utilization.

CloudTrail: AWS CloudTrail monitors and records account activity across AWS infrastructures, giving organizations control over storage, analysis, and remediation actions.

GuardDuty: Amazon GuardDuty is a threat detection service that continuously monitors AWS accounts and workloads for malicious activity and delivers detailed security findings for visibility and remediation.

Firewall Manager: AWS Firewall Manager is a security management service which allows organizations to centrally configure and manage firewall rules across their accounts and applications in AWS Organizations.

3.4.3 Broadcom Software

Broadcom Software provides business-critical software designed to modernize, optimize, and protect complex hybrid environments. As part of Broadcom Software, the Symantec Enterprise business invests more than 20% of revenue into research and development (R&D), enabling it to innovate across its cybersecurity portfolio and deliver new functionality that delivers both effective zero trust security and an exceptional user experience. With more than 80% of its workforce dedicated to R&D and operations, Broadcom Software's engineering-centered culture supports a comprehensive portfolio of enterprise software, enabling scalability, agility, and security for organizations. For more information, go to <https://software.broadcom.com>.

3.4.3.1 *Web Security Service with Advanced Malware Analysis*

Symantec Web Security Service (WSS), built upon secure web gateway (SWG) technology, is a cloud-delivered network security service that offers protection against advanced threats, provides access control, and safeguards critical business information for secure and compliant use of cloud applications and the web.

3.4.3.2 *Web Isolation*

Web Isolation enables safe web browsing that protects against malware and phishing threats, even when inadvertently visiting uncategorized and risky websites. Remotely executing web sessions in a secured container stops malware downloads, and read-only browsing defeats phishing attacks. Available as a cloud service or an on-premises virtual appliance, Web Isolation can be standalone or integrated with a proxy or email security solution.

3.4.3.3 *CASB with Data Loss Prevention (DLP)*

Cloud Access Security Broker (CASB) identifies all cloud apps in use, enforces cloud application management policies, detects and blocks unusual behavior, and integrates with other Symantec solutions, including ProxySG, Data Loss Prevention (DLP), Validation and ID Protection (VIP) Authentication Service, Secure Access Cloud, and Email Security.cloud, to extend network security policies to the cloud. The integration with DLP consistently extends data compliance policies to over 100 Software as a Service (SaaS) cloud apps and automates policy sync with cloud properties. Additional APIs for AWS and Azure also provide visibility and control of the management plane, along with cloud

workload assurance for discovering new cloud deployments and monitoring them for critical misconfigurations.

3.4.3.4 Secure Access Cloud

Secure Access Cloud is a cloud-delivered service providing highly secure zero trust network access for enterprise applications deployed in Infrastructure as a Service (IaaS) clouds or on-premises data center environments. This SaaS platform eliminates inbound connections to a network, creates a software-defined perimeter between users and corporate applications, and establishes application-level access. This service avoids the management complexity and security limitations of traditional remote access tools, ensuring that all corporate applications and services are completely cloaked—invisible to attackers targeting applications, firewalls, and virtual private networks (VPNs).

3.4.3.5 Information Centric Analytics (ICA), part of Data Loss Prevention

User and entity behavior analytics is a vital tool to reduce user-based risk. Using it, customers can identify anomalous or suspicious activity to help discover potential insider threats and data exfiltration. It builds behavior profiles of users and entities so high-risk accounts can be investigated. Wider risk context is available when security event telemetry is correlated from many data sources, including DLP, Endpoint Protection, and ProxySG.

3.4.3.6 Symantec Endpoint Security Complete, including Endpoint Detection and Response (EDR) and Mobile Security

Symantec's endpoint security offering delivers protection, detection, and response in a single solution. Symantec Endpoint Security Complete addresses threats along the entire attack chain. It protects all endpoints (workstations, servers, iOS and Android mobile phones and tablets) across all major operating systems, is easy to deploy with a single-agent installation, and provides flexible management options (cloud, on-premises, and hybrid).

3.4.3.7 VIP Authentication Service

VIP is a secure, reliable, and scalable authentication service that provides risk-based and multi-factor authentication (MFA) for all types of users. Risk-based authentication transparently collects data and assesses risk using a variety of attributes such as device identification, geolocation, user behavior, and threat information from the Symantec Global Intelligence Network (GIN). VIP provides MFA using a broad range of authenticators such as push, Short Message Service (SMS) or voice one-time password (OTP), Fast Identity Online (FIDO) Universal 2nd Factor (U2F), and fingerprint biometric. This intelligent, layered security approach prevents inappropriate access and online identity fraud without impacting the user experience. VIP also denies access to compromised devices before they can attempt authentication to the network and tracks advanced and persistent threats. An intuitive credential provisioning portal

enables self-service that reduces help desk and administrator costs. An integration with Symantec CloudSOC protects against risky behavior even after application login.

3.4.3.8 Privileged Access Management

Privileged Access Management can minimize the risk of data breaches by continually protecting sensitive administrative credentials, controlling privileged user access, and monitoring and recording privileged user activity.

3.4.3.9 Security Analytics

Security Analytics is an advanced network traffic analysis (NTA) and forensics solution that performs full-packet capture to provide complete network security visibility, anomaly detection, and real-time content inspection for all network traffic to help detect and resolve security incidents more quickly and thoroughly.

3.4.4 Cisco

Cisco Systems, or Cisco, delivers collaboration, enterprise, and industrial networking and security solutions. The company's cybersecurity team, Cisco Secure, is one of the largest cloud and network security providers in the world. Cisco's Talos Intelligence Group, the largest commercial threat intelligence team in the world, is comprised of world-class threat researchers, analysts, and engineers, and supported by unrivaled telemetry and sophisticated systems. The group feeds rapid and actionable threat intelligence to Cisco customers, products, and services to help identify new threats quickly and defend against them. Cisco solutions are built to work together and integrate into your environment, using the "network as a sensor" and "network as an enforcer" approach to both make your team more efficient and keep your enterprise secure. Learn more about Cisco at <https://www.cisco.com/go/secure>.

3.4.4.1 Cisco Secure Access by Duo

Duo is a PE, PA, and PEP for users and their devices. It delivers simple, safe access to all applications — on-premises or in the cloud — for any user, device, or location. It makes it easy to effectively implement and enforce security policies and processes, using strong authentication to reduce the risk of data breaches due to compromised credentials and access from unauthorized devices.

3.4.4.2 Cisco Identity Services Engine (ISE)

Cisco ISE is a network central PDP that includes both the PE and PA to help organizations provide secure access to users, their devices, and the non-user devices in their network environment. It simplifies the delivery of consistent and secure access control to PEPs across wired and wireless multi-vendor networks, as well as remote VPN connections. It controls switches, routers, and other network devices as PEPs, enabling granular control of every connection down to the individual port, delivering a dynamic, granular, and automated approach to policy enforcement that simplifies the delivery of highly secure,

micro-segmented network access control. ISE is tightly integrated with and enhances network and security devices, allowing it to transform the network from a simple conduit for data into an intuitive and adaptive security sensor and enforcer that acts to accelerate the time to detection and time to resolution of network threats.

3.4.4.3 Cisco Secure Endpoint (formerly AMP)

Cisco Secure Endpoint addresses the full life cycle of the advanced malware problem before, during, and after an attack. It uses global threat intelligence to strengthen defenses, antivirus to block known malware, and static and dynamic file analysis to detect emerging malware, continuously monitoring file and system activity for emerging threats. When something new is detected, the solution provides a retrospective alert with the full recorded history of the file back to the point of entry, and the rich contextual information needed during a potential breach investigation to both prioritize remediation and create response plans.

As a policy input point, Secure Endpoint delivers deep visibility, context, and control to rapidly detect, contain, and remediate advanced threats if they evade front-line defenses. It can also eliminate malware with a few clicks and provide a cost-effective security solution without affecting operational efficiency.

3.4.4.4 Cisco Firepower Threat Defense (FTD)

Cisco FTD is a threat-focused, next-generation firewall with unified management. It provides advanced threat protection before, during, and after attacks. By delivering comprehensive, unified policy management of firewall functions, application control, threat prevention, and advanced malware protection, from network to endpoint, it increases visibility and security posture while reducing risk.

3.4.4.5 Cisco Network Analytics (formerly Stealthwatch)

[Cisco Secure Network Analytics](#) aggregates and analyzes network telemetry — information generated by network devices — to turn the network into a sensor. As a policy input point, it provides enterprise-wide network visibility and applies advanced security analytics to detect and respond to threats in real time. It delivers end-to-end network visibility on-premises, in private clouds, and in public clouds. Secure Network Analytics detects a wide range of network and data center issues ranging from command-and-control (C&C) attacks to ransomware, from distributed denial of service (DDoS) attacks to illicit cryptomining, and from malware to insider threats.

Secure Network Analytics can be deployed on-premises as a hardware appliance or virtual machine (VM), or cloud-delivered as a SaaS solution. It works with the entire Cisco router and switch portfolio as well as a wide variety of other security solutions.

3.4.4.6 Cisco Encrypted Traffic Analytics (ETA)

[Cisco ETA](#) helps illuminate the dark corners of encrypted traffic without decryption by using new types of data elements and enhanced NetFlow telemetry independent of protocol details. Cisco ETA can help detect malicious activity in encrypted traffic by applying advanced security analytics. At the same time, the integrity of the encrypted traffic is maintained because there is no need for bulk decryption.

3.4.4.7 Cisco SecureX

[Cisco SecureX](#) is an extended detection and response (XDR) cloud-native integrated threat response platform within the Cisco Secure portfolio. Its open, extensible integrations connect to the infrastructure, providing unified visibility and simplicity in one location. It maximizes operational efficiency to secure the network, users and endpoints, cloud edge, and applications. Cisco SecureX radically reduces the dwell time and human-powered tasks involved with detecting, investigating, and remediating threats to counter attacks, or securing access and managing policy to stay compliant. The time savings and better collaboration involved with orchestrating and automating security across SecOps, ITOps, and NetOps teams help advance the security maturity level.

3.4.4.8 Cisco Endpoint Security Analytics (CESA)

[Cisco Endpoint Security Analytics \(CESA\)](#) analyzes endpoint telemetry generated by the Network Visibility Module (NVM), which is built into the Cisco AnyConnect® Secure Mobility Client. CESA feeds Splunk Enterprise software to analyze NVM data provided by endpoints to uncover endpoint-specific security risks and breaches. This data includes information about data loss, unapproved applications and SaaS usage, security evasion, unknown malware, user behavior when not connected to the enterprise, endpoint asset inventory, and destination allowlists and denylists.

3.4.4.9 Cisco AnyConnect Secure Mobility Client

[Cisco AnyConnect Secure Mobility Client](#) is a unified endpoint software client compatible with several of today's major enterprise mobility platforms. It helps manage the security risks associated with extended networks. Built on foundational VPN technology, it extends beyond remote-access capabilities to offer user-friendly, network-based security including:

- Simple and context-aware security policy enforcement
- An uninterrupted, intelligent, always-on security connection to remote devices
- Visibility into network and device-user behavior
- Web inspection technology to defend against compromised websites

3.4.4.10 Cisco Network Devices

[Cisco network devices](#) do more than move packets on the network; they provide a platform to improve user experience, unify management, automate tasks, analyze activity, and enhance security across the

enterprise. In a zero-trust environment, Cisco switches, routers, and other devices provide continuous visibility using the “network as a sensor” to monitor network activity, reporting 100% of NetFlow and other metadata. These devices act as PEPs utilizing a “network as an enforcer” approach to micro-segment network access control to each port and enable dynamic and automated policy enforcement. This policy enforcement simplifies the delivery of highly secure control across environments.

3.4.5 DigiCert

DigiCert is a global provider of digital trust, enabling individuals and businesses to engage online with the confidence that their footprint in the digital world is secure. DigiCert® ONE, the platform for digital trust, provides organizations with centralized visibility and control over a broad range of public and private trust needs, securing websites, enterprise access and communication, software, identity, content, and devices. For more information, visit [digicert.com](https://www.digicert.com).

3.4.5.1 DigiCert CertCentral TLS Manager

DigiCert CertCentral is used to provision publicly trusted Transport Layer Security (TLS) server authentication certificates. CertCentral relies on DigiCert’s publicly trusted root certificates with excellent ubiquity to provide the necessary interoperability with the widest range of third-party products.

3.4.5.2 DigiCert Enterprise PKI Manager

DigiCert Enterprise PKI Manager is a digital certificate management solution for enterprise identity and access public key infrastructure (PKI) use cases. Enterprise PKI Manager simplifies and streamlines certificate lifecycle management for identity and access of users, devices, and applications, supporting a broad array of certificate types with automated workflows, preconfigured templates, multiple enrollment and authentication methods, and a rich ecosystem of integrated technology partners. It is part of the DigiCert family of products delivering digital trust solutions. Enterprise PKI Manager is built on DigiCert ONE’s modern, containerized architecture, delivering scalability capable of serving high volumes of certificates, supporting flexible deployment in cloud, on-premises, or hybrid deployment models, and enabling dynamic and rapid intermediate Certificate Authority (ICA) creation to meet the diverse needs of different business groups.

3.4.6 F5

F5 empowers its customers to create, secure, and operate applications that deliver extraordinary digital experiences. Fueled by automation and AI-driven insights, these applications will naturally adapt based on their changing environment—so companies can focus on their core business, boost speed to market, improve operations, and build trust with their customers. By enabling these adaptive applications, F5 with NGINX and F5 Distributed Cloud Services technologies offers a comprehensive suite of solutions for every digital organization.

3.4.6.1 *BIG-IP Product Family*

The BIG-IP product family provides full proxy security, application intelligence, and scalability for application traffic. As the amount of traffic grows or shrinks, BIG-IP can be adjusted or it can request addition or removal of application servers. It provides rich application traffic programmability to further enhance application security and application traffic steering requirements. In addition, BIG-IP's rich control plane programmability allows for integrations into on-premises orchestration engines, cloud automation/orchestration, and continuous integration/continuous delivery (CI/CD) pipelines, and the ability to deliver application security in a DevSecOps manner. All capabilities can be propagated as common policy throughout the enterprise regardless of whether an organization utilizes F5 hardware or a virtualized on-premises or cloud environment.

BIG-IP modules provide the ability to layer on additional capabilities. The modules being considered for this project are discussed in the subsections below.

3.4.6.1.1 *BIG-IP Local Traffic Manager (LTM)*

BIG-IP LTM is an enterprise-class load balancer providing granular layer 7 control, Secure Sockets Layer (SSL) offloading, and acceleration capabilities. It allows for massive scaling of traditional and modern apps across the enterprise and provides visibility into TLS-encrypted streams, TLS security enforcement, and Federal Information Processing Standards (FIPS) certified cryptography [\[8\]](#).

3.4.6.1.2 *BIG-IP Access Policy Manager (APM)*

BIG-IP APM integrates and unifies secure user access to ensure the correct people have the correct access to the correct applications—anytime, anywhere, providing the ability to authenticate users into applications allowing for granular application access control and zero trust capabilities across the application landscape. BIG-IP APM sits in front of applications and APIs to enforce application authentication and access control for each user as part of zero trust.

3.4.6.1.3 *BIG-IP Web Application Firewall (WAF)*

BIG-IP WAF provides the flexibility to deploy WAF services closer to the apps so they're protected wherever they reside. It has the ability to virtually patch applications for security vulnerabilities such as the latest Common Vulnerabilities and Exposures (CVE) entry without application code changes. It also reduces unwanted application traffic, allowing the application to be more responsive to its intended users while providing complete visibility into the application traffic. WAF provides API security, protecting against web application security concerns. WAF provides secure communication and vetting of traffic to APIs and applications.

3.4.6.2 *NGINX Product Family*

NGINX is a cloud-native, easy-to-use reverse proxy, load balancer, and API gateway. It integrates advanced monitoring, strengthens security controls, and orchestrates Kubernetes containers.

3.4.6.2.1 NGINX Ingress Controller

NGINX Ingress Controller combines software load balancing with simplified configuration based on standard Kubernetes Ingress resources or custom NGINX Ingress resources to ensure that applications in a Kubernetes cluster are delivered reliably, securely, and at high velocity. It provides security to Kubernetes-based microservices and APIs using API gateway and WAF capabilities. The Ingress Controller protects application and API containers in the Kubernetes environment by enforcing security on all traffic entering the Kubernetes node.

3.4.6.2.2 NGINX Plus

NGINX Plus is an all-in-one load balancer, web server, content cache, WAF, and API gateway. NGINX Plus is built on NGINX Open Source. It is intended to reduce complexity and simplify management by consolidating several capabilities, including reverse proxy and TLS termination, into a single elastic ingress/egress tier. It acts as a webserver to server applications that are secured by the system's zero trust capabilities.

3.4.6.2.3 NGINX Service Mesh

NGINX Service Mesh scales from open-source projects to a fully supported, secure, and scalable enterprise-grade solution. It provides a turnkey service-to-service solution featuring a unified data plane for ingress and egress Kubernetes management in a single configuration. NGINX Service Mesh provides for mutual TLS authentication (mTLS) enforcement, rate limiting, quality of service (QOS), and an API gateway to enforce security at each pod, securing pods from both north/south (N/S) and east/west (E/W) traffic and allowing for zero trust enforcement for all pod traffic.

3.4.7 Forescout

Forescout delivers automated cybersecurity across the digital terrain. It empowers its customers to achieve continuous alignment of their security frameworks with their digital realities, across all asset types – IT, IoT, OT, and Internet of Medical Things (IoMT). Forescout enables organizations to manage cyber risk through automation and data-powered insights.

The Forescout Continuum Platform provides complete asset visibility of connected devices, continuous compliance, network segmentation, network access control, and a strong foundation for zero trust. Forescout customers gain data-powered intelligence to accurately detect risks and quickly remediate cyberthreats without disruption of critical business assets. <https://www.forescout.com/company/>

3.4.7.1 *Forescout eyeSight*

Forescout eyeSight delivers comprehensive device visibility across an organization's entire digital terrain – without disrupting critical business processes. It discovers every IP-connected device, auto-classifies it, and assesses its compliance posture and risk the instant the device connects to the network. <https://www.forescout.com/products/eyesight/>

3.4.7.2 *Forescout eyeSegment*

Forescout eyeSegment accelerates zero trust segmentation. It simplifies the design, planning, and deployment of non-disruptive, dynamic segmentation across an organization's digital terrain to reduce attack surface and regulatory risk. <https://www.forescout.com/products/eyesegment/>

3.4.7.3 *Forescout eyeExtend*

Forescout eyeExtend automates security workflows across disparate products. It shares device context between the Forescout platform and other IT and security products, automates policy enforcement across disparate tools, and accelerates system-wide response to mitigate risks.

<https://www.forescout.com/products/eyeextend/>

3.4.8 Google Cloud

Google Cloud brings the best of Google's innovative products and services to enable enterprises of all sizes to create new user experiences, transform their operations, and operate more efficiently. Google's mission is to accelerate every organization's ability to digitally transform its business with the best infrastructure, platform, industry solutions, and expertise. Google Cloud helps customers protect their data using the same infrastructure and security services Google uses for its own operations, defending against the toughest threats. Google pioneered the zero trust model at the core of its services and operations, and it enables its customers to do the same with its broad portfolio of solutions. Learn more about Google Cloud at <https://cloud.google.com>.

3.4.8.1 *BeyondCorp Enterprise (BCE)*

BeyondCorp Enterprise (BCE) is a zero trust solution, built on the Google platform and global network, which provides customers with simple and secure access to applications and cloud resources and offers integrated threat and data protection. It leverages the Chrome Browser and the Google Cloud platform (GCP) to protect and proxy traffic from an organization's network. It allows customers to enforce context-aware policies (using factors such as identity, device posturing, and other signal information) to authorize access to SaaS applications and resources hosted on Google Cloud, third-party clouds, or on-premises. This solution is built from Google's own approach of shifting access controls from the network perimeter to individual users and devices, allowing for secure access without the need for a VPN.

BCE key capabilities include:

- **Zero trust access**

- **Context-aware access proxy (identity-aware proxy):** Globally deployed proxy built on the GCP that leverages identity, device, and contextual information to apply continuous authorization access decisions to applications and VMs in real-time in the GCP, other clouds, or on-premises data centers.

- 888
 - 889○ **Browser-based application access:** Agentless zero trust access, using Chrome or other
 - 890browsers, to browser-based apps hosted on the GCP, other clouds (e.g., AWS, Azure), or
 - 891on-premises data centers.
 - 892○ **Legacy client application access (client connector):** Extension that enables zero trust
 - 893access to non-HTTP, thick-client apps hosted in the GCP, other clouds, or on-premises
 - 894data centers.
- 894▪ **Protections**
 - 895○ **Data protection:** Built-in Chrome browser capabilities to detect and prevent sensitive
 - 896data loss, stop pasting of protected content in and out of the browser, prevent
 - 897accidental and intentional exfiltration of corporate data, and enforce data protection
 - 898policies across applications.
 - 899○ **Threat protection:** Built-in Chrome browser capabilities to filter and block harmful or
 - 900unauthorized URLs in real-time, identify phishing sites and malicious content in real-
 - 901time, stop suspicious files and malware transfers, and protect user credentials and
 - 902passwords.
- 903▪ **Integrations**
 - 904○ **BeyondCorp Alliance ecosystem integrations:** A collection of integrations from
 - 905BeyondCorp Alliance member partners that enable organizations to share signal
 - 906information from EDR, MDM, enterprise mobility management (EMM), and other device
 - 907or ecosystem endpoints to use in access policy decisions. (Members include Broadcom
 - 908Software, Check Point, Citrix, CrowdStrike, Jamf, Lookout, Netskope, Palo Alto
 - 909Networks, Tanium, and VMware.)
- 910▪ **Network connectivity**
 - 911○ **On-premises connector:** Private connectivity from Google Cloud to applications outside
 - 912of Google Cloud (i.e., hosted by other clouds or on-premises data centers.)
 - 913○ **VPN interconnect:** Private connectivity via an Interconnect from Google Cloud to
 - 914applications outside of Google Cloud (i.e., hosted by other clouds or on-premises data
 - 915centers.)
 - 916○ **App connector:** Secure internet-based connectivity from Google Cloud to applications
 - 917outside of Google Cloud (i.e., hosted by other clouds or on-premises data centers.)
- 918▪ **Platform**
 - 919○ **Google Platform:** Google's public cloud computing services including data management,
 - 920application development, storage, hybrid & multi-cloud, security, and AI & ML that run
 - 921on Google infrastructure.
 - 922○ **Google Network:** Google's global backbone with 146 edge locations in over 200
 - 923countries and territories provides low-latency connections, integrated DDoS protection,
 - 924elastic scaling, and private transit.

3.4.9 IBM

International Business Machines Corporation (IBM) is an American multinational technology corporation headquartered in Armonk, New York, with operations in over 171 countries. IBM produces and sells computer hardware, middleware, and software, and provides hosting and consulting services in areas ranging from mainframe computers to nanotechnology. IBM is also a major research organization, holding the record for most annual U.S. patents generated by a business (as of 2020) for 28 consecutive years. IBM has a large and diverse portfolio of products and services that range in the categories of cloud computing, AI, commerce, data and analytics, IoT, IT infrastructure, mobile, digital workplace, and cybersecurity.

3.4.9.1 IBM Security Trusteer

IBM Security® Trusteer® solutions help detect fraud, authenticate users, and establish identity trust across a digital user journey. Trusteer uses cloud-based intelligence, AI, and machine learning (ML) to holistically identify new and existing users while improving the overall user experience by reducing the friction created with traditional forms of MFA. Within a ZTA, Trusteer acts as a risk engine that improves the efficacy of policy decisions enforced by various identity and access management solutions.

3.4.9.2 IBM Security QRadar XDR

IBM Security QRadar® XDR suite provides a single unified workflow across an organization's security tools. Built on a unified cross-domain security platform, IBM Cloud Pak® for Security, the open architecture of QRadar XDR suite enables organizations to integrate their EDR, security information and event management (SIEM), network detection and response (NDR), security orchestration, automation, and response (SOAR), and threat intelligence solutions in support of a ZTA.

IBM Security QRadar SIEM helps security teams detect, prioritize, and respond to threats across the enterprise. As an integral part of an organization's XDR and zero trust strategies, it automatically aggregates and analyzes log and flow data from thousands of devices, endpoints, and apps across the network, providing single, prioritized alerts to speed incident analysis and remediation. QRadar SIEM is available for on-premises and cloud environments.

IBM Security QRadar SOAR is designed to help security teams respond to cyberthreats with confidence, automate with intelligence, and collaborate with consistency. It guides a team in resolving incidents by codifying established incident response processes into dynamic playbooks. The open and agnostic platform helps accelerate and orchestrate response by automating actions with intelligence and integrating with other security tools.

IBM Security QRadar XDR Connect is a cloud-native, open XDR solution that saves time by connecting tools, workflows, insights, and people. The solution adapts to a team's skills and needs, whether the user is an analyst looking for streamlined visibility and automated investigations or an experienced

threat hunter looking for advanced threat detection. XDR Connect empowers organizations with tools that strengthen their zero trust model and enable them to be more productive.

3.4.9.3 IBM Security Verify

Modernized, modular IBM Security Verify provides deep, AI-powered context for both consumer and workforce identity and access management. It protects users and apps, inside and outside the enterprise, with a low-friction, cloud-native, SaaS approach that leverages the cloud. Verify delivers critical features for supporting a zero trust strategy based on least privilege and continuous verification, including single sign-on (SSO), multi-factor and passwordless authentication, adaptive access, identity lifecycle management, and identity analytics.

3.4.9.4 IBM Security MaaS360

IBM Security MaaS360® with Watson protects devices, apps, content, and data, which allows organizations to rapidly scale their hybrid workforce and BYOD initiatives. IBM Security MaaS360 can help build a zero trust strategy with modern device management. And with Watson, organizations can take advantage of contextual analytics via AI for actionable insights.

3.4.9.5 IBM Security Guardium

IBM Security Guardium® Insights is a data security hub for the modern data source environment. It builds and automates compliance policy enforcement, and streams and centralizes data activity across a multi-cloud ecosystem. It can apply advanced analytics to uncover data risk insights. Guardium Insights can complement and enhance existing Guardium Data Protection deployments or be installed on its own to help solve compliance and cloud data activity monitoring challenges. Built on a unified cross-domain security platform, IBM Cloud Pak for Security, Guardium Insights can deploy and scale in any data environment — as well as integrate and share insights with major security tools such as IBM Security QRadar XDR, Splunk, ServiceNow, and more, in support of a ZTA.

3.4.9.6 IBM Cloud Pak for Security

IBM Cloud Pak for Security is a unified cross-domain security platform that integrates existing security tools to generate insights into threats across hybrid, multi-cloud environments. It provides organizations with the ability to track, manage, and resolve cybersecurity incidents and create response plans that are based on industry standards and best practices.

3.4.10 Ivanti

Ivanti finds, heals, manages, and protects devices regardless of location – automatically. It is an enterprise software company specializing in endpoint management, network security, risk-based vulnerability management, and service and asset management. The Ivanti solution is able to discover, manage, secure, and service all endpoints across the enterprise including corporate/government-owned

and BYOD. Ivanti is actively involved with helping to better prepare government and enterprises with cybersecurity and zero trust best practices. Learn more about Ivanti here: <https://www.ivanti.com/>. The Ivanti solution enables an enterprise to centrally manage/monitor endpoints and trigger adaptive policies to remediate threats, quarantine devices, and maintain compliance.

3.4.10.1 Ivanti Neurons for Unified Endpoint Management (UEM)

Ivanti Neurons for UEM helps enterprises create a secure workspace on any device with apps, configurations, and policies for the user based on their role. Users get easy and secure access to the resources they need for their productivity. For more information, see <https://www.ivanti.com/products/ivanti-neurons-for-mdm>.

The Ivanti Neurons for UEM platform provides the fundamental visibility and IT controls needed to secure, manage, and monitor any corporate or employee-owned mobile device or desktop that accesses business-critical data. The Neurons for UEM platform allows organizations to secure a vast range of employee and BYOD devices being used within the organization while managing the entire life cycle of the device, including:

- Policy configuration management and enforcement
- Application distribution and management
- Script management and distribution for desktop devices
- Automated device actions
- Continuous access control and MFA
- Threat detection and remediation against device, network application, and phishing attacks

3.4.10.2 Ivanti Sentry

Ivanti Sentry is an in-line intelligent gateway that helps secure access to on-premises resources and provides authentication and authorization to enterprise data. For more information, see <https://www.ivanti.com/products/secure-connectivity/sentry>.

3.4.10.3 Ivanti Access ZSO

Ivanti Access Zero Sign-On (ZSO) helps identify the user, device, app, network type, and presence of threats. The adaptive access control check is the basis of the zero-trust model. Access provides zero sign-on and security on the cloud and federated enterprise data. The solution is federated with the Okta Identity Cloud to provide continuous authentication and authorization. For more information, see <https://www.ivanti.com/products/zero-sign-on>.

3.4.10.4 Ivanti Mobile Threat Defense

The combination of cloud and mobile threat defense (MTD) protects data on-device and on-the-network with state-of-the-art encryption and threat monitoring to detect and remediate device, network, app-level, and phishing attacks. For more information, see <https://www.ivanti.com/products/mobile-threat-defense>.

3.4.11 Lookout

Lookout is a cybersecurity company focused on securing users, devices, and data as users operate in the cloud. The Lookout platform helps organizations consolidate IT security, get complete visibility across all cloud services, and protect sensitive data wherever it goes.

3.4.11.1 Lookout Mobile Endpoint Security (MES)

Lookout MES is a SaaS-based MTD solution that protects devices from threats and risks via the Lookout for Work mobile application. Lookout protects Android and Apple mobile devices from malicious or risky apps, device threats, network threats, and phishing attacks. Lookout attests to the security posture of the mobile device, which is provided to the policy engine to determine access to a resource. The mobile asset is continuously monitored by Lookout for any change to its security posture. Lookout protection can be deployed to managed or unmanaged devices and works on trusted or untrusted networks. Lookout has integrations with productivity and collaboration solutions, as well as unified endpoint management solutions.

3.4.12 Mandiant

Mandiant scales its intelligence and expertise through the Mandiant Advantage SaaS platform to deliver current intelligence, automation of alert investigation, and prioritization and validation of security control products from a variety of vendors. (www.mandiant.com)

3.4.12.1 Mandiant Advantage Security Validation (MSV)

Mandiant Advantage Security Validation (MSV), continuously informed by Mandiant frontline intelligence on the latest attacker tactics, techniques, and procedures (TTPs), automates a testing program that gives real data on how security controls are performing. This solution provides visibility and evidence on the status of security controls' effectiveness against adversary threats targeting organizations and data to optimize environment against relevant threats. MSV can provide many benefits to an organization (for example, identify limitations in current cybersecurity stack, evaluate proposed cybersecurity tools for an organization, determine overlapping controls, automate assessment actions, and train cybersecurity operators). To support these use cases, MSV emulates attackers to safely process advanced cyberattack security content within production environments. It is designed so defenses respond to it as if an attack is taking place across the most critical areas of the enterprise.

Using the natural design of the Security Validation platform, Mandiant is able to support the project in testing and documenting the outcome of one of the key tenets of ZTA, “The enterprise monitors and measures the integrity and security posture of all owned and associated resources.” To do this, the software produces quantifiable evidence that shows how people, processes, and technologies perform when specific malicious behaviors are encountered, such as attacks by a specific threat actor or attack vector.

The core Validation components of the MSV platform are:

- The Director - This is the main component of the platform and provides the following functionality:
 - Acts as the Integration point and content manager for the SIEM and other components of the security stack
 - Hosts the Content Library (Actions, Sequences, Evaluations, and Files) used for testing security controls
 - Manages the Actor assignment during testing
 - Aggregates testing results and facilitates report creation
 - Maintains connections with the Mandiant Updater and Content Services, allowing updates to be received automatically for the platform and its content
- Actors (also referred to as flex, Endpoint, and Network Actors) - The components that safely perform tests in production environments. Specifically, use these to verify the configuration and test the effectiveness of network security controls; Windows, Mac, and Linux endpoint controls; and email controls.
- Cloud controls
- Policy compliance

The Director is the component that receives the information from the systems in the environment based on an integration with a SIEM and/or directly with the security appliance itself. Tests are run between Actors and not directly on systems in the environment.

3.4.13 Microsoft

[Microsoft Security](#) brings together the capabilities of security, compliance, identity, and management to natively integrate individual layers of protection across clouds, platforms, endpoints, and devices. Microsoft Security helps reduce the risk of data breaches and compliance violations and improve productivity by providing the necessary coverage to enable zero trust. Microsoft’s security products give IT leaders the tools to confidently help their organization digitally transform with Microsoft’s protection across their entire environment.

1088 *3.4.13.1 Azure*

1089 [Microsoft Azure](#) is Microsoft's public cloud computing platform. It provides a range of cloud services,
1090 including compute, analytics, storage, and networking.

1091 *3.4.13.2 Azure Active Directory (AD)*

1092 [Azure AD](#) is an IAM/identity as a service (IDaaS) product from Microsoft that performs ICAM
1093 management, authentication (both SSO and MFA), authorization, federation, and governance, and also
1094 functions as a PE, PA, and PEP.

1095 *3.4.13.3 Microsoft Endpoint Manager/Intune – Device Management*

1096 In [Intune](#), devices are managed using an approach that's suitable for the organization. For organization-
1097 owned devices, an organization may want full control over the devices, including settings, features, and
1098 security. In this approach, devices and users of these devices "enroll" in Intune. Once enrolled, they
1099 receive the organization's rules and settings through policies configured in Intune. For example,
1100 organizations can set password and PIN requirements, create a VPN connection, set up threat
1101 protection, and more.

1102 *3.4.13.4 Microsoft Endpoint Manager – Application Management*

1103 [Microsoft Endpoint Manager](#) provides mobile application management (MAM) in Intune, which is
1104 designed to protect organization data at the application level, including custom apps and store apps.
1105 App management can be used on organization-owned devices and personal devices. When apps are
1106 managed in Intune, administrators can:

- 1107 ▪ add and assign mobile apps to user groups and devices, including users in specific groups,
1108 devices in specific groups, and more;
- 1109 ▪ configure apps to start or run with specific settings enabled and update existing apps already on
1110 the device;
- 1111 ▪ see reports on which apps are used and track their usage; and
- 1112 ▪ do a selective wipe by removing only organization data from apps.

1113 *3.4.13.5 Microsoft Defender for Endpoint*

1114 [Microsoft Defender for Endpoint](#) is an enterprise endpoint security platform designed to help enterprise
1115 networks prevent, detect, investigate, and respond to advanced threats.

1116 *3.4.13.6 Microsoft Sentinel*

1117 [Microsoft Sentinel](#) is a scalable, cloud-native solution for SIEM. It was previously known as Azure
1118 Sentinel.

3.4.13.7 Microsoft Defender for Identity

[Microsoft Defender for Identity](#) (formerly Azure Advanced Threat Protection, also known as Azure ATP) is a cloud-based security solution that leverages an organization's on-premises AD signals to identify, detect, and investigate advanced threats, compromised identities, and malicious insider actions directed at the organization. Defender for Identity enables SecOps analysts and security professionals struggling to detect advanced attacks in hybrid environments to:

- monitor users, entity behavior, and activities with learning-based analytics;
- protect user identities and credentials stored in AD;
- identify and investigate suspicious user activities and advanced attacks throughout the kill chain; and
- provide clear incident information on a simple timeline for fast triage.

3.4.13.8 Azure AD Identity Protection

[Identity Protection](#), which is part of Azure AD, is a tool that allows organizations to accomplish three key tasks:

- automate the detection and remediation of identity-based risks;
- investigate risks using data in the portal; and
- export risk detection data to the SIEM.

Identity Protection uses the learnings Microsoft has acquired from its position in organizations with Azure AD, in the consumer space with Microsoft Accounts, and in gaming with Xbox to protect users. Microsoft analyses 6.5 trillion signals per day to identify and protect customers from threats.

The signals generated by and fed to Identity Protection can be further fed into tools like Conditional Access to make access decisions, or fed back to a SIEM tool for further investigation based on an organization's enforced policies.

3.4.13.9 Microsoft Defender for Office 365 (for email)

[Microsoft Defender for Office 365](#) (for email) prevents broad, volume-based, known attacks. It protects email and collaboration from zero-day malware, phishing, and business email compromise. It also adds post-breach investigation, hunting, and response, as well as automation and simulation (for training).

3.4.13.10 Azure App Proxy & Intune VPN Tunnel

[Azure Active Directory Application Proxy](#) provides secure remote access and cloud-scale security to an organization's private applications.

[Microsoft Tunnel](#) is a VPN gateway solution for Microsoft Intune that runs in a container on Linux and allows access to on-premises resources from iOS/iPadOS and Android Enterprise devices using modern authentication and Conditional Access.

3.4.13.11 Secure Admin Workstation (SAW)

[Secure Admin Workstations](#) are limited-use client computers—built on Windows 10—that help protect high-risk environments from security risks such as malware, phishing, and pass-the-hash attacks. They provide secure access to restricted environments.

3.4.13.12 Microsoft 365 for Enterprise and Azure Virtual Desktop

[Microsoft 365 for Enterprise](#) is a complete, intelligent solution that empowers users to be creative and work together securely. Microsoft 365 for Enterprise is designed for large organizations, but it can also be used for medium-sized and small businesses that need the most advanced security and productivity capabilities.

[Azure Virtual Desktop](#) is a desktop and app virtualization service that runs on the cloud.

For this project, Microsoft 365 for Enterprise and Azure Virtual Desktop can both be used to show how to secure virtual desktop infrastructure (VDI).

3.4.13.13 Microsoft Defender for Cloud

[Defender for Cloud](#) is a tool for security posture management and threat protection. It strengthens the security posture of an organization's cloud resources, and with its integrated Microsoft Defender plans, Defender for Cloud protects workloads running in Azure, hybrid, and other cloud platforms. Because it's natively integrated, deployment of Defender for Cloud is easy, providing an organization with simple auto provisioning to secure its resources by default.

3.4.13.14 Microsoft Purview

[Microsoft Purview](#) is a unified data governance service that helps organizations manage and govern their on-premises, multi-cloud, and SaaS data. It creates a holistic, up-to-date map of an organization's data landscape with automated data discovery, sensitive data classification, and end-to-end data lineage, enabling data curators to manage and secure the organization's data estate. It also empowers data consumers to find valuable, trustworthy data.

3.4.13.15 Microsoft Defender for Cloud Apps

[Microsoft Defender for Cloud Apps](#) is a CASB that supports various deployment modes, including log collection, API connectors, and reverse proxy. It provides rich visibility, control over data travel, and sophisticated analytics to identify and combat cyberthreats across all of an organization's Microsoft and third-party cloud services. Microsoft Defender for Cloud Apps natively integrates with Microsoft

solutions and is designed with security professionals in mind. It provides simple deployment, centralized management, and innovative automation capabilities.

3.4.13.16 Microsoft Entra Permissions Management

[Microsoft Entra Permissions Management](#) (formerly known as CloudKnox) is a cloud infrastructure entitlement management (CIEM) solution that provides comprehensive visibility into permissions assigned to all identities, for example, overprivileged workload and user identities, actions, and resources across multi-cloud infrastructures in Microsoft Azure, AWS, and GCP.

3.4.14 Okta

Okta is an independent identity provider helping organizations protect the identities of their extended workforces, partners, and customers. With more than 7,000 pre-built integrations to applications and infrastructure providers, Okta provides simple and secure access to people and organizations everywhere, giving them the confidence to reach their full potential. Learn more about Okta here: Okta.com.

3.4.14.1 Okta Identity Cloud

The Okta Identity Cloud is an independent and neutral platform that securely connects the correct people to the correct technologies at the appropriate time. The Okta Identity Cloud includes identity and access management products, integrations, and platform services for extended [Workforce Identity](#) and [Customer Identity](#) use cases.

The Okta Identity Cloud provides secure user storage, authentication capabilities (primary and MFA) to applications and resources (infrastructure, APIs) regardless of location (on-premises, cloud, or hybrid), as well as automation and orchestration capabilities for identity use cases, such as for automating user on- and off-boarding or for identifying and acting on inactive user accounts. Products used in this project include the following.

3.4.14.1.1 Universal Directory

[Okta Universal Directory](#) is a cloud metadirectory that is used as a single source of truth to manage all users (employees, contractors, customers), groups, and devices. These users can be sourced directly within Okta or from any number of sources including AD, Lightweight Directory Access Protocol (LDAP), HR systems, and other SaaS applications.

3.4.14.1.2 Single Sign-On (SSO)

[Okta SSO](#) delivers seamless and secure access to all cloud and on-premises apps for end users, centralizing and protecting all user access via Okta's cloud portal.

[Okta FastPass](#), available as a part of Okta SSO, enables passwordless authentication. Organizations can use Okta FastPass to minimize end user friction when accessing corporate resources, while still enforcing Okta's adaptive policy checks.

3.4.14.1.3 Adaptive Multi-Factor Authentication (MFA)

[Okta Adaptive MFA](#) uses intelligent policies to enable contextual access management, allowing administrators to set policies based on risk signals native to Okta as well as from third parties, such as device posture from EDR vendors. Okta Adaptive MFA also enables administrators to choose the factor(s) that work best for their organization, balancing security and ease of use with options such as secure authenticator apps, WebAuthn, and biometrics, which many organizations also choose as passwordless options.

3.4.14.1.4 Okta Access Gateway

[Okta Access Gateway](#) is an application access proxy that delivers access management (SSO, MFA, and URL authorization) to on-premises apps using legacy on-premises protocols – header-based authentication and Kerberos – without requiring changes in source code. In combination with Okta SSO, it allows users to access cloud and on-premises apps remotely from a single place and delivers the same easy and secure login experience for SaaS and on-premises apps.

3.4.14.1.5 Okta Verify

Okta Verify is a lightweight application that is used both as an authenticator option (e.g., OTP or push, available on macOS, Windows, iOS, and Android) with Okta MFA as well as to register a device to Okta. Registering a device to Okta enables organizations to deliver secure, seamless, passwordless authentication to apps, strong device-level security, and more. Okta Verify is FIPS 140-2 validated. [9]

3.4.14.2 Okta Integration Network

The [Okta Integration Network](#) serves as a conduit to connect thousands of applications and resources (infrastructure, APIs) to Okta for access management (SSO/MFA) and provisioning (automating on- and off-boarding of user accounts). This integration network makes it easy for administrators to manage and control access for all users behind a single pane of glass, and easy for users to get to the tools they need with a unified access experience.

In addition, the Okta Integration Network also serves as a rich ecosystem to support risk signal sharing for zero trust security. Okta's deep integration with partners in the zero trust ecosystem allows the Okta Identity Cloud to take in risk signals for the purpose of making smarter, contextual decisions regarding access. For example, integrations with EMM or EDR solutions allow the Okta IDaaS platform to know the managed state of a device or device risk posture and make decisions regarding access accordingly. Okta can also pass risk signals to third parties such as inline network solutions, which can in turn leverage Okta's risk assessment to limit actions within SaaS apps when risk is high (e.g., read-only). Okta's risk-based approach to access allows for fine-grained control of user friction and provides organizations with

a truly zero trust PDP to make just-in-time, contextual-based authentication decisions to any resource, from anywhere.

3.4.15 Palo Alto Networks

Palo Alto Networks is shaping the cloud-centric future with technology designed to transform the way people and organizations operate by using the latest breakthroughs in AI, analytics, automation, and orchestration. By delivering an integrated platform and empowering a growing ecosystem of partners, Palo Alto Networks security technologies enable organizations to apply consistent security controls across clouds, networks, endpoints, and mobile devices.

Their core capabilities include the ability to inspect all traffic, including all applications, threats, and content, and tie that traffic to the user, regardless of location or device type. The user, application, and content—the elements that run your business—become integral components of your enterprise’s zero trust security policy.

Towards that end, their Next Generation Firewall (including all hardware-based, VM, and containerized form factors) and Prisma Access have consistent core capabilities fundamental for zero trust policy enforcement—including User-ID, App-ID, and Device-ID.

- *User-ID™* technology enables organizations to identify users in all locations, no matter their device type or OS. Visibility into application activity—based on users and groups, instead of IP addresses—safely enables applications by aligning usage with business requirements.
- *App-ID™* technology enables organizations to accurately identify applications in all traffic passing through the network, including applications disguised as authorized traffic, using dynamic ports, or trying to hide under the veil of encryption. App-ID allows organizations to understand and control applications and their functions, such as video streaming versus chat, upload versus download, and screen-sharing versus remote device control.
- *Device-ID™* technology enables organizations to enforce policy rules based on a device, regardless of changes to its IP address or location. By providing traceability for devices and associating network events with specific devices, Device-ID allows organizations to gain context for how events relate to devices and write policies that are associated with devices, instead of users, locations, or IP addresses, which can change over time.

All NGFW form factors and Prisma Access also include the following cloud-delivered security service (CDSS) capabilities: Advanced Threat Prevention (ATP), Wildfire (WF) malware analysis, Advanced URL Filtering (AURL), and DNS Security (DNS). These capabilities are supported by the GlobalProtect (GP) remote access solution and can all be centrally managed by Panorama.

3.4.15.1 Next-Generation Firewall (NGFW)

The Palo Alto Networks Next-Generation Firewall (NGFW) is an ML-powered network security platform available in physical, virtual, containerized, and cloud-delivered form factors—all managed centrally via

Panorama. The Palo Alto Networks NGFWs inspect all traffic, including all applications, threats, and content, and tie that traffic to the user, regardless of location or device type. Built on a single-pass architecture, the Palo Alto Networks NGFW performs full-stack, single-pass inspection of all traffic across all ports, providing complete context around the application, associated content, and user identity to form the basis for zero trust security policy decisions.

Additional NGFWs, including cloud-delivered, software-based VMs (VM-Series), and container-based (CN-Series), are anticipated to be used as part of the micro-segmentation deployment model phase of this project, deployed as policy enforcement points deeper within each enterprise environment. Regardless of form factor, any NGFW or Prisma Access instance can serve as a PEP, enabled by the core (User-ID, Application-ID, Device-ID) technologies described above—helping organizations achieve common zero trust use cases such as data center segmentation, user or application-based segmentation, or cloud transformation.

3.4.15.2 Prisma Access

Prisma Access allows organizations to securely enable remote workforces and branch locations, and will be more extensively demonstrated during the SDP deployment model phase of the project. The cloud-native architecture of Prisma Access is designed to ensure on-demand and elastic scaling of comprehensive networking and security services across a global, high-performance network. Together with Prisma SD-WAN (software-defined wide area network), Prisma Access provides the foundational layer for a complete secure access service edge (SASE) solution that delivers networking and security with a common service delivery model.

Prisma Access combines least-privileged access with deep and ongoing security inspection as well as enterprise DLP to protect all users, devices, apps, and data. Prisma Access fully inspects all application traffic bidirectionally—including TLS-encrypted traffic—on all ports, whether communicating with the internet, the cloud, the data center, or between branches. Additionally, Prisma Access provides more security coverage consolidating multiple point products into a single converged platform that includes Firewall as a Service (FWaaS), Zero Trust Network Access (ZTNA), next-generation CASB, cloud SWG, VPN, and more—all managed through a single console.

Prisma Access connects users and applications with fine-grained access controls, providing behavior-based continuous trust verification after users connect to dramatically reduce the attack surface.

3.4.15.3 Cortex XDR

Cortex XDR is an XDR tool that natively integrates network, endpoint, and cloud data to stop sophisticated attacks. Leveraging behavioral analytics, it identifies unknown and highly evasive threats targeting your environment. ML and AI models uncover threats from multiple sources, including managed and unmanaged devices. Cortex XDR speeds alert triage and incident response by providing a comprehensive picture of each threat and revealing the root cause. By stitching different types of data

together and simplifying investigations, Cortex XDR reduces the time and experience required at every stage of security operations, from triage to threat hunting. Native integration with enforcement points lets you respond to threats quickly and apply the knowledge gained from investigations to mitigate future attacks.

Cortex XDR features Identity Analytics, which detects malicious user activities by applying ML and behavioral analytics to users, machines, and entities. Using an analytics engine to examine logs and data, Identity Analytics can understand normal behaviors across your environment and create a baseline so that it can raise alerts when abnormal activity occurs. With this function, suspicious user activity such as stolen or misused credentials, lateral movement, credential harvesting, exfiltration, and brute-force attacks can be detected. This ML-derived insight offers critical identity context specific to each bespoke environment Cortex XDR is deployed into, allowing for higher fidelity alerts to aid organizations in fine tuning access granted to critical assets—an imperative for ZTA.

3.4.16 PC Matic

PC Matic is an endpoint protection solution for enterprises of all sizes, utilizing PC Matic’s proactive application allowlisting technology. Through a series of global and local allowlists, PC Matic’s software asset management restricts unauthorized programs and processes from accessing resources such as data or services on a network. Unlike traditional application allowlisting products that solely rely on self-made local allowlists, PC Matic operates off both the user’s local list and a real-time automated global allowlist consisting of verified files, processes, digital certificates, and scripts. PC Matic eliminates governance issues by granting users the ability to create application, digital certificate, directory, or scripting policies within their local lists. This capability takes immediate effect and can be deployed to individual endpoints, departments, groups, whole organizations, and all agencies and enterprises managed across the account.

3.4.16.1 PC Matic Pro

PC Matic Pro’s on-premises endpoint protection provides default-deny protection at the device. PC Matic Pro monitors for any process that attempts to execute and automatically denies access to any unauthorized or known malicious entities. When the unauthorized files and/or processes are denied access, all metadata pertaining to the block is then communicated to the architecture’s SIEM for prioritizing and further investigation. This integration provides users with increased visibility over their managed devices and networks. If a block is verified and warranted, the SIEM of choice can utilize the policy engine from either PC Matic or a third-party vendor to create and enforce the exception, granting immediate access to the desired deployment. PC Matic’s real-time policy offerings eliminate governance issues, take immediate effect without delay or issue, and provide users with streamlined management across their managed architectures. PC Matic’s allow-by-exception approach to prevention enhances the zero-trust model and minimizes the network’s attack surface by ensuring only authorized processes are granted privileges to execute and proceed further.

3.4.17 Ping Identity

Ping Identity's content will be included in the next draft version of this practice guide.

3.4.18 Radiant Logic

Radiant Logic, the enterprise Identity Data Fabric company, helps organizations combat complexity and improve defenses by making identity data easy to access, manage, use, and protect. With Radiant, it's fast and easy to put identity data to work, creating the identity data foundation of the enterprise where organizations can realize meaningful business value, accelerate innovation, and achieve zero trust. Built to combat identity sprawl, enterprise technical debt, and interoperability issues, the RadiantOne platform connects many disparate identity data sources across legacy and cloud infrastructures, without disruption. It can accelerate the success of initiatives including SSO, M&A integrations, identity governance and administration, hybrid and multi-cloud environments, customer identity and access management, and more with an identity data fabric foundation. Visit <http://www.radiantlogic.com/> to learn more.

3.4.18.1 *RadiantOne Intelligent Identity Data Platform*

The RadiantOne Intelligent Identity Data Platform builds an identity data fabric using federated identity as the foundation for zero trust. It is the single authoritative source for identity data, enabling critical initiatives by making identity data and related context available in real time to consumers regardless of where that data resides. RadiantOne's Intelligent Identity Data Platform uses patented identity unification methods to abstract and enrich identity data from multiple sources, build complete global user profiles, and deliver real-time identity data on-demand to any service or application. Zero trust relies on evaluating a rich and authoritative granular set of attributes in real time against an access policy to determine authorization. RadiantOne provides a single authoritative place for all components of the ZTA to quickly and easily request the exact data they need in the format, structure, schema, and protocol each requires. In order to provide the flexibility and scalability that organizations need, the platform is broken into six distinct modules: Federated Identity Engine; Universal Directory; Global Synchronization; Directory Migration; Insights, Reports & Administration; and Single Sign-On.

3.4.18.1.1 RadiantOne Federated Identity Engine

The Federated Identity Engine abstracts and unifies identity data from all sources (on-premises or cloud-based) to form an identity data fabric that is flexible, scalable, and turns identity data into a reusable resource. The identity data fabric provides a central access point for authoritative identity data to all applications, and encompasses all subjects, users, and objects (employees, contractors, partners, customers, members, non-enterprise employees, devices, NPEs, service accounts, bots, IoT, risk scoring, and data and other assets). RadiantOne gathers, maps, normalizes, and transforms identity data to build a de-duplicated list of users, enriched with all identity attributes to create a single global profile for each user. The Federated Identity Engine is schema-agnostic and standards-based, which allows it to build

unlimited and flexible views correlated from all sources of rich and granular identity data, updated in near-real-time, and delivered at speed in the format required by all the consuming applications in the ZTA. These views are stored in a highly scalable, modern big data store kept in near-real-time sync with local identity sources of truth.

3.4.18.1.2 RadiantOne Universal Directory

The RadiantOne Universal Directory provides a modern way of storing and accessing identity information in a highly scalable, fault-tolerant, containerized solution for distributed identity storage. Its highly performant cluster architecture scales easily to hundreds of millions of objects, delivers automation, high availability, and multi-cluster deployments to easily accommodate distributed data centers. Universal Directory is FIPS 140-2 certified for securing data-in-transit and data-at-rest, and provides detailed audit logs and reports [10]. Universal Directory is accessible by all LDAP, SQL, System for Cross-Domain Identity Management (SCIM), and REST-enabled applications.

3.4.18.1.3 RadiantOne Single Sign On (SSO)

Single Sign On is the gateway between identity stores and applications that support federation standards—SAML, OpenID Connect (OIDC), WS-Federation—for connecting users with seamless, secure, and uniform access to federated applications. SSO enables a secure federated infrastructure, creating one access point to connect all internal identity and authentication sources for strong authentication. It also provides a self-service portal for managing passwords and user profiles.

3.4.18.1.4 RadiantOne Global Synchronization

Global Synchronization leverages bi-directional connectors to propagate identity data and keep it coherent across enterprise systems in near-real-time, regardless of the location of the underlying identity source data (on-premises, cloud-based, or hybrid). It builds a reliable and highly scalable infrastructure with a transport layer based on message queuing for guaranteed delivery of changes. Global Synchronization reduces complexity and administrative burden, simplifies provisioning and syncing identity centrally, and ensures consistency and accuracy with real-time change detection to underlying identity data attributes.

3.4.19 SailPoint

SailPoint offers identity security technologies that automate the identity lifecycle; manage the integrity of identity attributes; enforce least privilege through dynamic access controls, role-based policies, and separation of duties (SoD); and continuously assess, govern, and respond to access risks using AI and ML. SailPoint Identity Security is the cornerstone of an effective zero trust strategy. Discover more at <https://www.sailpoint.com>.

3.4.19.1 IdentityIQ Platform

SailPoint IdentityIQ is an identity and access management software platform custom-built for complex enterprises. It delivers full lifecycle and compliance management for provisioning, access requests,

1423 access certifications, and SoD. The platform integrates with SailPoint’s extensive library of connectors to
1424 intelligently govern access to today’s essential business applications. Harnessing the power of AI and
1425 ML, SailPoint’s AI Services seamlessly automate access, delivering only the required access to the correct
1426 identities and technology at the appropriate time.

1427 As an identity governance platform, SailPoint provides organizations with a foundation that enables a
1428 compliant and secure infrastructure driven by a zero-trust approach with complete visibility of all access,
1429 frictionless automation of processes, and comprehensive integration across hybrid environments.
1430 SailPoint connects to enterprise resources to aggregate accounts and correlate with authoritative
1431 records to build a foundational identity profile from which all enterprise access is based. Users are
1432 granted birthright access based on dynamic attribute evaluation, and additional access for all integrated
1433 resources is requested and governed through a centralized SailPoint request portal. The SailPoint
1434 governance platform is enriched through its extensible API framework to support integrations with
1435 other identity security tools. The IdentityIQ platform contains two components, IdentityIQ Compliance
1436 Manager and IdentityIQ Lifecycle Manager.

1437 3.4.19.1.1 IdentityIQ Compliance Manager

1438 IdentityIQ Compliance Manager automates access certifications, policy management, and audit
1439 reporting to streamline compliance processes and improve the effectiveness of identity governance.

1440 **Access certification** ensures least-privileged access by continuously monitoring and removing accounts
1441 and entitlements that are no longer needed.

1442 **Separation of duties policies** enforce business procedures to detect and prevent inappropriate access or
1443 actions by proactively scanning for violations.

1444 **Audit reporting** simplifies the collection the information needed to manage the compliance process and
1445 replaces manual searches for data located in various systems around the enterprise through an
1446 integrated platform.

1447 3.4.19.1.2 IdentityIQ Lifecycle Manager

1448 IdentityIQ Lifecycle Manager enables an organization to manage changes to access through user-friendly
1449 self-service requests and lifecycle events for fast, automated delivery of access to users.

1450 **Access requests** enable users to request and receive access to enterprise on-premises and SaaS
1451 applications and data while ensuring compliance through policy enforcement and elevating reviews for
1452 privileged access.

1453 **Automated provisioning** detects and triggers changes to a user’s access based on a user joining, moving
1454 within, or leaving an organization. Direct provisioning reduces risk by automatically changing or
1455 removing accounts and access in an appropriate manner with automated role and attribute-based
1456 access.

3.4.20 Tenable

Tenable®, Inc. is the Cyber Exposure company. Organizations around the globe rely on Tenable to understand and reduce cyber risk. As the creator of Nessus®, Tenable extended its expertise in vulnerabilities to see and secure any digital asset on any computing platform.

3.4.20.1 Tenable.io

Powered by Nessus technology and managed in the cloud, Tenable.io provides comprehensive vulnerability coverage with the ability to predict which security issues to remediate first. Using an advanced asset identification algorithm, Tenable.io can provide accurate information about dynamic assets and vulnerabilities in ever-changing environments. As a cloud-delivered solution, its intuitive dashboard visualizations, comprehensive risk-based prioritization, and seamless integration with third-party solutions help security teams maximize efficiency and scale for greater productivity.

3.4.20.2 Tenable.ad

Tenable.ad is a software solution that helps organizations harden their AD by finding and fixing AD weaknesses and vulnerabilities before attacks happen. Tenable.ad Indicators of Exposure discover and prioritize weaknesses within existing AD domains and reduce exposure by following Tenable.ad step-by-step remediation guidance. Tenable.ad keeps an AD in this hardened state by continuously monitoring and alerting in real time of any new misconfigurations, while Tenable.ad Indicators of Attacks enables detection and response to AD attacks in real time. In addition, Tenable.ad tracks and records all changes to an AD, helping show the link between AD changes and malicious actions. Tenable.ad can send alerts using email or through an existing SIEM solution.

3.4.20.3 Tenable.cs

Tenable.cs is Tenable's cloud security solution to help organizations programmatically detect and fix cloud infrastructure security issues in design, build, and runtime phases of the software development lifecycle (SDLC). Tenable.cs enables organizations to establish guardrails in DevOps processes to prevent unresolved misconfigurations or vulnerabilities in Infrastructure as Code (IaC) from reaching production environments. The product monitors cloud resources deployed in AWS, Azure, and GCP to ensure any runtime changes are compliant with policies, and remediations to address configuration drifts are automatically propagated back to the IaC. Tenable.cs also provides continuous visibility to assess cloud hosts and container images for vulnerabilities whether they're deployed for days or hours, without the need to manage scan schedules, credentials, or agents. All cloud assets—including ephemeral assets—are continuously reassessed as new vulnerability detections are added and as new assets are deployed. This always-on approach allows organizations to spend more time focusing on the highest priority vulnerabilities and less time on managing scans and software.

3.4.21 Trellix

Trellix is redefining the future of cybersecurity. The company's open and native XDR platform helps organizations confronted by today's most advanced threats gain confidence in the protection and resilience of their operations. Trellix's security experts, along with an extensive partner ecosystem, accelerate technology innovation through ML and automation to empower customers. See more at <https://trellix.com>. Trellix solutions can play a pivotal role in assisting organizations in meeting their zero trust outcomes through Trellix's extensive portfolio of enforcement points, rapidly growing partner ecosystem, and ability to quickly quantify risk and orchestrate responses.

Trellix offers a comprehensive portfolio of tools that align with zero trust objectives and outcomes. The following subsections discuss the tools from the portfolio currently being included in this NCCoE effort.

3.4.21.1 MVISION Complete Suite

MVISION Complete delivers a comprehensive suite of tools that provide threat and data protection across endpoints, web, and cloud. Individual products included in the MVISION Complete Suite include the following.

3.4.21.1.1 Trellix ePO

Trellix ePolicy Orchestrator (ePO) is a centralized management console for deploying, configuring, and managing Trellix endpoint security solutions including threat prevention, data protection, and EDR. For more information on Trellix ePO, please visit [ePolicy Orchestrator | Trellix](#).

3.4.21.1.2 Trellix Insights

Trellix Insights is a threat intelligence platform integrated with the Trellix solution portfolio that enables customers to gain contextual understanding of active global threat campaigns relevant to their vertical. Through integrated understanding of compensating controls and detection events, Insights enables organizations to predictively stay ahead of threats, quickly identify campaign activity within their environment, and receive the guidance necessary to proactively defend against campaigns. For more information on Trellix Insights, please visit [Trellix Insights | Trellix](#).

3.4.21.1.3 Trellix Endpoint Security Platform

Trellix Endpoint Security Platform blocks malicious and targeted attacks using traditional and enhanced detection techniques as part of a layered protection strategy. Techniques include generic malware detection, behavioral detection, ML, containment, and enhanced remediation. For more information on Trellix Endpoint Security, please visit [Trellix Endpoint Security | Trellix](#).

3.4.21.1.4 Trellix EDR

Trellix EDR collects and analyzes device trace data using advanced detection techniques in order to surface suspected threats within an enterprise. Trellix EDR empowers security operations teams to gain important context about the environment with true real-time enterprise search capabilities and integrated threat intelligence. Trellix EDR is an asset to resource-starved security operations teams

working to keep up with the ever-growing threat landscape, by incorporated integrated AI-assisted guided investigations. Guided investigations analyze thousands of artifacts beyond the initial detection event to replicate a traditionally manual playbook process. By automating this process, analysts are able to reach conclusions faster, reduce time to detection, and accelerate confident response activities. For more information on Trellix EDR, please visit [Trellix EDR – Endpoint Detection & Response | Trellix](#).

3.4.21.1.5 Trellix DLP Endpoint

Trellix DLP Endpoint enables organizations to discover, control, and block access to sensitive data on the endpoint. Trellix DLP Endpoint integrates with identity providers to assign policy based on users' roles and groups, and in a ZTA can adjust data protection policy as user trust changes. Additionally, DLP Endpoint is managed by ePO, and it includes a full case management system for aggregating multiple DLP incidents and identifying malicious insiders. For more information on Trellix DLP Endpoint, please visit [DLP Endpoint | Trellix](#).

3.4.21.1.6 Skyhigh Security SSE Platform

Skyhigh Security, once part of Trellix's foundational company, McAfee Enterprise, has been established as a separate business entity and sister company to Trellix. Skyhigh Security's Security Service Edge (SSE) platform is part of the MVISION Complete Suite, delivered by Skyhigh Security, and offers comprehensive protection for cloud, web, and data protection. Skyhigh Security integrates a CASB platform with strong cloud-hosted web security, and strong data protection controls to deliver a highly secure, highly available platform for protecting hybrid and multi-cloud enterprises. For more information on Skyhigh Security's SSE platform please visit [What is SSE? | Security Service Edge | Skyhigh Security](#).

The MVISION Complete Suite aids in the ability to meet zero trust objectives by delivering device-level protection and alerting, application protection through contextual access controls, user trust through user activity monitoring, data security through comprehensive data protection and discovery, and analytics and intelligence through EDR and Insights.

3.4.21.2 Full Remote Browser Isolation

Remote browser isolation enables organizations to fully contain web applications within a secure container to prevent malware and data leakage and provide complete control over a browser session. The Skyhigh SSE solution out of the box offers remote browser isolation for risky websites to ensure no implicit trust is being granted to web applications prior to trust validation. In some cases, organizations would choose that no implicit trust is ever extended to web traffic, regardless of a known reputation. In this scenario, full-time browser isolation is required to meet this objective. The Trellix offering, with sister company Skyhigh Security, includes the ability for full remote browser isolation as an add-on module. For more information on Remote Browser Isolation, see [Remote Browser Isolation | McAfee Products](#).

3.4.21.3 Helix (XDR)

To achieve zero trust outcomes, it is necessary to have a common platform that applies AI-driven, real-time threat intelligence to data collected from devices and security sensors as a mechanism for surfacing advanced attacks and associated entity risk, and to orchestrate proactive and remediating responses across native and open security tools. Within many zero trust reference architectures, this platform could be considered the dynamic access control plane, or the trust algorithm.

Trellix delivers this capability through Helix. Helix is a cloud-hosted, intelligence-driven platform that collects data from over 600 different sensors and point solutions, analyzes the data against known threats, behaviors, and campaigns using AI and enhanced detection rules, and powers automated and manual responses across Trellix native and third-party policy engines. For more information on Trellix XDR, see [Trellix-Platform | Trellix](#).

3.4.21.4 CloudVisory

It's no secret that cloud services are now pervasive; many applications have been moved either through SaaS or cloud services development to cloud data centers. This presents new challenges for many organizations as they work to gain better visibility and control over IaaS-hosted cloud applications and the thousands of micro-services that support them. As organizations look to adopt zero trust principles within the cloud, it will become imperative that proper service configuration, IAM roles, cloud network traffic, and workloads are fully evaluated for risk and protected. CloudVisory supports these objectives through:

- CI/CD integration to ensure proper service configuration, and continuous posture assessments to guard against configuration drift
- IAM policy inspection
- intelligent network micro-segmentation
- intra-cloud and cloud-to-cloud network monitoring
- multi-cloud support

For more information on CloudVisory, see [ds-cloudvisory.pdf \(fireeye.com\)](#).

3.4.22 VMware

VMware's content will be included in the next draft version of this practice guide.

3.4.23 Zimperium

Zimperium secures both mobile devices and applications so they can safely and securely access data. Patented on-device ML-based security provides visibility and protection against known and zero-day threats and attacks.

3.4.23.1 *Zimperium Mobile Threat Defense*

Zimperium Mobile Threat Defense is an advanced MTD solution for enterprises, providing persistent, on-device protection to both corporate owned and BYOD devices against modern attack vectors. Leveraging Zimperium's patented z9 on-device detection engine, Zimperium MTD detects threats across the kill chain, including device compromise, network, phishing, and application attacks.

Zimperium's MTD provides on-device behavior detection via an on-device agent, even when the device is not connected to a network. Zimperium's MTD begins protecting devices against all primary attack vectors immediately after deployment. The Zimperium zConsole provides a management interface used to configure threat policies, manage device groups/users, and view events and the forensics that are associated with those events.

Zimperium provides critical mobile security data for organizations, with integrations into multiple, concurrent enterprise SIEM/SOAR, UEM, XDR, and IAM platforms. Data is securely shared via REST API, syslog, etc. Zimperium MTD provides comprehensive *device attestation* enabling a complete picture of mobile endpoint security and increased visibility into risks such as jailbreak detections. Zimperium MTD provides continuous protection for mobile devices, providing the risk intelligence and forensic data necessary for security administrators to raise their mobile security confidence. Zimperium integrates mobile threat data into security reporting systems and processes. Using Zimperium's vast integrations ecosystem, mobile device state, security posture, events, etc. are shared, enabling multimodal protections to be automatically deployed, including "conditional access" to sensitive information via MDM/UEMs, SOAR, and IAM, for example. Zimperium MTD protects devices against all primary attack vectors, including via USB, removable storage, and even when the device is not connected to a network.

3.4.24 *Zscaler*

Zscaler provides secure user access to public-facing sites and on- or off-premises private applications via the Zscaler Zero Trust Exchange, a cloud-delivered security service edge technology. The Zero Trust Exchange helps IT move away from legacy network infrastructure to achieve modern workforce enablement, infrastructure modernization, and security transformation.

Zscaler's role in the ZTA is to provide full visibility and control of context-based, least-privilege access to internet and SaaS applications as well as private applications in IaaS, PaaS, or internally-hosted environments via the Zero Trust Exchange.

3.4.24.1 *Zscaler Zero Trust Exchange*

Users accessing the internet or a SaaS application can leverage the **Zscaler Internet Access (ZIA)** solution. This solution delivers a comprehensive security stack—including TLS inspection, advanced firewall, SWG, DLP, virus protection, and sandbox capabilities—for end-users, which follows them no matter where they are.

1626 Users accessing private applications either locally or in the cloud can leverage the **Zscaler Private Access**
1627 **(ZPA)** solution, which also provides a virtual PDP+PEP in the cloud.

1628 The **Zscaler Client Connector** brokers access for both ZIA and ZPA, offering lightweight single-agent
1629 protection and visibility, as well as optionally gathering telemetry for end-user experience monitoring.

1630 Combining ZIA and ZPA provides a FedRAMP-accredited solution that organizations can integrate into
1631 their unique digital ecosystems today. Moreover, since Zscaler is an integral part of any zero trust
1632 framework, organizations can leverage Zscaler's cloud service provider, EDR, SIEM/SOAR, and SD-WAN
1633 integration partnerships with Microsoft, AWS, Okta, CrowdStrike, and other industry leaders to promote
1634 data visibility and access management.

4 Architecture

The project architecture is designed to include the core zero trust logical components as depicted in NIST SP 800-207. In Section 4.1 we present a general ZTA and describe its components and operation. These components may be operated as either on-premises or cloud-based services. In Section 4.2 we describe a particular version of this general ZTA that we call the *EIG crawl phase* reference architecture. The two ZTA builds that are documented in this practice guide are instantiations of this EIG crawl phase reference architecture. This architecture relies mainly on ICAM and endpoint protection platform (EPP) components, does not include any components that are specifically dedicated to providing PE or PA functionality, and is currently limited to protecting on-premises resources. In Section 4.3 we describe the physical architecture of the baseline laboratory environment in which we implemented the two EIG crawl phase builds documented in this guide.


Volume B will be updated throughout the project lifecycle as the architecture evolves to include additional functionalities, security capabilities, and ZTA deployment models.

4.1 General ZTA Reference Architecture

[Figure 4-1](#) depicts the logical architecture of a general ZTA reference design independent of deployment models. It consists of three types of core components: PEs, PAs, and PEPs, as well as several supporting components that assist the policy engine in making its decisions by providing data and policy rules related to areas such as ICAM, EDR/EPP, security analytics, and data security. Specific capabilities that fall into each of these supporting component categories are discussed in more detail later in this section. The various sets of information either generated via policy or collected by the supporting components and used as input to ZTA policy decisions are referred to as policy information points (PIPs). Each of these logical components may not directly correlate to a single architectural component. Some ZTA logical component functions may be performed by multiple software components, or a single software component may perform multiple functions.

Subjects (devices, end users, applications, servers, and other non-human entities that request information from resources) request and receive access to enterprise resources via the ZTA. Human subjects (i.e., users) are authenticated. Non-human subjects are both authenticated and protected by endpoint security. Enterprise resources may be located on-premises or in the cloud. Existing enterprise subjects and resources are not part of the reference architecture itself; however, any changes required to existing endpoints, such as installing ZTA agents, should be considered part of the reference architecture.

Figure 4-1 General ZTA Reference Architecture



4.1.1 ZTA Core Components

The types of ZTA core components are:

- **Policy Engine (PE):** The PE handles the ultimate decision to grant, deny, or revoke access to a resource for a given subject. The PE calculates the trust scores/confidence levels and ultimate access decisions based on enterprise policy and information from supporting components. The PE executes its trust algorithm to evaluate each resource request it receives.
- **Policy Administrator (PA):** The PA executes the PE's policy decision by sending commands to the PEP to establish and terminate the communications path between the subject and the resource. It generates any session-specific authentication and authorization token or credential used by the subject to access the enterprise resource.
- **Policy Enforcement Point (PEP):** The PEP guards the trust zone that hosts one or more enterprise resources. It handles enabling, monitoring, and eventually terminating connections between subjects and enterprise resources. It operates based on commands that it receives from the PA.

When combined, the functions of the PE and PA comprise a PDP. The PDP is where the decision as to whether or not to permit a subject to access a resource is made. The PIPs provide various types of

telemetry and other information needed for the PDP to provide informed access decisions. The PEP is the location at which this access decision is enforced.

Three approaches for how an enterprise can enact a ZTA for workflows can be supported by the architecture represented in [Figure 4-1](#): use of EIG, micro-segmentation, and SDP. If the micro-segmentation approach is used, then when the PEP grants a subject access to a resource, it permits the subject to gain access to the unique network segment on which the resource resides. If the SDP approach is used, then when the PE decides to grant a subject access to a resource, the PA often acts like a network controller by setting up a secure channel between the subject and the resource via the PEP.

4.1.2 ZTA Supporting Components

The various sets of information either generated via policy or collected by the ZTA supporting components and used as input to ZTA policy decisions are referred to as PIPs.

The ZTA supporting components and policy information points are:

- **ICAM:** The ICAM component includes the strategy, technology, and governance for creating, storing, and managing subject (e.g., enterprise user) accounts and identity records and their access to enterprise resources. Aspects of ICAM include:
 - **Identity management** – Creation and management of enterprise user and device accounts, identity records, role information, and access attributes that form the basis of access decisions within an organization to ensure the correct subjects have the appropriate access to the correct resources at the appropriate time
 - **Access and credential management** – Use of authentication (e.g., SSO and MFA) and authorization to manage access to resources
 - **Federated Identity** – The federated identity component aggregates and correlates all attributes relating to an identity or object that is being authorized by a ZTA. It enables users of one domain to securely access data or systems of another domain seamlessly, and without the need for completely redundant user administration. Federated identity encompasses the traditional ICAM data, supports identities that may be part of a larger federated ICAM community, and may include non-enterprise employees. Guidelines for the use of federated identity are discussed in NIST SP 800-63C, *Digital Identity Guidelines* [\[11\]](#).
 - **Identity governance** – Use of policy-based centralized automated processes to manage user identity and access control functions (e.g., segregation of duties, role management, logging, access reviews, auditing, analytics, reporting) to ensure compliance with requirements and regulations
- **EDR/EPP:** The endpoint protection component encompasses the strategy, technology, and governance to protect endpoints (e.g., servers, desktops, mobile phones, IoT devices and other

non-human devices) and their data from threats and attacks, as well as protect the enterprise from threats from managed and unmanaged devices. Some of these devices may have ZTA agents installed on them while others may be agentless. Aspects of endpoint protection include:

- **Continuous diagnostics and mitigation (CDM)**– Gathering information about enterprise assets and their current state and applying updates to configuration and software components. A CDM system provides information to the policy engine about the asset making the access request.
- **Application protection** – Managing and protecting data within an application by enforcing protection policies that apply to the application
- **Device compliance** – Ensuring that an endpoint contains the hardware, firmware, software, and configurations required by enterprise policy and includes nothing unauthorized by enterprise policy
- **Vulnerability/threat mitigation** – Monitoring endpoint software and configurations to detect known vulnerabilities and, when found, provide alerts that include remediation and mitigation recommendations, if available
- **Host intrusion protection** – Monitoring an endpoint for suspicious activity that may indicate an attempted intrusion, infection, or other malware; stopping malicious activity on the endpoint, notifying potential victims, logging the suspicious events, and preventing future traffic from suspicious sources
- **Host firewall** – Preventing the individual endpoint from receiving traffic that is not explicitly permitted, thereby helping to protect the endpoint from receiving viruses, malware, and other malicious traffic
- **Malware protection** – Scanning endpoint software for signatures that belong to known malware; if detected, disabling the malware, quarantining and repairing infected files if possible, and providing alerts that include any available remediation and mitigation recommendations
- **Data protection enforcement** – Ensuring that data stored on the device is protected in accordance with enterprise policies
- **Mobile device management** – Managing and administering mobile devices to ensure that they are secure by provisioning software to the mobile devices in accordance with enterprise security policies to monitor behavior and critical data on the device, thereby protecting the device’s applications, data, and content and enabling the device to be tracked, monitored, troubleshooted, and wiped, if necessary

- **Data Security:** The data security component includes the policies that an enterprise needs to secure access to enterprise resources, as well as the means to protect data at rest and in transit. Aspects of data security include:

- 1755 ○ **Data confidentiality** – protecting data from unauthorized disclosure while at rest and in
1756 transit
- 1757 ○ **Data integrity** – protecting data from unauthorized modification while at rest and in
1758 transit
- 1759 ○ **Data availability** – protecting the ability of authorized users to access data and guarding
1760 against unauthorized deletion
- 1761 ○ **Data access policies** – all data access policies and rules needed to secure access to
1762 enterprise information and resources
- 1763 ■ **Security Analytics:** The security analytics component encompasses all the threat intelligence
1764 feeds and traffic/activity monitoring for an IT enterprise. It gathers security and behavior
1765 analytics about the current state of enterprise assets and continuously monitors those assets to
1766 actively respond to threats or malicious activity. This information could feed the policy engine to
1767 help make dynamic access decisions. Aspects of security analytics include:
 - 1768 ○ **SIEM** – Collection and consolidation of security information and security event data
1769 from many sources; correlates and analyzes the data to help detect anomalies and
1770 recognize potential threats and vulnerabilities; logs the data to adhere to data
1771 compliance requirements
 - 1772 ○ **Network monitoring and activity logging** – Collection and monitoring of metrics
1773 regarding network activity and performance. Collect asset logs, network traffic, resource
1774 access actions, and other events that provide real-time (or near-real-time) feedback on
1775 the security posture of enterprise information systems.
 - 1776 ○ **Traffic inspection** – Interception, examination, and monitoring of traffic transmitted on
1777 the network
 - 1778 ○ **Endpoint monitoring** – The discovery of all IP-connected endpoints and continuous
1779 collection, examination, and analysis of software versions, configurations, and other
1780 information regarding hosts (devices or VMs) that are connected to the network
 - 1781 ○ **Threat intelligence** – Use of information regarding known existing or emerging
1782 vulnerabilities, attacks, and other menaces to enterprise operations and assets to
1783 inform decisions regarding how to defend against and respond to those threats
 - 1784 ○ **User behavior** – Monitoring and analysis of user behavior to detect unusual patterns or
1785 anomalies that might indicate an attack
 - 1786 ○ **Correlation and analytics** – Use of data analytics and AI to correlate, compare, and
1787 analyze all information received from ZTA supporting components (e.g., ICAM, endpoint
1788 monitoring, network monitoring, and other related supporting activity) for the purpose
1789 of detecting unusual patterns or anomalies that might indicate an attack

- **SOAR** – Collection and monitoring of alerts from the SIEM and other security systems and execution of predefined incident response workflows to automatically analyze the information and orchestrate the operations required to respond
- **Security validation** – Continuous validation and measurement of the effectiveness of cybersecurity controls

4.1.3 ZTA in Operation

[Figure 4-1](#) depicts the general, high-level ZTA reference architecture. If an enterprise has highly distributed systems, it may have many PEPs to protect resources in different locations; it may also have multiple PEPs to support load balancing. For simplicity, [Figure 4-1](#) limits its focus to the interactions involving a single PEP, a single subject, and a single resource. The labeled arrows in [Figure 4-1](#) depict the high-level steps performed in support of the ZTA reference architecture. These steps can be understood in terms of three separate processes:

- **Resource Management—R()** – Resource management steps ensure that the resource is authenticated and that its endpoint conforms to enterprise policy. Upon first being brought online, a resource’s identity is authenticated and its endpoint hygiene is verified. The resource is then connected to the PEP. Once connected to the PEP, access to the resource is granted only through that PEP at the discretion of the PDP. For as long as the resource continues to be online, resource management steps are performed to periodically reauthenticate the resource and verify its endpoint hygiene. These steps are labeled R(1) and R(A) through R(D). Step R(1) occurs first, but the other steps do not necessarily occur in any specific order with respect to each other, which is why they are labeled with letters instead of numbers. Their invocation is determined by enterprise policy. For example, enterprise policy determines how frequently the resource is reauthenticated, what resource-related information the PDP needs to evaluate each access request and when it needs it, and what resource-related changes (environmental, security analytics, etc.) would cause the PDP to decide to revoke or limit access to a particular resource.
- **Session Establishment Steps—I()** – Session establishment steps are a sequence of actions that culminate in the establishment of the initial session between a subject and the resource to which it has requested access. These steps are labeled I(1) through I(5) and they occur in sequential order.
- **Session Management Steps—S()** – Session management steps describe the actions that enable the PDP to continually evaluate the session once it has been established. These steps begin to be performed after the session has been established, i.e., after Step I(5), and they continue to be invoked periodically for as long as the session remains active. These steps are labeled S(A) through S(D) so that they can be distinguished from each other. However, the letters A through D in the labels are not meant to imply an ordering. The session management steps do not necessarily occur in any specific order with respect to each other. Their invocation is determined by the access requests that are made by the subject in combination with enterprise policy. For

example, enterprise policy determines how frequently the subject is reauthenticated, what information the PDP needs to evaluate each access request and when it needs it, and what changes (environmental, security analytics, etc.) would cause the PDP to decide to deny a particular access request or terminate an established session altogether.

The following additional details describe each of the steps in each of the three processes depicted in [Figure 4-1](#):

Resource Management

- **Step R(1). Authenticate and validate resource:** In our model, it is assumed that the resource has already been registered as an authorized resource. Initially, when the resource is brought online, its identity must be authenticated and its endpoint hygiene must be validated to ensure compliance. This authentication and validation could be accomplished by a variety of mechanisms, such as the ICAM and EPP capabilities, the PEP itself, or a connector. The diagram is not concerned with depicting how it is authenticated, just that the authentication and validation are performed.

In some implementations, in order for the resource to communicate with the service provider where the PEP is located, a connector or proxy may need to be installed to enable that connection to the service provider. For example, a database in an existing enterprise may not currently have the capability to interact with a service provider PEP directly. To make this communication possible, a connector, which behaves like a proxy module, may be installed between the resource and the PEP. There are multiple possible types of connectors and ways of connecting. This level of detail (i.e., whether a connector is present and, if so, what type) is not shown in the figure. Authentication and validation of the resource and connection of the resource to the PEP must be completed prior to any users requesting access.

- **Step R(A). Information needed to periodically verify resource and endpoint:** Throughout the lifetime of the session, the PEP will periodically challenge the resource to reauthenticate itself. After doing so, the PEP will provide the PDP with the identity and credentials that the resource provided. Similarly, throughout the lifetime of the session, the PEP will request hygiene information from the resource's endpoint. After obtaining this hygiene information, the PEP will provide it to the PDP. The frequency with which the resource should be issued authentication challenges is determined by enterprise policy, as is the frequency with which the hygiene of its endpoint should be validated.

- **Step R(B). Information needed to continually evaluate access:** Throughout the course of the access session, the PDP requests and receives any resource-related information that it needs to evaluate the resource's ongoing compliance with enterprise policy. This could include information such as authentication information provided by the ICAM system, endpoint hygiene information provided by the EPP, and anomaly detection analysis regarding resource behavior provided by logging and security analytics functionality.

- **Step R(C). Revoke/limit resource access:** The connection between the PEP and the resource may be terminated or reconfigured based on changes to the resource or operating environment that indicate the resource no longer conforms to enterprise policy.
- **Step R(D). Periodic resource reauthentication challenge/response and endpoint hygiene verification:** The resource undergoes continual reauthentication and hygiene checks to ensure that its security posture conforms to enterprise policy. These actions are usually taken by the various systems that may make up the PDP and are performed regardless of any current open sessions. The frequency with which reauthentication and hygiene checks are performed is determined by enterprise policy.

Session Establishment

- **Step I(1). Initial access request (identity and credentials):** The subject interacts with the PEP to request access to the resource and provide its identity and credentials.
- **Step I(2). Information needed to verify subject and its endpoint:** The PEP forwards the subject's identity and credentials to the PE within the PDP.
- **Step I(3). Information needed to approve/deny access request:** The PE requests and receives any additional information that it needs to determine whether it should approve or deny the subject's access request. This includes information provided by the various supporting components of the ZTA. ICAM-related information is used most heavily, i.e., user and endpoint identity, authorization, federation, and identity governance information; but additional information from other ZTA supporting components, e.g., endpoint compliance, endpoint monitoring, and threat intelligence, may also be relied upon as specified by enterprise policy. The PIPs depicted in Figure 4-1 represent the collection of information required by the PE to decide, in accordance with enterprise policy, whether or not to grant the access request. The PE authenticates the subject, determines what the subject's authorizations are, and evaluates additional information as needed to determine whether to allow or deny the subject access to the requested resource.
- **Step I(4). Allow/deny access:** The PDP informs the PEP whether to allow or deny the subject access to the resource.
- **Step I(5). Session:** Assuming the PDP has decided to allow access, the PEP establishes a session between the subject and the resource through which the subject can access the resource. At the completion of Step I(5), the session is set up and the session management processes begin being performed.

Session Management

Once the session has been established, several session management processes are performed simultaneously on an ongoing basis for the duration of the session. The session management processes depicted in [Figure 4-1](#) include ongoing evaluation of each of the subject's access requests, ongoing continual evaluation of the session, periodic reauthentication of the subject, and periodic verification of the subject's endpoint hygiene. These processes are described below.

Ongoing evaluation of the access requests made by the subject: The steps of this process are depicted by steps S(A), S(B), and S(C) in [Figure 4-1](#).

- **Step S(A). Access requests:** Throughout the course of the access session, the actions that the subject sends to the resource are monitored by the PEP and sent to the PDP for evaluation as to whether the access should continue. When TLS or another form of encryption is used to secure the session between the subject and the resource, it is not possible for a PEP that is situated in the middle of that connection to have visibility into the messages that the subject is sending because they are encrypted. The PEP must have access to the unencrypted session traffic in order to be able to properly monitor it. To enable the access session to be continuously monitored, the PEP could be situated adjacent to the subject so it can receive unencrypted requests from the subject and send them to the PDP for monitoring before forwarding them over the encrypted access session to the resource; the PEP could be situated adjacent to the resource so it can decrypt requests it receives from the subject on the access session and send them to the PDP for monitoring before forwarding them to the resource; or the PEP could be located elsewhere and have plaintext requests forwarded to it that it would then send to the PDP for monitoring. Because there are many possible ways the monitoring could be accomplished, [Figure 4-1](#) does not attempt to depict where the access session is terminated with respect to the PEP. It is only meant to convey the fact that the subject's access requests are monitored on an ongoing basis and forwarded to the PDP for evaluation.
- **Step S(B). Information needed to continually evaluate access:** Throughout the course of the access session, the PDP requests and receives any additional information from the PIP that it needs to evaluate the subject's ongoing access to determine whether it should continue. This information is provided by the various ZTA supporting components in the architecture. Examples of such information include subject identity information provided by ICAM functionality, subject endpoint hygiene information provided by endpoint security functionality, and behavioral analysis and anomaly detection information provided by logging and security analytics functionality. Evaluation of the access requests is performed in accordance with enterprise policy.
- **Step S(C). Continue/revoke/limit session access:** If the PDP determines that the access should continue, it will allow the PEP to forward the access request made in step S(A) to the resource. However, if the PDP determines that, in light of the information received from the PIP (e.g., federated identity, endpoint security information, security analytics), the session should be terminated or limited, the PDP may inform the PEP not to forward the action to the resource. Note that in an ideal world, the PEP would wait for the PDP to pass judgement on every request that is made on a session before forwarding each request to the resource. However, in reality, the cost of having the PDP evaluate every individual request in real time is too great. In most cases the PEP would have a set of rules determining allowed requests and (possibly) a set of policies on when to require reauthentication or additional checks before forwarding requests to the resource.

Ongoing continual evaluation of the session: The steps of this process are depicted by steps S(B) and S(C) in [Figure 4-1](#).

- **Step S(B). Information needed to continually evaluate access:** Throughout the course of the access session, the information in the PIPs is updated by the various ZTA supporting components and made available to the PDP so it can dynamically evaluate whether the session continues to be in accordance with enterprise policy. At any moment, information could become available that causes the session to be non-compliant. For example, threat intelligence information could be received regarding vulnerabilities in the endpoint or software used by the subject, anomalies could be detected in the subject's behavior, or the subject could fail authentication when trying to access a different resource.
- **Step S(C). Continue/revoke/limit session access:** If the PDP determines that the ongoing access session continues to be compliant, it will permit it to continue. However, if the PDP determines that, based on information available from the PIPs (e.g., endpoint security information, threat intelligence, security analytics), the access session should be limited or revoked, the PDP will direct the PEP to deny some requests that are made on the session or to disconnect the session altogether.

Periodic reauthentication of the subject and periodic verification of the hygiene of the subject endpoint: These are two separate and distinct processes, but they are depicted by the same steps in [Figure 4-1](#), steps S(A), S(D), and S(C), so we will discuss them together:

- **Step S(A). Information needed to periodically verify subject and endpoint:** Throughout the lifetime of the session, the PDP will periodically notify the PEP to challenge the subject to reauthenticate itself. After doing so, the PEP will provide the PDP with the identity and credentials that the subject provided. Similarly, throughout the lifetime of the session, the PDP will periodically notify the PEP to request hygiene information from the subject's endpoint, operating environment, etc. After obtaining this hygiene information, the PEP will provide it to the PDP. The frequency with which the subject should be issued authentication challenges is determined by enterprise policy, as is the frequency with which the hygiene of the subject endpoint should be validated.
- **Step S(D). Periodic reauthentication challenge/response and endpoint hygiene verification:** As directed by the PDP in step S(A), the PEP periodically issues reauthentication challenges to the subject. It also periodically requests and receives endpoint hygiene (software, configuration, etc.) information. The frequency with which each of these types of information is requested is specified by enterprise policy.
- **Step S(C). Continue/revoke/limit session access:** Based on the subject identity and credential information received and/or on the endpoint hygiene information received, the PDP determines whether to permit the access session to continue. If at any time the reauthentication of the subject fails or if the subject's endpoint hygiene cannot be satisfactorily verified (as determined by policy), the PDP will direct the PEP to disconnect or limit the session.

4.2 EIG Crawl Phase Reference Architecture


The reference architecture depicted in [Figure 4-1](#) is intentionally general and is not meant to describe any particular ZTA deployment approach. This project plans to implement all three deployment approaches described in [NIST SP 800-207, Zero Trust Architecture](#), beginning with EIG. The EIG approach to developing a ZTA uses the identity of subjects as the key component of policy creation. Access privileges granted to the given subject is the main requirement for resource access. Other factors such as device used, endpoint hygiene and status, and environmental factors may also impact whether and what access is authorized.

Once the EIG approach has been built, additional supporting components and features related to the micro-segmentation and SDP deployment approaches will be added to create a series of subsequent builds that support an increasingly rich set of additional ZTA capabilities, ultimately culminating in the demonstration of a full collection of EIG, micro-segmentation, and SDP-based ZTA functionality.

This practice guide documents the first set of builds, which were created in the project's EIG crawl phase. The crawl phase uses what we call an *EIG crawl phase* deployment approach. [Figure 4-2](#) depicts the reference architecture for this approach. The EIG crawl phase reference architecture, as its name suggests, uses a subject's identity and its access privileges as the main determinants for granting resource access, along with the endpoint used and its hygiene status. Hence, as can be seen in [Figure 4-2](#), the reference architecture for this EIG crawl phase build includes ICAM and endpoint protection components. In the area of ICAM, it supports capabilities in all the four main areas of identity management, access and credential management, federated identity, and identity governance.

The labeled steps in [Figure 4-2](#) are the same as those in [Figure 4-1](#). The main difference between the two figures can be found in the set of supporting components that have been included. The EIG crawl phase reference architecture depicted in [Figure 4-2](#) is a constrained form of the general ZTA reference architecture in [Figure 4-1](#). The EIG crawl phase reference architecture relies on the PE and PA capabilities provided by its ICAM components and does not include any additional PE or PA components. Also, the only security analytics functionality that it includes is a SIEM. It does not include any additional data security or security analytics functionality. These limitations were intentionally placed on the architecture with the goal of demonstrating the ZTA functionality that an enterprise with legacy ICAM and endpoint protection solutions deployed will be able to support without having to add ZTA-specific capabilities.

Figure 4-2 EIG Crawl Phase Reference Architecture



4.2.1 EIG Crawl Phase Build-Specific Features

The two builds discussed in the appendices of this document are limited EIG deployments. Each of these EIG crawl phase builds instantiates the architecture that is depicted in [Figure 4-2](#) in a unique way, depending on the equipment used and the capabilities supported. Briefly, the two builds are as follows:

- EIG Enterprise 1 Build 1 (E1B1)** uses products from Amazon Web Services, IBM, Ivanti, Mandiant, Okta, Radiant Logic, SailPoint, Tenable, and Zimperium. Certificates from DigiCert are also used.
- EIG Enterprise 3 Build 1 (E3B1)** uses products from F5, Forescout, Lookout, Mandiant, Microsoft, Palo Alto Networks, PC Matic, and Tenable. Certificates from DigiCert are also used.

Each of these builds is described in detail in its own appendix below (see [Appendix D](#) and [Appendix F](#)).

4.3 ZTA Laboratory Physical Architecture

[Figure 4-3](#) depicts the high-level physical architecture of the ZTA laboratory environment, which is located at the NCCoE site. The NCCoE provides VM resources and physical infrastructure for the ZTA lab.

2025 It also hosts GitLab, which is used as a DevOps platform that stores Terraform and Ansible configuration
2026 information and provides version control for configuration file and change management activities. The
2027 NCCoE hosts all the collaborators' ZTA-related software for Enterprises 1, 2, and 3. The NCCoE also
2028 provides connectivity from the ZTA lab to the NIST Data Center, which provides connectivity to the
2029 internet and public IP spaces (both IPv4 and IPv6).

2030 Access to and from the ZTA lab from within ITOPS is protected by a Palo Alto Networks Next Generation
2031 Firewall (PA-5250). The ZTA lab network infrastructure includes four independent enterprises
2032 (Enterprises 1, 2, 3, and 4), a branch office used only by Enterprise 1, a coffee shop that all enterprises
2033 can use, a management and orchestration domain, and an emulated WAN/internet service provider. The
2034 emulated WAN service provider provides connectivity among all the ZTA laboratory networks, i.e.,
2035 among all the enterprises, the coffee shop, the branch office, and the management and orchestration
2036 domain. Another Palo Alto Networks PA-5250 firewall that is split into separate virtual systems protects
2037 the network perimeters of each of the enterprises and the branch office. The emulated WAN service
2038 provider also connects the ZTA laboratory network to ITOPS. The ZTA laboratory network has access to
2039 cloud services provided by AWS, Azure, and Google Cloud, as well as connectivity to SaaS services
2040 provided by various collaborators, all of which are available via the internet.


2041 Each enterprise within the NCCoE laboratory environment is protected by a firewall and has both IPv4
2042 and IPv6 (dual stack) configured. Each of the enterprises is equipped with a baseline architecture that is
2043 intended to represent the typical environment of an enterprise before a ZT deployment model is
2044 instantiated.

2046 The details of the baseline physical architecture of enterprise 1, enterprise 1 branch office, enterprises
2047 2, 3, and 4, the management and orchestration domain, and the coffee shop, as well as the baseline
2048 software running on this physical architecture are described in the subsections below. The details of the
2049 EIG crawl phase builds that occupy Enterprises 1 and 3 are provided in [Appendix D](#) and [Appendix F](#),
2050 respectively.

2051 4.3.1 Enterprise 1

2052 [Figure 4-4](#) is a close-up of the high-level physical architecture of Enterprise 1 in the NCCoE laboratory
2053 baseline environment. Its components are described in the subsections below.

2054 Figure 4-4 Physical Architecture of Enterprise 1



2055 *4.3.1.1 Firewall*

2056 Enterprise 1, like Enterprise 3, Enterprise 1 Branch Office, and the management and orchestration
2057 domain, is protected by a Palo Alto Networks 5250 firewall. This is one physical firewall that provides
2058 independent virtual firewalls to protect each of the above domains. Each enterprise is configured with
2059 an autonomous ZTA solution set. These virtual firewalls provide firewall and gateway capabilities,
2060 support a site-to-site Internet Protocol Security (IPsec) connection between the Enterprise 1 Branch
2061 Office and Enterprise 1, provide a remote access VPN (Global Protect) to sites, filter traffic among
2062 various internal and external subnets, provide IPv4 and IPv6 routing, and block all inbound traffic unless
2063 explicitly allowed, e.g., for communication with cloud resources. These firewalls are integrated with AD
2064 to leverage the enterprise user directory store for their respective domains.

2065 *4.3.1.2 Switch*

2066 Enterprise 1 uses a Cisco C9300 multilayer switch to provide internal network connectivity within the
2067 enterprise. It provides layer 2/3 interfaces for each virtual local area network (VLAN) subnetwork with
2068 802.1q trunking. Both IPv4 and IPv6 addresses are assigned. This switch is integrated with the Remote
2069 Authentication Dial-In User Service (RADIUS) networking protocol to provide centralized authentication,
2070 authorization, and accounting (AAA) management for users requesting access to an Enterprise 1
2071 network service. The switch hosts physical wireless access points and allows connections for their virtual
2072 controllers. It also provides wired access for endpoints such as laptops within the lab.

2073 *4.3.1.3 ZTA Components Specific to Enterprise 1*

2074 Enterprise 1 contains VLANs that pertain specifically to enterprise 1's ZTA build. See [Appendix D](#) for a
2075 detailed description of the ZTA components used in Enterprise 1.

2076 *4.3.1.3.1 ICAM VLAN*

2077 Enterprise 1's ICAM subnet hosts ICAM applications used by Enterprise 1, including Okta, SailPoint, and
2078 Radiant Logic.

2079 *4.3.1.3.2 Cloud Pak VLAN*

2080 Enterprise 1 has a VLAN on which servers hosting IBM Cloud Pak for Security components reside.

2081 *4.3.1.4 Demilitarized Zone (DMZ) Subnet*

2082 Enterprise 1's demilitarized zone (DMZ) is a virtual subnet that separates the rest of the Enterprise 1
2083 network from the internet. The DMZ includes web applications and other services that Enterprise 1
2084 makes available to users on the public internet. For example, the DMZ subnet includes Jump-box
2085 Remote Desktop Server (RDS) and Secure Shell (SSH) protocol to provide some collaborators with
2086 remote access to Enterprise 1. It also includes applications such as Simple Mail Transfer Protocol (SMTP),
2087 Ivanti Sentry, NGINX Plus, and Apache Guacamole.

4.3.1.5 Internal Corporate Subnet

The internal corporate subnet is where applications that support Enterprise 1's internal services reside. For example, the internal corporate subnet includes applications such as GitLab.

4.3.1.6 Corporate User Subnet

The corporate user subnet is where users and devices such as mobile devices (iOS and Android), tablets, Windows clients, macOS clients, Linux clients, and printers reside. Some of these devices are connected via wires to the C9300 switch while others are connected via Wi-Fi using the Cisco AP 18321 wireless access point.


4.3.1.7 Guest Subnet

The guest subnet is where guests reside. Guests are users who don't have any sort of network ID and are not authorized to access any enterprise resources. They use their own devices rather than corporate-owned or corporate-managed devices. Devices on the guest subnet include mobile devices, tablets, Windows clients, macOS clients, and Linux clients. The guest subnet allows for BYOD access, with all devices connecting via Wi-Fi using the Cisco AP 18321 wireless access point.

4.3.1.8 Shared Services

A closeup of the shared services domain of Enterprise 1 is depicted in Figure 4-5. The services it includes are discussed in the following subsections.

Figure 4-5 Shared Services Domain of Enterprise 1



4.3.1.8.1 Certificate Authority (CA)

The CA provides certificate and cryptographic services for the enterprise. It is a Windows 2016 server using AD certificate services. A two-tier CA architecture is used, with an offline CA and an issuing AD-connected CA. The CA automatically issues and reissues certificates via AD group policy, and it can

2110 generate and issue certificates to AD domain-connected Windows devices. It issues certificates for both
2111 device authentication and web services using TLS.

2112 [4.3.1.8.2 Active Directory \(AD\)](#)
2113 AD provides centralized administration of users, computers, and resources. It runs on Windows 2016
2114 servers and uses multiple domain controllers to ensure high availability and redundancy in hot-hot
2115 mode. It also includes a built-in DNS authoritative server and resolver.

2116 [4.3.1.8.3 Domain Name Server \(DNS\)](#)
2117 DNS provides name-to-IP address mappings for internal hosts and answers to DNS queries of external
2118 hosts. It runs on a Windows 2016 server and is the authoritative server for the lab.nccoe.org internal
2119 domain. Internal DNS services are integrated with AD. DNS servers within ITOps are used as forwarders
2120 and to resolve DNS queries from external devices. Two DNS servers are used to ensure high availability
2121 and redundancy in hot-hot mode.

2122 [4.3.1.8.4 Dynamic Host Configuration Protocol \(DHCP\)](#)
2123 The Dynamic Host Configuration Protocol (DHCP) allocates and assigns IP address and configuration
2124 information to hosts. It runs on a Windows 2016 server and is integrated with AD. Two DHCP servers are
2125 used to ensure high availability and redundancy.

2126 [4.3.1.8.5 RADIUS](#)
2127 The RADIUS networking protocol is used to provide centralized AAA management services at the switch
2128 for users requesting access to Enterprise 1 network services. It runs on a Windows 2016 network policy
2129 server (NPS) and is integrated with AD.

2130 [4.3.1.8.6 Access Point \(AP\) Controller](#)
2131 The access point controller manages the enterprise's wireless access points. It runs on a Cisco virtual
2132 wireless controller. It manages two APs: models 1852I and 1832I, one for the corporate user subnet and
2133 one for the guest subnet.

2134 [4.3.1.8.7 SSH File Transfer Protocol \(SFTP\)](#)
2135 SFTP is used to provide secure file transfer services. It runs on a Windows 2016 server.

2136 [4.3.1.8.8 Network Time Protocol \(NTP\)](#)
2137 NTP provides timing and clock synchronization between systems. It runs on a Windows 2019 server.

2138 [4.3.1.8.9 Syslog](#)
2139 Syslog is used to collect logs and diagnostic data. It runs on a Linux Ubuntu 20.04 platform.

2140 [4.3.1.8.10 Windows Server Update Service \(WSUS\)](#)
2141 Windows Server Update Service (WSUS) provides downloads and manages updates and patches for
2142 Windows servers. It runs on a Windows 2019 server.

2143 [4.3.1.8.11 Server Message Block \(SMB\)](#)

2144 Server Message Block (SMB) provides Windows file sharing services. It runs on a Windows 2019 server.

2145 [4.3.1.8.12 Collaborator Products](#)

2146 The shared services domain of Enterprise 1 also includes some collaborator products that provide
2147 shared services for the enterprise. The IBM QRadar, Tenable.ad, Tenable scanner, Ivanti connector and
2148 MSV director are such products.

2149 [4.3.1.9 Baseline Applications](#)

2150 The following applications were installed and configured as part of the baseline architecture to
2151 represent the types of applications that would be found in a typical brownfield enterprise environment.
2152 These applications serve as the enterprise resources to which the ZTA is managing access.

2153 [4.3.1.9.1 Guacamole](#)

2154 Apache Guacamole is a remote desktop solution that supports a wide range of protocols such as SSH
2155 and Remote Desktop Protocol (RDP).

2156 [4.3.1.9.2 GitLab](#)

2157 GitLab is a DevOps tool that allows software developers to develop, test, and operate software in one
2158 application. We used GitLab as an enterprise application being accessed by end users.


2159 [4.3.1.9.3 NGINX Plus](#)

2160 NGINX Plus is free and open-source software. It is an HTTP server that can also be used as a reverse
2161 proxy and a load balancer, among other uses.

2162 [4.3.2 Enterprise 1 Branch Office](#)

2163 [Figure 4-6](#) is a closeup of the high-level level physical architecture of the Enterprise 1 Branch Office in
2164 the NCCoE laboratory environment. The Enterprise 1 Branch Office has three main components: a
2165 firewall, a switch, and a subnet for corporate users.

Figure 4-6 Physical Architecture of the Enterprise 1 Branch Office



4.3.2.1 Firewall

One of the independent virtual firewalls provided by the Palo Alto Networks 5250 physical firewall is used for the Enterprise 1 Branch Office. It provides firewall and gateway capabilities, connecting the Branch Office to Enterprise 1 via the emulated WAN/internet service provider and supports a site-to-site VPN IPsec connection from the Branch Office to Enterprise 1. This firewall is integrated with the AD of Enterprise 1 so it can leverage Enterprise 1's user directory store.

4.3.2.2 Switch

The Branch Office includes a Cisco C3650 multilayer switch that provides internal network connectivity within the Branch Office. It is integrated with Enterprise 1's AAA (RADIUS) server to leverage Enterprise 1's authentication and authorization services.

4.3.2.3 Corporate Users Subnet

The corporate users subnet at the Branch Office is where users and devices such as mobile devices, tablets, Windows clients, and printers reside. Some of these devices are connected via wires to the Cisco 3650 switch while others are connected via Wi-Fi using an ASUS RC-AC66U wireless access point.

4.3.3 Enterprise 2

Enterprise 2 is not yet being used in this phase of the project.

4.3.4 Enterprise 3

The high-level physical architecture of Enterprise 3 is the same as that of Enterprise 1, with the exception that Enterprise 3 does not have an associated branch office. The baseline network topology, hardware, and software of Enterprise 3 is configured the same as Enterprise 1's. Enterprise 3 leverages the same setup as Enterprise 1 using the Palo Alto Networks NGFW and Cisco switches. It also includes the same setup and capabilities as Enterprise 1 with respect to its DMZ, internal corporate subnetwork, corporate user subnetwork, guest subnetwork, shared services, and baseline applications. The only differences between Enterprise 3 and Enterprise 1 are with respect to the on-premises and cloud-based ZTA components used in each enterprise. See [Appendix F](#) for a detailed description of the ZTA components used in Enterprise 3.


4.3.5 Enterprise 4

Enterprise 4 is not yet being used in this phase of the project.

4.3.6 Coffee Shop

Figure 4-7 is a closeup of the high-level level physical architecture of the coffee shop in the NCCoE laboratory environment. As shown, the coffee shop provides users and mobile devices (e.g., smartphones and laptops) wireless access to the internet via an ASUS RC-AC66U access point.


Figure 4-7 Physical Architecture of the Coffee Shop



4.3.7 Management and Orchestration Domain

The management and orchestration domain, as depicted in [Figure 4-8](#), includes components that support infrastructure as code (IaC) automation and orchestration across the ZTA lab environment. It includes Terraform, which is used to automate the setup of VMs across the four enterprises, and Ansible, which automates the setup of VMs as well as of services such as DHCP, DNS, and AD across all four enterprises. It also hosts the Mandiant MSV Director and the MSV Protected Theater.

Figure 4-8 Physical Architecture of the Management and Orchestration Domain



4.3.8 Emulated WAN Service Provider

A subnetwork within the ZTA laboratory network is leveraged to emulate a WAN service provider. The emulated WAN service provider using a Cisco SG550X switch and a Palo Alto 5250 NGFW provides connectivity among all the ZTA laboratory network domains, i.e., the enterprises, the coffee shop, the branch office, and the management and orchestration domain. It also connects the ZTA laboratory network to ITOPS, which provides connectivity to the internet. Via the internet, the emulated WAN services provide the ZTA lab network with connectivity to cloud services.

4.3.9 Cloud Services


As mentioned, the NCCoE lab environment has access to various cloud services via the internet. The cloud services that have been set up during the EIG crawl phase are described in Section 4.3.9.1. Cloud services will be used as part of the EIG run phase.

4.3.9.1 IaaS – Amazon Web Services (AWS)

Figure 4-9 depicts the physical architecture of the AWS infrastructure that has been set up for use by Enterprise 1. As shown, the NCCoE ZTA lab is connected to AWS via a site-to-site VPN, and work is underway to set up a direct connection between the NCCoE ZTA lab and AWS as well. Both a production VPC (labeled Ent 1 Prod VPC) and a management VPC (labeled Ent 1 Mgmt VPC) have been set up within AWS for Enterprise 1 to use. There is a transit gateway (TGW) for routing traffic between the production and management VPCs, and there is also an NCCoE TGW within AWS. CloudFormation was used to set

2226 up the production and management VPC infrastructure within AWS through the NCCoE and Enterprise
2227 TGWs. The TWG acts as a hub for routing traffic between production and management VPCs and
2228 includes multiple routing tables for secure routing between the VPCs.

2229 Figure 4-9 Physical Architecture of the AWS Infrastructure Used by Enterprise 1



2231 The production VPC has both a public subnetwork and three private subnetworks in each availability
2232 zone. The public subnetwork is used for connecting external users to the production VPC. The private
2233 subnetworks have EC2s that can host web, application, and database tiers.

2234 The management VPC also has a public subnetwork and three private subnetworks in each availability
2235 zone. The public subnetwork is used to support software updates and to enable administrators and
2236 other authorized internal staff who are located remotely to SSH into cloud components. The private
2237 subnetworks include a satellite tier, domain controller tier, and security management tier.

2238 Each VPC uses two availability zones for redundancy and high availability. Each availability zone uses
2239 automatic scaling as needed.

2240 **4.3.9.2** *IaaS – Google*

2241 The NCCoE staff is currently working with its collaborators to set up a cloud environment for Enterprise
2242 2.

2243 **4.3.9.3** *IaaS – Azure*

2244 The NCCoE staff is currently working with its collaborators to set up a cloud environment for Enterprise
2245 3.

2246 **4.3.9.4** *SaaS*

2247 The project is also using collaborators’ ZTA SaaS offerings.

2248 For Enterprise 1, there are no SaaS-based resources. However, Ivanti Access ZSO, Ivanti Neurons for
2249 UEM, Lookout MES, Okta Identity Cloud, and Tenable.io are SaaS-based ZTA products.

2250 For Enterprise 3, Microsoft Office 365 is the resource used to demonstrate SaaS capabilities. Microsoft
2251 Azure AD, Microsoft Defender for Endpoint, Microsoft Endpoint Manager, Microsoft Sentinel, and
2252 Tenable.io are SaaS-based ZTA products.

2253 **5 Functional Demonstration**

2254 Functional demonstrations were performed to showcase the security characteristics supported by each
2255 ZTA build. These demonstrations show the extent to which the example solutions meet their security
2256 objectives under a variety of conditions. NIST SP 1800-35D, *ZTA Functional Demonstrations* will
2257 document each of the demonstration scenarios and use cases that have been designed for this ZTA
2258 project. The results of the demonstrations that have been conducted on each ZTA build will also be
2259 listed in NIST SP 1800-35D, which will be released shortly.

6 General Findings

When deploying ZTA using the EIG approach, the following capabilities are considered to be fundamental to determining whether a request to access a resource should be granted and, once granted, whether the access session should be permitted to persist:

- Authentication and periodic reauthentication of the requesting user's identity
- Authentication and periodic reauthentication of the requesting endpoint
- Authentication and periodic reauthentication of the endpoint that is hosting the resource being accessed

In addition, the following capabilities are also considered highly desirable:

- Verification and periodic reverification of the requesting endpoint's health
- Verification and periodic reverification of the health of the endpoint that is hosting the resource being accessed

In the EIG crawl phase, we followed two patterns. First, we leveraged our ICAM solutions to also act as PDPs. We discovered that many of the vendor solutions used in the EIG crawl phase do not integrate with each other out-of-the-box in ways that are needed to enable the ICAM solutions to function as PDPs. Typically, network-level PEPs, such as routers, switches, and firewalls, do not integrate directly with ICAM solutions. However, network-level PEPs that are identity-aware may integrate with ICAM solutions. Also, endpoint protection solutions in general do not typically integrate directly with ICAM solutions. However, some of the endpoint protection solutions considered for use in the builds have out-of-the-box integrations with the MDM/UEM solutions used, which provide the endpoint protection solutions with an indirect integration with the ICAM solutions.

Second, we use out-of-the-box integrations offered by the solution providers rather than perform custom integrations. These two patterns combined do not support all the desired ZT capabilities.

Both builds E1B1 and E3B1 were capable of authenticating and reauthenticating requesting users and requesting endpoints, and of verifying and periodically reverifying the health of requesting endpoints, and both builds were able to base their access decisions on the results of these actions. Access requests were not granted unless the identities of the requesting user and the requesting endpoint could be authenticated and the health of the requesting endpoint could be validated; however, no check was performed to authenticate the identity or verify the health of the endpoint hosting the resource.

Access sessions that are in progress in both builds are periodically reevaluated by reauthenticating the identities of the requesting user and the requesting endpoint and by verifying the health of the requesting endpoint. If these periodic reauthentications and verifications cannot be performed successfully, the access session will eventually be terminated; however, neither the identity nor the

2293 health of the endpoint hosting the resource is verified on an ongoing basis, nor does its identity or
2294 health determine whether it is permitted to be accessed.

2295 Neither build E1B1 nor build E3B1 was able to support resource management as envisioned in the ZTA
2296 logical architecture depicted in [Figure 4-1](#). These builds do not include any ZTA technologies that
2297 perform authentication and reauthentication of resources that host endpoints, nor are these builds
2298 capable of verifying or periodically reverifying the health of the endpoints that host resources. In
2299 addition, when using both builds E1B1 and E3B1, devices (requesting endpoints and endpoints hosting
2300 resources) were initially joined to the network manually. Neither of the two EIG crawl phase builds
2301 include any technologies that provide network-level enforcement of an endpoint's ability to access the
2302 network. That is, there is no tool in either build that can keep any endpoint (either one that is hosting a
2303 resource or one that is used by a user) from initially joining the network based on its authentication
2304 status.

2305 **7 Future Build Considerations**

2306 At the moment, we plan to implement and deploy two more builds, Enterprise 2 and Enterprise 4, as
2307 part of the EIG crawl phase.

2308 The next phase of this project will be the EIG run phase. In that phase, the project scope will expand to
2309 include resources located in the cloud (e.g., IaaS and SaaS). It will also include device discovery to
2310 baseline the environment initially and assist with continuous detection and alerting of new devices
2311 introduced into the environment. Unauthorized devices and devices that are not compliant with
2312 enterprise policy will be denied access to resources. The EIG run phase will include support for a secure
2313 tunnel between the requesting endpoint and the target application driven by policy and enforced via a
2314 PEP.

2315 Once the EIG run phase of the project is complete, the project will focus on the micro-segmentation and
2316 SDP deployment models. Efforts will be organized into crawl, walk, and run phases that augment the EIG
2317 capabilities to support an increasingly rich set of functionalities and additional ZTA capabilities.

Appendix A List of Acronyms

AAA	Authentication, Authorization, and Accounting
ACL	Access Control List
AD	Active Directory
AI	Artificial Intelligence
API	Application Programming Interface
APM	(F5 BIG-IP) Access Policy Manager
ATP	(Microsoft Azure) Advanced Threat Protection, (Palo Alto Networks) Advanced Threat Prevention
AURL	(Palo Alto Networks) Advanced URL Filtering
AWS	Amazon Web Services
BCE	(Google) BeyondCorp Enterprise
BYOD	Bring Your Own Device
C&C	Command-and-Control
CA	Certificate Authority
CASB	Cloud Access Security Broker
CDM	Continuous Diagnostics and Mitigation
CDSS	Cloud-Delivered Security Service
CESA	Cisco Endpoint Security Analytics
CI/CD	Continuous Integration/Continuous Delivery
CIEM	Cloud Infrastructure Entitlement Management
CISA	Cybersecurity and Infrastructure Security Agency
CRADA	Cooperative Research and Development Agreement
CVE	Common Vulnerabilities and Exposures
DDoS	Distributed Denial of Service
DHCP	Dynamic Host Configuration Protocol
DLP	Data Loss Prevention
DMZ	Demilitarized Zone
DNS	Domain Name System
EBS	(Amazon) Elastic Block Store
EC2	(Amazon) Elastic Compute Cloud
ECS	(Amazon) Elastic Container Service

EDR	Endpoint Detection and Response
EIG	Enhanced Identity Governance
EKS	(Amazon) Elastic Kubernetes Service
EMM	Enterprise Mobility Management
ePO	(Trellix) ePolicy Orchestrator
EPP	Endpoint Protection Platform
ETA	(Cisco) Encrypted Traffic Analytics
E/W	East/West
FedRAMP	Federal Risk and Authorization Management Program
FIDO U2F	Fast Identity Online Universal 2 nd Factor
FIPS	Federal Information Processing Standards
FTD	(Cisco) Firepower Threat Defense
FWaaS	Firewall as a Service
GCP	Google Cloud Platform
GDPR	General Data Protection Regulation
GIN	(Symantec) Global Intelligence Network
GP	(Palo Alto Networks) GlobalProtect
HR	Human Resources
HTTP	Hypertext Transfer Protocol
HTTPS	Hypertext Transfer Protocol Secure
IaaS	Infrastructure as a Service
IaC	Infrastructure as Code
IAM	Identity and Access Management
IBM	International Business Machines Corporation
ICA	Intermediate Certificate Authority
ICAM	Identity, Credential, and Access Management
IDaaS	Identity as a Service
IoMT	Internet of Medical Things
IoT	Internet of Things
IP	Internet Protocol
IPsec	Internet Protocol Security
IPv4	Internet Protocol version 4

IPv6	Internet Protocol Version 6
ISE	(Cisco) Identity Services Engine
IT	Information Technology
ITL	Information Technology Lab
ITOps	Information Technologies Operations
LDAP	Lightweight Directory Access Protocol
LTM	(F5 BIG-IP) Local Traffic Manager
MAM	Mobile Application Management
MDM	Mobile Device Management
MES	(Lookout) Mobile Endpoint Security
MFA	Multi-Factor Authentication
ML	Machine Learning
MSV	Mandiant Advantage Security Validation
MTD	Mobile Threat Defense
mTLS	Mutual Transport Layer Security
NCCoE	National Cybersecurity Center of Excellence
NDR	Network Detection and Response
NGFW	Next-Generation Firewall
NIST	National Institute of Standards and Technology
NPE	Non-Person Entity
NPS	Network Policy Server
N/S	North/South
NTA	Network Traffic Analysis
NTP	Network Time Protocol
NVM	(Cisco) Network Visibility Module
OIDC	OpenID Connect
OMB	Office of Management and Budget
OT	Operational Technology
OTP	One-Time Password
PA	Policy Administrator
PAN	Palo Alto Networks
PDP	Policy Decision Point

PE	Policy Engine
PEP	Policy Enforcement Point
PIN	Personal Identification Number
PIP	Policy Information Point
PKI	Public Key Infrastructure
QOS	Quality of Service
RADIUS	Remote Authentication Dial-In User Service
R&D	Research and Development
RDP	Remote Desktop Protocol
RDS	Remote Desktop Server
REST	Representational State Transfer
S3	(Amazon) Simple Storage Service
SaaS	Software as a Service
SAML	Security Assertion Markup Language
SASE	Secure Access Service Edge
SAW	(Microsoft) Secure Admin Workstation
SCIM	System for Cross-Domain Identity Management
SDLC	Software Development Lifecycle
SDP	Software-Defined Perimeter
SD-WAN	Software-Defined Wide Area Network
SFTP	SSH File Transfer Protocol
SIEM	Security Information and Event Management
SMB	Server Message Block
SMS	Short Message Service
SMTP	Simple Mail Transfer Protocol
SOAR	Security Orchestration and Response
SoD	Separation of Duties
SP	Special Publication
SQL	Structured Query Language
SRE	Site Reliability Engineer
SSE	Skyhigh Security) Security Service Edge
SSH	Secure Shell

SSL	Secure Sockets Layer
SSO	Single Sign-On
SWG	Secure Web Gateway
TGW	Transit Gateway
TLS	Transport Layer Security
TTP	Tactics, Techniques, and Procedures
UEM	Unified Endpoint Management
URL	Uniform Resource Locator
USB	Universal Serial Bus
VDI	Virtual Desktop Infrastructure
VIP	(Symantec) Validation and ID Protection
VLAN	Virtual Local Area Network
VM	Virtual Machine
VPC	(Amazon) Virtual Private Cloud
VPN	Virtual Private Network
WAF	Web Application Firewall
WF	(Palo Alto Networks) Wildfire
WSS	(Symantec) Web Security Service
WSUS	(Microsoft) Windows Server Update Service
XDR	Extended Detection and Response
ZIA	Zscaler Internet Access
ZPA	Zscaler Private Access
ZSO	(Ivanti) Zero Sign-On
ZT	Zero Trust
ZTA	Zero Trust Architecture
ZTNA	Zero Trust Network Access

Managed Devices	Personal computers, laptops, mobile devices, virtual machines, and infrastructure components require management agents, allowing information technology staff to discover, maintain, and control them. Those with broken or missing agents cannot be seen or managed by agent-based security products. [NIST SP 1800-15 Vol. B]
Policy	Statements, rules, or assertions that specify the correct or expected behavior of an entity. For example, an authorization policy might specify the correct access control rules for a software component. [NIST SP 800-95 and NIST IR 7621 Rev. 1]
Policy Administrator (PA)	An access control mechanism component that executes the PE's policy decision by sending commands to the PEP to establish and terminate the communications path between the subject and the resource.
Policy Decision Point (PDP)	An access control mechanism component that computes access decisions by evaluating the applicable policies. The functions of the PE and PA comprise a PDP. [NIST SP 800-162, adapted]
Policy Enforcement Point (PEP)	An access control mechanism component that enforces access policy decisions in response to a request from a subject requesting access to a protected resource. [NIST SP 800-162, adapted]
Policy Engine (PE)	An access control mechanism component that handles the ultimate decision to grant, deny, or revoke access to a resource for a given subject.
Policy Information Point (PIP)	An access control mechanism component that provides telemetry and other information generated by policy or collected by supporting components that the PDP needs for making policy decisions. [NIST SP 800-162, adapted]
Risk	The net negative impact of the exercise of a vulnerability, considering both the probability and the impact of occurrence. [NIST SP 1800-15 Vol. B]
Security Control	A safeguard or countermeasure prescribed for an information system or an organization designed to protect the confidentiality, integrity, and availability of its information and to meet a set of defined security requirements. [NIST SP 800-53 Rev. 5]
Threat	Any circumstance or event with the potential to adversely impact organizational operations (including mission, functions, image, or reputation), organizational assets, or individuals through an information system via unauthorized access, destruction, disclosure, modification of information, and/or denial of service. Also, the potential for a threat-source to successfully

	exploit a particular information system vulnerability. [Federal Information Processing Standards 200]
Vulnerability	Weakness in an information system, system security procedures, internal controls, or implementation that could be exploited or triggered by a threat source. [NIST SP 800-37 Rev. 2]
Zero Trust	A cybersecurity paradigm focused on resource protection and the premise that trust is never granted implicitly but must be continually evaluated. [NIST SP 800-207]
Zero Trust Architecture (ZTA)	An enterprise cybersecurity architecture that is based on zero trust principles and designed to prevent data breaches and limit internal lateral movement. Zero trust architecture is an end-to-end approach to enterprise resource and data security that encompasses identity (person and non-person entities), credentials, access management, operations, endpoints, hosting environments, and the interconnecting infrastructure. [NIST SP 800-207]

Appendix C References

- [1] S. Rose, O. Borchert, S. Mitchell, and S. Connelly, *Zero Trust Architecture*, National Institute of Standards and Technology (NIST) Special Publication (SP) 800-207, Gaithersburg, Md., August 2020, 50 pp. Available <https://csrc.nist.gov/publications/detail/sp/800-207/final>.
- [2] Executive Order no. 14028, *Improving the Nation's Cybersecurity*, Federal Register Vol. 86, No.93, May 17, 2021. Available: <https://www.federalregister.gov/documents/2021/05/17/2021-10460/improving-the-nations-cybersecurity>.
- [3] "National Cybersecurity Center of Excellence (NCCoE) Zero Trust Cybersecurity: Implementing a Zero Trust Architecture," Federal Register Vol. 85, No. 204, October 21, 2020, pp. 66936-66939. Available: <https://www.federalregister.gov/documents/2020/10/21/2020-23292/national-cybersecurity-center-of-excellence-nccoe-zero-trust-cybersecurity-implementing-a-zero-trust>.
- [4] <https://www.nccoe.nist.gov/iot>
- [5] <https://www.nccoe.nist.gov/manufacturing>
- [6] <https://www.nccoe.nist.gov/energy>
- [7] <https://www.nccoe.nist.gov/healthcare>
- [8] <https://www.f5.com/company/certifications>
- [9] <https://csrc.nist.gov/projects/cryptographic-module-validation-program/Certificate/3344>
- [10] <https://csrc.nist.gov/Projects/cryptographic-module-validation-program/Certificate/3452>
- [11] P. Grassi, J. Richer, S. Squire, J. Fenton, E. Nadeau, N. Lefkovitz, J. Danker, Y. Choong, K. Greene, and M. Theofanos, *Digital Identity Guidelines Federation and Assertions*, National Institute of Standards and Technology (NIST) Special Publication (SP) 800-63C, Gaithersburg, Md., June 2017, 40 pp. Available <https://www.nist.gov/identity-access-management/nist-special-publication-800-63-digital-identity-guidelines>.

Appendix D EIG Enterprise 1 Build 1 (E1B1)

D.1 Technologies

EIG E1B1 uses products from Amazon Web Services, IBM, Ivanti, Mandiant, Okta, Radiant Logic, SailPoint, Tenable, and Zimperium. Certificates from DigiCert are also used. For more information on these collaborators and the products and technologies that they contributed to this project overall, see Section 3.4.

E1B1 components consist of Okta Identity Cloud, Ivanti Access ZSO, Ivanti Sentry, Radiant Logic RadiantOne Intelligent Identity Data Platform, SailPoint IdentityIQ, Okta Verify App, Ivanti Neurons for UEM, Zimperium MTD, IBM Security QRadar XDR, Tenable.io, Tenable.ad, IBM Cloud Pak for Security, Mandiant Advantage Security Validation (MSV), Ivanti Tunnel, DigiCert CertCentral, and AWS IaaS.

Table D-1 lists all of the technologies used in EIG E1B1. It lists the products used to instantiate each ZTA component and the security function that the component provides.

Table D-1 E1B1 Products and Technologies

Component	Product	Function
PE	Okta Identity Cloud and Ivanti Access ZSO	Decides whether to grant, deny, or revoke access to a resource based on enterprise policy, information from supporting components, and a trust algorithm.
PA	Okta Identity Cloud and Ivanti Access ZSO	Executes the PE's policy decision by sending commands to a PEP that establishes and shuts down the communication path between subject and resource.
PEP	Ivanti Sentry	Guards the trust zone that hosts one or more enterprise resources; establishes, monitors, and terminates the connection between subject and resource as directed by the PA; forwards requests to and receives commands from the PA.
Identity Management	Okta Identity Cloud	Creates and manages enterprise user and device accounts, identity records, role information, and access attributes that form the basis of access decisions within an organization to ensure the correct subjects have the appropriate access to the correct resources at the appropriate time.
Access & Credential Management	Okta Identity Cloud	Manages access to resources by performing user and device authentication (e.g., SSO and MFA) and using identity, role, and access attributes to determine which access requests are authorized.

Component	Product	Function
Federated Identity	Radiant Logic Radian- tOne Intelligent Identity Data Platform	Aggregates and correlates all attributes relating to an identity or object that is being authorized by a ZTA. It enables users of one domain to securely access data or systems of another domain seamlessly, and without the need for completely redundant user administration. Federated identity encompasses the traditional ICAM data, supports identities that may be part of a larger federated ICAM community, and may include non-enterprise employees.
Identity Governance	SailPoint IdentityIQ	Provides policy-based, centralized, automated processes to manage user identity and access control functions (e.g., ensuring segregation of duties, role management, logging, access reviews, analytics, reporting) to ensure compliance with requirements and regulations.
MFA	Okta Verify app	Supports MFA of a user identity by requiring the user to provide not only something they know (e.g., a password), but also something they have (e.g., a token).
UEM/MDM	Ivanti Neurons for Unified Endpoint Management (UEM) Platform	<p>Manages and secures enterprise desktop computers, laptops, and/or mobile devices in accordance with enterprise policy to protect applications and data; ensure device compliance; mitigate and remediate vulnerabilities and threats; monitor for suspicious activity to prevent and detect intrusions; prevent, detect, and disable malware, viruses, and other malicious or unauthorized traffic; repair infected files when possible; provide alerts and recommend remediation actions; and encrypt data.</p> <p>Pushes enterprise applications and updates to devices, enables users to download enterprise applications that they are authorized to access, remotely deletes all applications and data from devices if needed, tracks user activity on devices, and detects and addresses security issues on the device.</p>

Component	Product	Function
EPP	Zimperium MTD	Detects and stops threats to endpoints through an integrated suite of endpoint protection technologies including antivirus, data encryption, intrusion prevention, EDR, and DLP. May include mechanisms that are designed to protect applications and data; ensure device compliance with policies regarding hardware, firmware, software, and configuration; monitor endpoints for vulnerabilities, suspicious activity, intrusion, infection, and malware; block unauthorized traffic; disable malware and repair infections; manage and administer software and updates; monitor behavior and critical data; and enable endpoints to be tracked, troubleshooted, and wiped, if necessary.
SIEM	IBM Security QRadar XDR	Collects and consolidates security information and security event data from many sources; correlates and analyzes the data to help detect anomalies and recognize potential threats and vulnerabilities; and logs the data to adhere to data compliance requirements.
Vulnerability Scanning and Assessment	Tenable.io and Tenable.ad	Scans and assesses the enterprise infrastructure and resources for security risks, identifies vulnerabilities and misconfigurations, and provides remediation guidance regarding investigating and prioritizing responses to incidents.
Security Integration Platform	IBM Cloud Pak for Security	Integrates the SIEM and other security tools into a single pane of glass to support generation of insights into threats and help track, manage, and resolve cybersecurity incidents. Executes predefined incident response workflows to automatically analyze information and orchestrate the operations required to respond.

Component	Product	Function
Security Validation	Mandiant MSV	Provides visibility and evidence on the status of the security controls' effectiveness in the ZTA. Enables security capabilities of the enterprise to be monitored and verified by continuously validating and measuring the cybersecurity controls; also used to automate the demonstrations that were performed to showcase ZTA capabilities. Deployed throughout the project's laboratory environment to enable monitoring and verification of various security aspects of the builds. VMs that are intended to operate as actors are deployed on each of the subnetworks in each of the enterprises. These actors can be used to initiate various actions for the purpose of verifying that security controls are working to support the objectives of zero trust.
VPN	Ivanti Tunnel	Enables authorized remote users to securely access the inside of the enterprise. (Once inside, the ZTA manages the user's access to resources.)
Certificate Management	DigiCert CertCentral TLS Manager	Provides automated capabilities to issue, install, inspect, revoke, renew, and otherwise manage TLS certificates.
Cloud IaaS	AWS - GitLab, Word-Press	Provides computing resources, complemented by storage and networking capabilities, hosted by a cloud service provider, offered to customers on demand, and exposed through a GUI and an API.
Cloud SaaS	Ivanti Access ZSO, Ivanti Neurons for UEM, Look-out MES, Okta Identity Cloud, and Tenable.io	Cloud-based software delivered for use by the enterprise.
Application	GitLab	Example enterprise resource to be protected. (In this build, GitLab is integrated with Okta using SAML, and IBM Security QRadar XDR pulls logs from GitLab.)
Enterprise-Managed Device	Mobile devices (iOS and Android)	Example endpoints to be protected. All enterprise-managed devices are running an Ivanti Neurons for UEM agent and also have the Okta Verify App installed.
BYOD	Mobile devices (iOS and Android)	Example endpoints to be protected.

D.2 Build Architecture


In this section we present the logical architecture of E1B1 relative to how it instantiates the EIG crawl phase reference architecture depicted in [Figure 4-2](#). We also describe E1B1's physical architecture and present message flow diagrams for some of its processes.

D.2.1 Logical Architecture

[Figure D-1](#) depicts the logical architecture of E1B1. [Figure D-1](#) uses numbered arrows to depict the general flow of messages needed for a subject to request access to a resource and have that access request evaluated based on subject identity (both requesting user and requesting endpoint identity), user authorizations, and requesting endpoint health. It also depicts the flow of messages supporting periodic reauthentication of the requesting user and the requesting endpoint and periodic verification of requesting endpoint health, all of which must be performed to continually reevaluate access. The labeled steps in [Figure D-1](#) have the same meanings as they do in [Figure 4-1](#) and [Figure 4-2](#). However, while [Figure 4-2](#) depicts generic EIG crawl phase ZTA components, [Figure D-1](#) includes the specific products that instantiate the architecture of E1B1. Figure D-1 also does not depict any of the resource management steps found in [Figure 4-1](#) and [Figure 4-2](#) because the ZTA technologies deployed in E1B1 do not support the ability to perform authentication and reauthentication of the resource or periodic verification of resource health.

E1B1 was designed with a single ICAM system (Okta Identity Cloud) that serves as the identity, access, and credential manager as well as the ZTA PE and PA. It includes the Ivanti Sentry as its PEP, and it also delegates some PDP responsibilities to Ivanti Access ZSO. Radiant Logic acts as a PIP for the PDP as it responds to inquiries and provides identity information on demand in order for Okta to make near-real-time access decisions. A more detailed depiction of the messages that flow among components to support a user access request can be found in Appendix [D.2.4](#).

Figure D-1 Logical Architecture of E1B1



D.2.2 ICAM Information Architecture

How ICAM information is provisioned, distributed, updated, shared, correlated, governed, and used among ZTA components is fundamental to the operation of the ZTA. The ICAM information architecture ensures that when a subject requests access to a resource, the aggregated set of identity information and attributes necessary to identify, authenticate, and authorize the subject is available to be used as a basis on which to make the access decision.

In E1B1, Okta, Radiant Logic, and SailPoint integrate with each other as well as with other components of the ZTA to support the ICAM information architecture. Okta Identity Cloud uses authentication and authorization to manage access to enterprise resources. SailPoint governs and RadiantOne aggregates identity information that is available from many sources within the enterprise. Radiant Logic stores, normalizes, and correlates this aggregation of information and extended attributes and provides appropriate views of the information in response to queries. RadiantOne monitors each source of truth for identity and updates changes in near real-time to ensure that Okta is able to enforce access based on accurate data. SailPoint is responsible for governance of the identity data. It executes automated, policy-based workflows to manage the lifecycle of user identity information and manage user accounts and

permissions, ensuring compliance with requirements and regulations. To perform its identity aggregation and correlation functions, Radiant Logic connects to all locations within the enterprise where identity data exists to create a virtualized central identity data repository. SailPoint may also connect directly to sources of identity data or receive additional normalized identity data from Radiant Logic in order to perform its governance functions.

Use of these three components to support the ICAM information architecture in Enterprise 1 is intended to demonstrate how a large enterprise with a complex identity environment might operate—for example, an enterprise with two ADs and multiple sources of identity information, such as HR platforms, the back-end database of a risk-scoring application, a credential management application, a learning management application, on-premises LDAP and databases, etc. Mimicking a large, complex enterprise enables the project to demonstrate the ability to aggregate identity data from many sources and provide identity managers with a rich set of attributes on which to base access policy. By aggregating risk-scoring and training data with more standard identity profile information found in AD, rich user profiles can be created, enabling enterprise managers to formulate and enforce highly granular access policies. Information from any number of the identity and attribute sources can be used to make authentication and authorization decisions. In addition, such aggregation allows identities for users in a partner organization whose identity information is not in the enterprise AD to be made available to the enterprise identity manager so it has the information required to grant or deny partner user access requests. Policy-based access enforcement is also possible, in which access groups can be dynamically generated based on attribute values.


Although federated identity and identity governance technologies provide automation to ease the burden of aggregating identity information and enforcement of identity governance, they are not required supporting components for implementing a ZTA in situations in which there may only be one or a few sources of identity data.

The subsections below explain the operations of the ICAM information architecture for E1B1 when correlating identity information and when a user joins, changes roles, or leaves the enterprise. The operations depicted support identity correlation, identity management, identity authentication and authorization, and SIEM notification. It is worth noting that both Okta and SailPoint also support additional features that we have not deployed at this time, such as the ability to perform just-in-time provisioning of user accounts and permissions and the ability to remove access permissions or temporarily disable access authorizations from user accounts in response to alerts triggered by suspicious user activity.

D.2.2.1 Identity Correlation

[Figure D-2](#) depicts the ICAM information architecture for E1B1 showing the steps involved in correlating identity information to build a rich global profile that includes not just identity profiles found in AD, but additional profiles and attributes from other platforms as well. The steps are as follows:

- 2431 1. RadiantOne aggregates, correlates, and normalizes identity information from all sources of identity
2432 information in the enterprise. In complex architectures, a ZTA requires an identity data foundation
2433 that bridges legacy systems and cloud technologies, and that extends beyond legacy AD
2434 domains. In our builds, the identity source used is an example human resources (HR) database
2435 that is augmented by extended user profile and attribute information that is representative of
2436 information that could come from a variety of identity sources in a large enterprise. A credential
2437 management database, an LDAP database, and a learning management application are some
2438 examples of such identity sources. These are depicted in the lower left-hand corner of Figure
2439 D-2 in the box labeled “Enhanced Identity Data Sources.”
- 2440 2. The correlated identity profiles in RadiantOne are consumed by SailPoint.
- 2441 3. SailPoint provisions identities into AD. Multiple AD instances may be present in the enterprise,
2442 as depicted. However, each of our builds includes only one AD instance.
- 2443 4. RadiantOne correlates endpoint identities from AD.
- 2444 5. SailPoint provisions identities into appropriate enterprise resources—e.g., SaaS, IaaS, enterprise
2445 applications, and endpoint protection platforms. (This provisioning may occur directly or via
2446 Okta.)
- 2447 6. As the new identities appear in the SaaS, IaaS, enterprise application, endpoint protection, and
2448 other components, Radiant Logic is notified. Radiant Logic collects, correlates, and virtualizes
2449 this new identity information and adds it back into the global identity profile that it is maintaining.
2450 It also updates its HR, authentication, and authorization views to reflect the recent changes.
2451 Okta will eventually query these authentication and authorization information views in Radiant
2452 Logic to determine whether to grant future user access requests.
- 2453 7. Because Okta is maintaining its own internal identity directory, which is a mirrored version of
2454 the information in Radiant Logic, Okta consumes identities from Radiant Logic RadiantOne profiles.
2455 However, Okta does not store user password information.
- 2456 8. RadiantOne correlates identities that it gets from Okta.
- 2457 The identity correlation lifecycle is an ongoing process that occurs continuously as events that affect
2458 user identity information, accounts, and permissions occur, ensuring that the global identity profile is up
2459 to date. Example of such events are depicted in the subsections below.




D.2.2.2 User Joins the Enterprise

Figure D-3 depicts the ICAM information architecture for E1B1 showing the steps required to provision a new identity and associated access privileges when a new user is onboarded to the enterprise. The steps are as follows:

1. When a new user joins the enterprise, an authorized HR staff member is assumed to input information into some sort of enterprise employee onboarding and management HR application that will ultimately result in a new, active HR record for the employee appearing in the Radiant Logic human resources record view. In practice, the application that the HR staff member uses will typically store identity records in backend databases like the ones depicted in the lower left-hand corner of Figure D-3 that are in the box labeled “Enhanced Identity Data Sources.” As these databases get updated, Radiant Logic is notified, and it responds by collecting the new information and using it to dynamically update its HR view.
2. In the course of performing its governance activities, SailPoint detects the new HR record in Radiant Logic. SailPoint evaluates this new HR record, which triggers a *Joiner* lifecycle event, causing SailPoint to execute a policy-driven workflow that includes steps 3, 4, and 5.
3. SailPoint provisions access permissions to specific enterprise resources for this new user. These access permissions, known as the user’s *Birthright Role Access*, are automatically determined according to policy based on factors such as the user’s role, type, group memberships, and status. These permissions comprise the access entitlements that the employee has on day 1. SailPoint creates an account for the new user in AD, thereby provisioning appropriate enterprise resource access for the new user. Also (not labeled in the diagram), Radiant Logic then collects and correlates this user information from AD into the global identity profile that it is maintaining.
4. Assuming there are resources for which access is not managed by AD that the new user is authorized to access according to their Birthright Role, SailPoint also provisions access to these resources for the new user by creating new accounts for the user, as appropriate, on SaaS, IaaS, enterprise application, MDM, EPP, and other components. (This provisioning may occur directly or via Okta.)
5. Once the new identity and its access privileges have been provisioned, SailPoint audits the identity and provisioning actions that were just performed.
6. As the new enterprise accounts appear in the SaaS, IaaS, enterprise application, endpoint protection, and other components, Radiant Logic is notified. Radiant Logic collects, correlates and virtualizes this new identity information and adds it back into the global identity profile that it is maintaining. It also updates its HR, authentication, and authorization (AuthN/AuthZ) views to reflect the recent changes. Okta will eventually query these authentication and authorization

2496 information views in Radiant Logic to determine whether or not to grant future user access re-
2497 quests. (Note that Okta will only query these views in Radiant Logic when a user tries to access a
2498 resource; it will not query if there is no action from the user.)

2499 7. In addition, because Okta is maintaining its own internal identity directory, which is a mirrored
2500 version of the information in Radiant Logic, Radiant Logic pushes the new account identity infor-
2501 mation into Okta, thereby synchronizing its extended user profile attribute information with
2502 Okta. This provides Okta with additional contextual data regarding users and devices that Radi-
2503 ant Logic has aggregated from all identity sources, beyond the birthright provisioning infor-
2504 mation that SailPoint provided. Also (not labeled in the diagram), Radiant Logic then collects and
2505 correlates identity information from Okta back into the global identity profile that it is maintain-
2506 ing.




D.2.2.3 User Changes Roles

[Figure D-4](#) depicts the ICAM information architecture for E1B1, showing the steps required to remove some access privileges and add other access privileges for a user in response to that user changing roles within the enterprise. The steps are as follows:

1. When a user changes roles within the enterprise, an authorized HR staff member is assumed to input information into some sort of enterprise employee management application that will result in the Radiant Logic HR record for that user indicating that the user has changed roles.
2. SailPoint detects this updated HR record in Radiant Logic. SailPoint evaluates this updated HR record, which triggers a *Mover* lifecycle event, causing SailPoint to execute a policy-driven workflow that includes steps 3, 4, 5, and 6.
3. SailPoint removes access permissions associated with the user's prior role (but not with the user's new role) from the user's AD account and removes access from other enterprise resources (e.g., SaaS, IaaS, enterprise applications, MDM) that the user had been authorized to access as a result of their prior role but they are not authorized to access as a result of their new role. Also (not labeled in the diagram), Radiant Logic then collects and correlates any changes that were made to the user's account from AD into the global identity profile that it is maintaining.
4. Assuming there are enterprise resources that the user's new role entitles them to access that are not managed by AD, SailPoint provisions access to these resources for the user by creating new accounts for the user, as appropriate, in SaaS, IaaS, enterprise application, endpoint protection, MDM, and other components. (This provisioning may occur directly or via Okta.)
5. SailPoint generates an access review for management to confirm or revoke the changes that have been made. Such an access review is not strictly necessary. The permission changes could be executed in a fully automated manner, if desired, and specified by policy. However, having an access review provides management with the opportunity to exercise some supervisory discretion to permit the user to temporarily continue to have access to some resources associated with their former role that may still be needed.
6. Once the access review has been completed and any access privilege changes deemed necessary have been performed, SailPoint audits the changes.
7. As the new enterprise accounts appear in the SaaS, IaaS, enterprise application, endpoint protection, and other components, and as existing account access is removed, Radiant Logic is notified. Radiant Logic collects, correlates, and virtualizes this new identity information and adds it back into the global identity profile that it is maintaining. It also updates its HR, authentication,

2541 and authorization views to reflect the recent changes. Okta will eventually query these authenti-
2542 cation and authorization information views in Radiant Logic to determine whether to grant fu-
2543 ture user access requests.


2544 8. In addition, because Okta is maintaining its own internal identity directory, which is a mirrored
2545 version of the information in Radiant Logic, Radiant Logic pushes the modified account identity
2546 information into Okta, thereby synchronizing its user profile attribute information with Okta.
2547 Also (not labeled in the diagram), Radiant Logic then collects and correlates identity information
2548 from Okta back into the global identity profile that it is maintaining.



D.2.2.4 User Leaves the Enterprise

Figure D-5 depicts the ICAM information architecture for E1B1 showing the steps required to disable or delete an identity and remove access privileges in response to a user leaving the enterprise. The steps are as follows:

1. When a user's employment is terminated, an authorized HR staff member is assumed to input information into some sort of enterprise employee management application that will result in the Radiant Logic HR record for that user indicating that the user has changed from active to inactive status.
2. SailPoint detects this updated HR record in Radiant Logic. SailPoint evaluates this updated HR record, which triggers a *Leaver* lifecycle event, causing SailPoint to execute a policy-driven workflow that includes steps 3, 4, 5, and 6.
3. SailPoint removes all access permissions associated with the user identity from AD. Also (not labeled in the diagram), Radiant Logic then collects and correlates this user access authorization change from AD into the global identity profile that it is maintaining.
4. SailPoint either disables or deletes all enterprise resource accounts associated with the user identity, as defined by policy, from components such as SaaS, IaaS, enterprise applications, and endpoint protection platforms. (SailPoint may perform these actions directly or via Okta.)
5. SailPoint removes the user identity from all governance groups the identity is in.
6. SailPoint audits the changes made as a result of this user termination.
7. As the enterprise accounts associated with the user's identity are deleted or disabled, Radiant Logic is notified. Radiant Logic collects, correlates, and virtualizes this new identity information and adds it back into the global identity profile that it is maintaining. It also updates its HR, authentication, and authorization views to reflect the recent changes. Okta will eventually query these authentication and authorization information views in Radiant Logic to determine whether or not to grant future user access requests.
8. In addition, because Okta is maintaining its own internal identity directory, which is a mirrored version of the information in Radiant Logic, Radiant Logic pushes the modified account identity information into Okta, thereby synchronizing its user profile attribute information with Okta. Also (not labeled in the diagram), Radiant Logic then collects and correlates identity information from Okta back into the global identity profile that it is maintaining.



D.2.3 Physical Architecture

Sections [4.3.1](#) and [4.3.2](#) describe and depict the physical architecture of the E1B1 headquarters network and the E1B1 branch office network, respectively.


D.2.4 Message Flow for a Successful Resource Access Request

[Figure D-6](#) shows the high-level message flow for a use case in which a subject who has an enterprise ID, is located on-premises, and is authorized to access an enterprise resource requests and receives access to that resource. In the case depicted in the figure, access to the resource is protected by the Ivanti Sentry gateway, which acts as a PEP; Ivanti Neurons for UEM, which consist of a UEM agent on the endpoint and a cloud component that work together to authenticate the requesting endpoint and determine whether or not it is compliant; Ivanti Access ZSO, which acts as a delegated IdP and consults the Okta Identity Cloud to authenticate the requesting user; and the Okta Verify App, which performs second-factor user authentication.

The message flow depicted in Figure D-6 shows only the messages that are sent in response to the access request. However, the authentication process also relies on the following additional background communications that occur among components on an ongoing basis:

- The Ivanti Neurons for UEM agent periodically syncs with Ivanti Neurons for UEM to reauthenticate the requesting endpoint device using a unique certificate that has been provisioned specifically for that device and send Ivanti Neurons for UEM information about device attributes.
- Zimperium periodically sends mobile defense threat information to Ivanti Neurons for UEM.
- Ivanti Neurons for UEM determines device health status based on the above information that it receives from both the Ivanti Neurons for UEM agent and Zimperium.
- Ivanti Neurons for UEM periodically sends device health information to Ivanti Access ZSO.
- Ivanti Neurons for UEM also periodically sends device health information to the Ivanti Sentry gateway.
- Okta periodically synchronizes with Ivanti Neurons for UEM and Ivanti Access ZSO to get the most up-to-date identity information and ensure that the endpoint device is managed by Ivanti Neurons for UEM.

Figure D-6 Successful Access Request Enforced by Okta, Ivanti, and Zimperium Components



The message flow depicted in Figure D-6 assumes that a VPN between an app on the user’s endpoint and the Ivanti Sentry gateway (PEP) has already been set up and connected prior to the user’s access request. This VPN connection is established automatically as soon as the device is connected to the network, and it can be configured to be in an “Always On” state. The steps in this message flow, which depicts a successful resource access, are as follows:

1. The user logs into their device and authenticates themselves according to organization policy as configured in Ivanti Neurons for UEM. (This login could be accomplished with a fingerprint ID, face ID, PIN, derived credentials, or any other mechanism that is supported by the device and permitted by organizational policy as configured in the UEM.)
2. The user requests to access a resource. This request is sent on the VPN from the user’s endpoint to the Ivanti Sentry gateway, which acts as a PEP.

- 2621 3. Based on information about the endpoint and user that the Ivanti Sentry gateway has received
2622 in the background from Ivanti Neurons for UEM, the Ivanti Sentry gateway determines that, ac-
2623 cording to policy, this request is permitted to be sent to Okta, so it allows the access request to
2624 proceed to the Okta Identity Cloud component.
- 2625 4. Okta requests the user to provide authentication information by using Okta FastPass. Okta
2626 FastPass allows the user to bypass username and password authentication because Okta trusts
2627 that the user properly authenticated when they initially logged into the device in step 1, and
2628 Okta knows (from background communications with Ivanti Access ZSO) that Ivanti Neurons for
2629 UEM is managing the device.
- 2630 5. The user provides first-factor authentication information by pressing the Okta FastPass button
2631 displayed on the device.
- 2632 6. Okta forwards the access request information to Ivanti Access ZSO because Okta will rely on and
2633 trust Ivanti Access ZSO to perform user authentication and verify the request's attributes to en-
2634 sure that they conform with policy. In this instance, Ivanti Access will act as a PDP to determine
2635 whether the access request should be granted.
- 2636 7. Ivanti Access authenticates the user using the access request information relayed by Okta. Ivanti
2637 Access gets user identities, attributes, and device information from a published certificate that
2638 was provisioned uniquely to the device. The certificate contains user information in a Certificate
2639 Subject Alternative field. Ivanti Neurons for UEM uses Okta as an identity provider and regularly
2640 syncs with Okta to remain up to date. It does not reach back to Okta every time an identity re-
2641 quest comes in. Ivanti Access also verifies that the device complies with its conditional access
2642 policy. If any policy is being violated, device access is blocked and a remediation page is pre-
2643 sented to the user. Ivanti Access ZSO makes this determination based on information it has been
2644 receiving in the background from Ivanti Neurons for UEM and Zimperium.
- 2645 8. Ivanti Access ZSO notifies Okta that it has approved the access request by signing an authentica-
2646 tion token using the Ivanti Access ZSO signing certificate.
- 2647 9. Okta initiates second-factor authentication using the Okta Verify App. Okta requires the user to
2648 present their biometric information to authenticate themselves to the device, and then the Okta
2649 Verify App displays a notification on the device informing the user that they must respond (e.g.,
2650 tap a confirmation button on the display) to prove that they are in possession of the device.
- 2651 10. The user presents their biometric information and responds to the Okta Verify notification,
2652 thereby providing the second authentication factor.
- 2653 11. Okta creates a SAML assertion and sends it to the requesting endpoint.

- 2654 12. The requesting endpoint sends the SAML assertion to the resource via the VPN that connects to
2655 the Ivanti Sentry gateway.
- 2656 13. The Ivanti Sentry gateway verifies device health and compliance based on the device infor-
2657 mation it has been receiving in the background from Ivanti Neurons for UEM.
- 2658 14. The Ivanti Sentry gateway permits the SAML assertion to proceed to the resource.
- 2659 15. The resource accepts the assertion and grants the access request. User traffic to and from the
2660 resource is secured according to policy (e.g., using TLS or HTTPS).
- 2661 Note that the message flow depicted in [Figure D-6](#) applies to several of the use cases we are
2662 considering. It applies to all cases in which a user with an enterprise ID who can successfully
2663 authenticate themselves and who is using an enterprise-owned endpoint requests and receives access
2664 to an enterprise resource that they are authorized to access. The message flow is the same regardless of
2665 whether the employee is located on-premises at headquarters, on-premises at a branch office, or off-
2666 premises at home or elsewhere. It is also the same regardless of whether the resource is located on-
2667 premises or in the cloud.

2668 **Appendix E** **EIG Enterprise 2 Build 1 (E2B1)**

2669 This build will be documented in a future version of this publication.

Appendix F EIG Enterprise 3 Build 1 (E3B1)

F.1 Technologies

EIG E3B1 uses products from F5, Forescout, Lookout, Mandiant, Microsoft, Palo Alto Networks, PC Matic, and Tenable. Certificates from DigiCert are also used. For more information on these collaborators and the products and technologies that they contributed to this project overall, see Section 3.4.

E3B1 components consist of Microsoft Azure AD, Microsoft AD, F5 BIG-IP, Microsoft Endpoint Manager, Microsoft Defender for Endpoint, Lookout MES, PC Matic Pro, Microsoft Sentinel, Tenable.io, Tenable.ad, Mandiant MSV, Forescout eyeSight, Palo Alto Networks NGFW, and DigiCert CertCentral.

Table F-1 lists all of the technologies used in E3B1 ZTA. It lists the products used to instantiate each ZTA component and the security function that the component provides.

Table F-1 E3B1 Products and Technologies

Component	Product	Function
PE	Azure AD (Conditional Access)	Decides whether to grant, deny, or revoke access to a resource based on enterprise policy, information from supporting components, and a trust algorithm.
PA	Azure AD (Conditional Access)	Executes the PE's policy decision by sending commands to a PEP that establishes and shuts down the communication path between subject and resource.
PEP	Azure AD (Conditional Access), F5 BIG-IP, and Lookout MES	Guards the trust zone that hosts one or more enterprise resources; establishes, monitors, and terminates the connection between subject and resource as directed by the PA; forwards requests to and receives commands from the PA.
Identity Management	Microsoft AD and Azure AD	Creates and manages enterprise user and device accounts, identity records, role information, and access attributes that form the basis of access decisions within an organization to ensure the correct subjects have the appropriate access to the correct resources at the appropriate time.
Access & Credential Management	Microsoft AD and Azure AD	Manages access to resources by performing user and device authentication (e.g., SSO and MFA) and using identity, role, and access attributes to determine which access requests are authorized.

Component	Product	Function
Federated Identity	Microsoft AD and Azure AD	Aggregates and correlates all attributes relating to an identity or object that is being authorized by a ZTA. It enables users of one domain to securely access data or systems of another domain seamlessly, and without the need for completely redundant user administration. Federated identity encompasses the traditional ICAM data, supports identities that may be part of a larger federated ICAM community, and may include non-enterprise employees.
Identity Governance	Microsoft AD and Azure AD	Provides policy-based, centralized, automated processes to manage user identity and access control functions (e.g., ensuring segregation of duties, role management, logging, access reviews, analytics, reporting) to ensure compliance with requirements and regulations.
MFA	Azure AD (Multi-factor Authentication)	Authenticates user identity by requiring the user to provide not only something they know (e.g., a password), but also something they have (e.g., a token).
UEM/MDM	Microsoft Endpoint Manager	<p>Manages and secures enterprise desktop computers, laptops, and/or mobile devices in accordance with enterprise policy to protect applications and data; ensure device compliance; mitigate and remediate vulnerabilities and threats; monitor for suspicious activity to prevent and detect intrusions; prevent, detect, and disable malware, viruses, and other malicious or unauthorized traffic; repair infected files when possible; provide alerts and recommend remediation actions; and encrypt data.</p> <p>Pushes enterprise applications and updates to devices, enables users to download enterprise applications that they are authorized to access, remotely deletes all applications and data from devices if needed, tracks user activity on devices, and detects and addresses security issues on the device.</p>

Component	Product	Function
EPP	Microsoft Defender for Endpoint, Lookout MES, PC Matic Pro	Detects and stops threats to endpoints through an integrated suite of endpoint protection technologies including antivirus, data encryption, intrusion prevention, EDR, and DLP. May include mechanisms that are designed to protect applications and data; ensure device compliance with policies regarding hardware, firmware, software, and configuration; monitor endpoints for vulnerabilities, suspicious activity, intrusion, infection, and malware; block unauthorized traffic; disable malware and repair infections; manage and administer software and updates; monitor behavior and critical data; and enable endpoints to be tracked, troubleshooted, and wiped, if necessary.
SIEM	Microsoft Sentinel	Collects and consolidates security information and security event data from many sources; correlates and analyzes the data to help detect anomalies and recognize potential threats and vulnerabilities; and logs the data to adhere to data compliance requirements.
Vulnerability Scanning and Assessment	Tenable.io and Tenable.ad	Scans and assesses the enterprise infrastructure and resources for security risks; identifies vulnerabilities and misconfigurations; and provides remediation guidance regarding investigating and prioritizing responses to incidents.
Security Validation	Mandiant MSV	Provides visibility and evidence on the status of the security controls' effectiveness in the ZTA. Enable security capabilities of the enterprise to be monitored and verified by continuously validating and measuring the cybersecurity controls; also used to automate the demonstrations that were performed to showcase ZTA capabilities. Mandiant MSV is deployed throughout the project's laboratory environment to enable monitoring and verification of various security aspects of the builds. VMs that are intended to operate as actors are deployed on each of the subnetworks in each of the enterprises. These actors can be used to initiate various actions for the purpose of verifying that security controls are working to support the objectives of zero trust.
Network Discovery	Forescout eye-Sight	Discovers, classifies, and assesses the risk posed by devices and users on the network.
Next Generation Firewall (NGFW)	Palo Alto Networks NGFW	Enables authorized remote users to securely access the inside of the enterprise. (Once inside, the ZTA manages the user's access to resources.)

Component	Product	Function
Certificate Management	DigiCert CertCentral TLS Manager	Provides automated capabilities to issue, install, inspect, revoke, renew, and otherwise manage TLS certificates.
Cloud IaaS	Azure	Provides computing resources, complemented by storage and networking capabilities, hosted by a cloud service provider, offered to customers on demand, and exposed through a GUI and an API.
Cloud SaaS	Microsoft Azure AD, Microsoft Defender for Endpoint, Microsoft Endpoint Manager, Microsoft Office 365, Microsoft Sentinel, Tenable.io	Cloud-based software delivered for use by the enterprise.
Application	GitLab	Example enterprise resource to be protected. (In this build, GitLab is integrated directly with Azure AD using SAML, and Microsoft Sentinel pulls logs from GitLab.)
Application	Guacamole	Example enterprise resource to be protected. (In this build, BIG-IP serves as an identity-aware proxy that protects access to Guacamole, and BIG-IP is integrated with Azure AD using SAML. Also, Microsoft Sentinel pulls logs from Guacamole.)
Enterprise-Managed Device	Windows client, Linux client, macOS client, and mobile devices (iOS and Android)	Example endpoints to be protected. (In this build, all enterprise-managed devices are enrolled into Microsoft Endpoint Manager.)
BYOD	Windows client, Linux client, macOS client, and mobile devices (iOS and Android)	Example endpoints to be protected.

F.2 Build Architecture


In this section we present the logical architecture of E3B1 relative to how it instantiates the crawl phase EIG reference architecture depicted in [Figure 4-2](#). We also describe E3B1's physical architecture and present message flow diagrams for some of its processes.

F.2.1 Logical Architecture

[Figure F-1](#) depicts the logical architecture of E3B1. [Figure F-1](#) uses numbered arrows to depict the general flow of messages needed for a subject to request access to a resource and have that access request evaluated based on subject identity (both requesting user and requesting endpoint identity), authorizations, and requesting endpoint health. It also depicts the flow of messages supporting periodic reauthentication of the requesting user and the requesting endpoint and periodic verification of requesting endpoint health, all of which must be performed to continually reevaluate access. The labeled steps in [Figure F-1](#) have the same meanings as they do in [Figure 4-1](#) and [Figure 4-2](#). However, while [Figure 4-2](#) depicts generic crawl phase ZTA components, [Figure F-1](#) includes the specific products that instantiate the architecture of E3B1. [Figure F-1](#) also does not depict any of the resource management steps found in [Figure 4-1](#) and [Figure 4-2](#) because the ZTA technologies deployed in E3B1 do not support the ability to perform authentication and reauthentication of the resource or periodic verification of resource health.

E3B1 was designed with a single ICAM system (Microsoft Azure AD) that serves as identity, access, and credential manager and also serves as the ZTA PE and PA. It includes three PEPs: Microsoft Azure AD, F5 BIG-IP, and Lookout MES. A more detailed depiction of the messages that flow among components to support user access requests in the two different cases when the resource is being protected by the Azure AD PEP versus the F5 BIG-IP PEP can be found in Appendices [F.2.3.1](#) and [F.2.3.2](#).

Figure F-1 Logical Architecture of E3B1



F.2.2 Physical Architecture

Section 4.3.4 describes and depicts the physical architecture of the E3B1 network.

F.2.3 Message Flows for a Successful Resource Access Request

This section depicts two high-level message flows, both of which support the use case in which a subject who has an enterprise ID, is located on premises, and is authorized to access an enterprise resource, requests and receives access to that resource.

The two message flows that are supported by Enterprise 3 for this use case depend on whether the resource being accessed is protected by Azure AD alone (see Appendix F.2.3.1) or by Azure AD in conjunction with the F5 BIG-IP PEP (see Appendix F.2.3.2).

Regardless of which components are being used to protect the resource, all endpoints are enrolled into Microsoft Endpoint Manager, which is an MDM (and a UEM) that can configure and manage devices and can also retrieve and report on device security settings that can be used to determine compliance, such as whether the device is running a firewall or anti-malware. Non-Windows devices have an MDM agent

2718 installed on them to enable them to report compliance information to Microsoft Endpoint Manager, but
2719 Windows devices do not require a separate agent because Windows has built-in agents that are
2720 designed to communicate with Endpoint Manager. Endpoint Manager-enrolled devices check in with
2721 Endpoint Manager periodically, allowing it to authenticate the requesting endpoint, determine how the
2722 endpoint is configured, modify certain configurations, and collect much of the information it needs to
2723 determine whether the endpoint is compliant. Endpoint Manager reports the device compliance
2724 information that it collects to Azure AD, which will not permit a device to access any resources unless it
2725 is compliant.

2726 One of the criteria that devices must meet to be considered compliant is that they must have antivirus
2727 software updated and running. In both scenarios below, some requesting endpoints have Microsoft
2728 Defender Antivirus running on them and other requesting endpoints have PC Matic Pro (also antivirus
2729 software) running; no endpoints have both turned on. If a device is running Microsoft Defender
2730 Antivirus, the Endpoint Manager MDM can sense this and report it to Azure AD. If a device is running PC
2731 Matic Pro, however, the device is configured to notify Windows Security Center that the endpoint has
2732 antivirus software installed, and the Security Center provides this information to Azure AD.

2733 The authentication message flows depicted below show only the messages that are sent in response to
2734 the access request. However, the authentication process also relies on the following additional
2735 background communications that occur among components on an ongoing basis:


- 2736 ▪ Microsoft AD periodically synchronizes with Azure AD to provide it with the most up-to-date
2737 identity information.
- 2738 ▪ Endpoint Manager-enrolled devices check in with Endpoint Manager periodically. Checking in
2739 allows Endpoint Manager to determine how the endpoint is configured and modify certain
2740 configurations that have been previously specified. It also allows Endpoint Manager to report
2741 the compliance of the device to Azure AD.
- 2742 ▪ Microsoft Defender for Endpoint has both a cloud component and built-in sensors that detect
2743 threat signals from Windows endpoints. So not only can it tell that a firewall is disabled or
2744 antivirus is off, but it can tell when certain malicious signals seen elsewhere have also been
2745 observed on your endpoint. It periodically reports this information to its cloud/management
2746 component, which uses it for risk determination. This information can be passed off to Endpoint
2747 Manager to include in its compliance determination of an endpoint.
- 2748 ▪ Microsoft Defender Antivirus (an endpoint agent) periodically syncs with Microsoft Endpoint
2749 Manager and Microsoft Defender for Endpoint.
- 2750 ▪ Microsoft Endpoint Manager periodically sends device health information to Azure AD Endpoint
2751 Manager so that it can be sure that the device is managed and compliant.
- 2752 ▪ PC Matic periodically syncs with Windows Security Center to inform it that that the endpoint has
2753 antivirus installed and active.

- Windows Security Center periodically syncs with Azure AD to provide it with endpoint status information, e.g., that endpoints have antivirus installed.

F.2.3.1 Use Case in which Resource Access Is Enforced by Azure AD

Figure F-2 depicts the message flow for the case in which access to the resource is protected by Azure AD (with the Conditional Access feature), which acts as a PDP; and Microsoft AD, which provides identity information.

Figure F-2 Use Case—E1B1 – Access Enforced by Azure AD



The message flow depicted in Figure F-2 consists of the following steps:


- A user requests access to a resource.
- The resource sends the authentication request to Azure AD.
- Azure AD prompts for username and password.
- The user responds with username and password.
- Azure AD authenticates the user. Azure AD consults the information about the device that it has received in the background from Microsoft Endpoint Manager and Defender for Endpoint to authenticate the device and verify that it is managed and meets compliance requirements. If the

- 2769 device has PC Matic running on it, Azure AD also consults information about the device that it
 2770 has received in the background from Windows Security Center to verify that the device is run-
 2771 ning antivirus software.
- 2772 6. Azure AD challenges the user to provide the second authentication factor.
- 2773 7. The user responds with the second authentication factor.
- 2774 8. Azure AD sends a SAML assertion to the resource.
- 2775 9. The resource accepts the assertion and grants the access request. User traffic to and from the
 2776 resource is secured according to policy (e.g., using TLS or HTTPS).

2777 *F.2.3.2 Use Case in which Resource Access Is Enforced by an F5 BIG-IP PEP*

2778 Figure F-3 depicts the message flow for the case in which access to the resource is protected by F5 BIG-
 2779 IP, which acts as an identity aware proxy PEP; Microsoft Azure AD, which acts as an ICAM provider and
 2780 PDP; and Microsoft AD, which provides identity information.

2781 **Figure F-3 Use Case—E1B1 – Access Enforced by F5 BIG-IP**



2782 The message flow depicted in Figure F-3 consists of the following steps:

- 2783 1. A user requests access to a resource.
- 2784 2. BIG-IP, which is acting as an identity-aware proxy PEP that sits in front of the resource, inter-
 2785 cepts and forwards the request to Azure AD.

- 2786 3. Azure AD prompts for username and password.
- 2787 4. The user responds with username and password.
- 2788 5. Azure AD authenticates the user. Azure AD consults the information about the device that it has
2789 received in the background from Microsoft Endpoint Manager and Defender for Endpoint to au-
2790 thenticate the device and verify that it is managed and meets compliance requirements. If the
2791 device has PC Matic running on it, Azure AD also consults information about the device that it
2792 has received in the background from Windows Security Center to verify that the device is run-
2793 ning antivirus software.
- 2794 6. Azure AD challenges the user to provide the second authentication factor.
- 2795 7. The user responds with the second authentication factor.
- 2796 8. Azure AD sends a SAML assertion to BIG-IP which serves as an identity-aware proxy, service pro-
2797 vider, and the PEP protecting the resource.
- 2798 9. BIG-IP accepts the SAML assertion and permits the access request to proceed to the resource.
2799 User traffic to and from the resource is secured according to policy (e.g., using TLS or HTTPS).

2800 **Appendix G EIG Enterprise 4 Build 1 (EB1)**

2801 This build will be documented in a future version of this publication.